ORAL ARGUMENT NOT YET SCHEDULED

IN THE UNITED STATES COURT OF **APPEALS FOR THE DISTRICT OF COLUMBIA CIRCUIT**

EDISON ELECTRIC)	
INSTITUTE <i>et al</i> .)	
Petitioners,)	
)	
V.)	<u>No. 20-1216</u>
)	
FEDERAL COMMUNICATIONS)	
COMMISSION and UNITED)	
OF STATES AMERICA,)	
Respondents.)	
UTILITIES TECHNOLOGY)	
COUNCIL, et al.,)	
Petitioners,)	
)	
V.)	<u>No. 20-1281</u>
)	
FEDERAL COMMUNICATIONS)	
COMMISSION and UNITED)	
OF STATES AMERICA,)	
Respondents.)	

EMERGENCY PETITION FOR STAY

The Communications Act requires the Federal Communications

Commission (the "Commission") to ensure that unlicensed wireless devices do not

cause harmful interference to existing licensed operations. The Administrative

Procedure Act requires the Commission to fully consider all important interests in

adopting a new rule. In an April 24, 2020 Order, the Commission established new rules for sharing the 6 GHz band by authorizing unlicensed indoor low power devices without realistic mechanisms to prevent interference with licensed incumbent uses, including those used by electric utility 6 GHz networks that monitor and protect electric grids during emergencies such as a wildfire or a hurricane. See Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, ET Docket No. 18-295, Report and Order and Further Notice of Proposed Rulemaking, 35 FCC Rcd. 3852 (2020) ("Order").¹ This action will soon lead to sales of millions, if not billions, of unidentifiable and unrecallable 6 GHz devices operating at power levels that will compromise electric utilities' wireless networks. Whether the Commission's action was legal and proper is now before the court on appeal. To avoid a catastrophic result while the legality of the Commission's action is litigated, Edison Electric Institute ("EEI"), the Utilities Technology Council ("UTC"), the National Rural Electric Cooperative Association ("NRECA"), and the American Public Power Association ("APPA") (collectively "Petitioners") ask this court to

¹ At this time, Petitioners seek to stay only the rules permitting unlicensed indoor device operation. Petitioners reserve all later challenges to other portions of the Order. *Cf. United States Telecom Ass'n v. FCC*, 359 F.3d 554, 594 (2004); *Am. Civil Liberties Union v. FCC*, 823 F.2d 1554, 1575 (D.C. Cir. 1987).

temporarily stay the new rules. Petitioner EEI requested a stay from the Commission, but this request was denied on August 13, 2020.²

BACKGROUND

EEI is a trade association representing U.S. investor-owned electric generation and distribution companies, including all of the major regional electric utilities. EEI's members provide electricity for 220 million Americans, operate in all 50 states and the District of Columbia, and directly and indirectly employ more than seven million people across the United States. Electric companies are among the nation's largest users of communications services and operate some of the most extensive private communications networks.

UTC is the international trade association for the telecommunications and information technology interests of electric, gas, and water utilities. UTC's membership includes approximately 300 utilities across the U.S. and Canada, including large, for-profit, investor-owned electric and gas companies that serve millions of customers across multi-state service territories, as well as smaller, notfor-profit, rural electric cooperative and public power utilities, which may serve only a few thousand customers in isolated communities or remote areas. UTC's

² While Petitioners UTC, APPA, and NRECA did not request a stay before the Commission, their arguments before this Court, and the relief they seek, are coterminous with that of EEI.

members own, manage and control extensive infrastructure that they use to support the safe, reliable and secure delivery of essential services to the public at large.

APPA is the voice of not-for-profit, community-owned utilities that power 2,000 towns and cities nationwide. It represents public power before the federal government to protect the interests of the more than 49 million people that public power utilities serve, and the 93,000 people they employ.

NRECA is the national trade association representing more than 900 local electric cooperatives operating in 48 states. America's electric cooperatives power over 20 million businesses, homes, schools and farms across 56 percent of the nation's landmass and serve more than 42 million people.

Existing 6 GHz wireless networks are key components to protecting the integrity of vital utility distribution and transmission facilities. Electric utility systems mainly use 6 GHz band links for teleprotection, a relay system integrated into electric transmission and distribution grids that prevents faults from escalating and damaging essential elements of the grid or causing power outages, especially during an emergency or natural disaster. Teleprotection systems must operate full-time and respond in milliseconds.

The Order establishes new rules for sharing the 6 GHz band by authorizing unlicensed indoor low power devices without an Automated Frequency Coordination ("AFC") system or other pre-deployment coordination mechanism to

- 4 -

mitigate interference. This action will soon lead to sales of millions, if not billions,³ of unidentifiable radiating devices operating at levels that will destroy Petitioners' members' ability to use their existing facilities.⁴

This unprecedented decision failed to meaningfully consider the cognizable risk to infrastructure operations that are critical to the public welfare, leapfrogged a clear statutory mandate prohibiting interference within the band, ignored detailed real-world technical studies, improperly relied on unrealistic and unverified theoretical simulations, and lacked support from even a single field test.

The harms to Petitioners' members are imminent: 6 GHz chips and routers the precursors to device deployment—are already on the market, meaning that devices will soon follow (and be widely available in time for the holiday sales season). Once the devices are deployed, these harms are irreversible; the Order

³ The 2018 Notice of Proposed Rulemaking explains the "explosive demand for unlicensed spectrum" due to the rapid development of innovation. *Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz*, ET Docket No. 18-295, Notice of Proposed Rulemaking, 33 FCC Rcd. 10496, 18-147 ¶¶ 3-7 (2018).

⁴ Several submissions to the Commission supported this conclusion. *See, e.g.*, Roberson & Associates, LLC, *Impact of Proposed Wi-Fi Operations on Microwave Links at 6 GHz* (2019) (*CII User Study*) and Letter from EEI, AGA, APPA, AWWA, NRECA, NEI and UTC to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (Mar. 20, 2020) (*Updated Technical Analysis*) (both studies demonstrating that indoor deployment without AFC will degrade 93% of licensed microwave point-to-point victim receivers in Houston in excess of the -6 dB I/N limit). For brevity, not all relevant submissions are listed.

provides insufficient mechanisms to prevent devices from operating outdoors and lacks any procedure to identify, locate, or eliminate devices causing interference.

Petitioners, along with other incumbent licensed users of the 6 GHz band, have filed petitions for review of the Order in this Court.⁵ In the interim, EEI and others requested that the Commission stay the Order, but the Commission denied the requests on August 13, 2020. *In the Matter of Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz*, DA 20-879, ET Docket No. 18-295 and GN Docket No. 17-183, Order Denying Petitions for Stay (Office of Eng'g & Tech. 2020) ("Denial Order").

In denying the requests, the Commission doubled down on the Order's errors, concluding among other things: that the risk of harmful interference is not "significant," despite contrary evidence from numerous technical studies; that the Commission had, in fact, "properly addressed" public safety concerns, despite failing to account for the unique way utilities rely on the 6 GHz band to provide critical services to the public; and that harmful interference could be addressed using pre-existing regulatory frameworks, despite the fact that these frameworks were not designed to—and therefore cannot —resolve interference to utility

⁵ These petitions have all been consolidated: Case Nos. 20-1190 (lead), 20-1216, 20-1272, 20-1274, 20-1281, 20-1284 (D.C. Cir.)

communications arising from millions of sporadically transmitting unlicensed devices in the same band.

DISCUSSION

To obtain a stay, a petitioner must show that: (1) it is likely to prevail on the merits; (2) it will suffer irreparable harm if a stay is not granted; (3) other interested parties will not be substantially harmed if the stay is granted; and (4) the public interest favors granting a stay. *Washington Metro. Area Transit Comm'n v. Holiday Tours, Inc.*, 559 F.2d 841, 843 (D.C. Cir. 1977). A stay is appropriate where the circumstances make it practically "impossible . . . to compel a return to the status quo." *FTC v. Exxon Corp.*, 636 F.2d 1336, 1342 (D.C. Cir. 1980).

A. Petitioners Are Likely to Prevail on the Merits.

1. The Order is contrary to Section 301 of the Communications Act and the Commission's own regulations.

The Order conflicts with a clear congressional directive mandating the Commission to prevent interference with licensed uses of the 6 GHz band. "Agencies owe their capacity to act to the delegation of authority, either express or implied, from the legislature." *Ry. Labor Executives' Ass'n v. Nat'l Mediation Bd.*, 29 F.3d 655, 670 (D.C. Cir.), *amended*, 38 F.3d 1224 (D.C. Cir. 1994). Indeed, "an agency literally has no power to act . . . unless and until Congress confers power upon it." *Louisiana Pub. Serv. Comm'n v. FCC*, 476 U.S. 355, 374 (1986).

Section 301 of the Communications Act, which prescribes the Commission's authority governing public uses of radio spectrum, *requires* the Commission to protect licensed users against harmful interference from unlicensed operations. 47 U.S.C. § 301; 47 C.F.R. § 15.5(b)-(c). The statute is unequivocal: "No person shall use or operate any apparatus for the transmission of energy or communications or signals by radio . . . except under and in accordance with this Act and with a license in that behalf granted under the provisions of this Act." 47 U.S.C. § 301. Congress thus tasked the Commission with the core obligation to ensure that unlicensed transmitting devices do not cause harmful interference to licensed operations. *See, e.g., FCC v. Sanders Bros. Radio Station*, 309 U.S. 470, 474 (1940).

The Commission has acknowledged that Section 301 requires it to "establish regulations necessary to prevent harmful interference to the authorized radio services" and provides it the requisite authority "to prohibit the use of equipment or apparatus which causes interference to radio communications and, under 303(f)[,] to prescribe regulations to prevent interference between stations."⁶ Revision of Part 15 of the Rules Regarding the Operation of Radio Frequency Devices without an Individual License, Gen Docket No. 87-389, Notice of Proposed Rulemaking, 2 FCC Rcd. 6135, 6166 n.16, 87-300 ¶ 25 (1987); Commission Staff Clarifies FCC's Role Regarding Radio Interference Matters and Its Rules Governing Customer Antennas and Other Unlicensed Equipment, Public Notice, 19 FCC Rcd. 11300, 11301, 04-1844 ¶ 4 (2004).

The Communications Act also directs the Commission to apply its technical standards to device manufacturers, instructing the Commission to promulgate regulations governing the interference potential of devices that can cause "harmful interference" to radio communications. 47 U.S.C. § 302. In other proceedings, the Commission has found it appropriate to require a new technology system to include capabilities allowing it to resolve interference "in an expeditious manner and without disrupting service" *Amendment of Part 15 Regarding New Requirements and Measurement Guidelines for Access Broadband over Power Line Systems*, ET Docket No. 03-104, Report and Order, 19 FCC Rcd. 21265, 21292, 04-245 ¶ 58 (2004).

The Commission's blanket authorization for unlicensed indoor devices without any AFC system not only contravenes this clear statutory mandate, but

⁶ Indeed, the Commission acknowledged this requirement throughout the Order, calling it a "fundamental principle" that stands regardless of the particular rules that it adopts. Order at \P 150.

also contravenes the Commission's own rules promulgated under Section 301. "[I]t is elementary that an agency must adhere to its own rules and regulations." *Reuters, Ltd. v. FCC*, 781 F.2d 946, 950 (D.C. Cir. 1986); *see also Achernar Broad Co. v. FCC*, 62 F.3d 1441, 1447 (D.C. Cir. 1995) ("The Commission's failure to follow the clear dictate of its own rule . . . violates the rudimentary principle that agencies are bound to adhere to their own rules and procedures."); *Way of Life Television Network, Inc. v. FCC*, 593 F.2d 1356, 1359 (D.C. Cir. 1979) ("It is a well-settled rule that an agency's failure to follow its own regulations is fatal to the deviant action." (quotation marks and citation omitted)).

Part 15 of the Commission's rules governs unlicensed operations and defines "harmful interference" as "[a]ny emission, radiation or induction that *endangers* the functioning of a radio navigation service or of other safety services or seriously degrades, obstructs or repeatedly interrupts a radiocommunications service." 47 C.F.R. § 15.3(m) (emphasis added). Each unlicensed device must "cease operating ... upon notification by a Commission representative that the device is causing harmful interference" and "shall not resume until the condition causing the harmful interference has been corrected." 47 C.F.R. § 15.5(c). This is true "even if the device in use was properly certified and configured," Order at ¶ 149, and they cannot resume until the harmful interference has been corrected. 47 C.F.R. § 15.5(c). These rules describe "an *ex post* requirement that a device 'cease'

- 10 -

operation if 'harmful interference' occurs." *Am. Radio Relay League, Inc. v. FCC*, 524 F.3d 227, 231 (D.C. Cir. 2008).

Despite the Commission's clear duty to prevent harmful interference with licensed use, the Commission has improperly attempted to strike some sort of balance between the interests of unlicensed and licensed users by tolerating certain risks of interference, and, as discussed in further detail below, has in the process endangered the public. *See infra* Part 2.a. Commission rules acknowledge this risk to the public welfare by broadly defining "harmful interference" as any emission that *endangers* the functioning of safety services. 47 C.F.R. § 15.3(m). Thus, the mere *risk* of interrupted safety services is sufficient to require the Commission to abate such harmful interference before permitting additional unlicensed devices in the 6 GHz band.

The Order abandons this statutory solicitude and fails to prevent harmful interference with licensed incumbent uses, including those that support safety services and critical utility operations. For example, the Commission claimed that the 5 dBm/MHz PSD threshold set for indoor unlicensed use will prevent harmful interference. Order at ¶¶ 103-04. But commenters provided multiple studies and models proving the increased likelihood of harmful interference and that harmful interference would still exist, even at or below this threshold. *See, e.g.*, Order at ¶¶ 123, 133, 134, 136; *id.* at ¶ 132 (noting the AT&T study showed that operations at

- 11 -

8 dBm/MHz PSD EIRP "would create a higher risk of harmful interference"); *id.* at ¶ 230 (finding that interference with ultra-wideband and wideband will be intermittent).

Additionally, the indoor-use criterion is largely meaningless: there is no mechanism to effectively prohibit outdoor device use. The Commission mistakenly assumes that prohibiting certain equipment criteria practically required for long-term outdoor use (weather-resistant design, battery operation, and external antenna capability) will altogether discourage consumers from operating such devices outdoors in any circumstance. Even assuming that discouraging such use satisfies the Commission's statutory obligations to incumbent users, this approach defies logic, is unsupported in the record, and still leaves incumbent networks susceptible to errant consumer use. The Commission specifically refused to impose GPS monitoring requirements to ensure that devices are used outdoors. Accordingly, other than the Commission's unexplained belief that outdoor operation will be "impractical," no method exists to determine whether device use in fact mirrors the Commission's speculation.

The Commission could have authorized indoor unlicensed use with an AFC system or other coordination mechanism to prevent interference, but it did not. Instead, by giving short shrift to ample technical analyses identifying the need for mitigation mechanisms to prevent harmful interference from indoor unlicensed devices, the Commission failed to take the "hard look" required by law when acting as the expert authority on shared spectrum systems. *Loyola Univ. v. FCC*, 670 F.2d 1222, 1227 (D.C. Cir. 1982).

Rather than affirmatively protecting incumbent licensees, the Order is premised on the unsupported assumption that harmful interference could be addressed by formal complaints and subsequent investigations. No technical assessment in the record supports this assertion. Moreover, it is extremely difficult, if not outright impossible, for utility microwave operators to determine whether their links have failed because of interference from unlicensed devices. *See* Letter from AT&T Services, Inc. to Marlene H. Dortch, Secretary, ET Docket No. 18-295, Exh. A (Mar. 26, 2020) (explaining that neither the proponents of the devices nor the fixed service incumbents have the capability to identify, locate, or terminate interference).

Aside from the inappropriate burden shifting the Commission places on licensed incumbents to detect, trace back, and report interfering devices, the infrastructure of incumbent's existing fixed links makes it impossible to do so as a practical matter, as licensed users have no mechanism to identify the source of harmful interference. Fixed point-to-point microwave links are not engineered to triangulate on potential sources of interference, and because there are naturally occurring periods of fade, microwave licensees will only be able to identify harmful interference as a statistical phenomenon manifested over time.

The Commission believes that its Enforcement Bureau "has the ability to investigate reports of such interference and take appropriate enforcement action as necessary." Order at \P 149. But without a coordinated strategy to register and track unlicensed devices, the Enforcement Bureau, like the incumbent licensed users, will struggle to identify and mitigate harmful interference, resulting in losses to life and property.⁷

The Order thus creates blanket immunity for unlicensed indoor devices with no actual mechanism to identify interfering devices and their location, much less a way to instruct users of harming devices to "cease" operations. Because there is no practical *ex post* remedy for harmful interference, the Order's approach not only flouts Section 301's requirements but also ignores the Commission's own established legal standard.

⁷ See, e.g., WiFi Services Caribbean, Inc San Juan, Puerto Rico, Notice of Apparent Liability for Forfeiture and Order, DA 20- 433 (Apr. 22, 2020) (investigating the source of reported interference over a 54-day period after the initial report of detection); *see also* Buzzer Net LLC San Juan, Puerto Rico, Notice of Apparent Liability for Forfeiture and Order, DA 20-439, (Apr. 22, 2020) (investigating the source of reported interference over five days; investigation consisted of a physical investigation of the transmitter site). Notably, both WiFi Services and Buzzer Net had already received warnings from the FCC and were therefore known to the agency.

2. The Order is arbitrary and capricious.

Even if the Court were to find that the Commission's actions were consistent with Section 301 of the Communications Act, which they are not, the Court should still reverse the Order as arbitrary and capricious in violation of Section 706 of the Administrative Procedure Act, 5 U.S.C. § 706(2)(A), because the Commission "entirely failed to consider an important aspect[s] of the problem, offered an explanation for its decision that runs counter to the evidence before the agency, [was] so implausible that it [cannot] be ascribed to a difference in view or the product of agency expertise." Motor Vehicle Mfrs. Ass'n of U.S. v. State Farm Mut. Auto. Ins. Co., 463 U.S. 29, 43 (1983). Further, the agency's factfinding was not supported by "substantial evidence," 5 U.S.C. § 706(2)(E), but rather "cherrypicked" evidence that ignores the evidentiary record and valid objections. See Am. Radio, 524 F.3d at 237; see also PPL Wallingford Energy LLC v. FERC, 419 F.3d 1194, 1198 (D.C. Cir. 2005) ("An agency's 'failure to respond meaningfully' to objections raised by a party renders its decision arbitrary and capricious"). Specifically, the Order failed to address the public safety role of utilities harmed by the Order and other crucial issues in the record.

a. The Commission ignored the public safety role of utilities.

The Communications Act mandates that the Commission consider the impact of a rulemaking on public safety. *See Mozilla Corp. v. FCC*, 940 F.3d 1, 60

(D.C. Cir. 2019).⁸ This "statutorily mandated factor," *id.*, applies with no less consequence to those who provide necessary power and critical infrastructure to the preserve the public health and welfare and serve public safety networks, yet the Order has abjectly failed to consider this vital issue. As this Court recently held in *Mozilla*, such an error renders the Order arbitrary and capricious. *Id.* at 63.

In *Mozilla*, the Commission promulgated an order to reclassify broadband internet service under the Communications Act in order to pursue "a market-based, 'light-touch' policy for governing the Internet." *Id.* at 17. This Court found there were "substantial concerns about the Commission's failure to undertake the statutorily mandated analysis of the 2018 Order's effect on public safety." *Id.* at 61-63. Simply put, the Commission "misse[d] the fact" that lives were at stake when public safety was involved. *Id.* at 62.

Much like in *Mozilla*, despite ample warning from stakeholders, the Order failed to consider public safety and the distinct ways in which the public and public safety agencies rely on critical utility infrastructure that uses the 6 GHz band. *Cf. id.* at 60 (describing the public safety risk should utilities be subject to unpredictable broadband). Public safety agencies rely on utilities to provide

⁸ The public safety concerns of public safety agencies are discussed in greater detail in the Motion for Stay filed by the Association of Public-Safety Communications Officials in Case No. 20-1272, Document #1860053 (D.C. Circ. Sept. 3, 2020).

necessary power and communication links for everyday operations and in times of crisis. See, e.g., Trosclair Declaration at ¶ 4; Letter from 6 GHz Multi Stakeholder Coalition to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (Nov. 18, 2019) (describing public safety organizations' use of the 6 GHz band for 9-1-1 dispatch and first-responder radio communications and utility entities use for facilitating radio traffic and centralized network control systems supporting emergency response and outage aftermath coordination). Moreover, the public directly relies on utility providers to ensure access to necessities, including but not limited to, power for hospitals, heating and cooling systems during extreme weather, and reliable communication during emergencies. Increasing the likelihood of disruption to the communication links on which utilities rely increases the likelihood of outages and other dangerous situations. See, e.g., Trosclair Declaration at ¶ 5. Yet, the Order either dismisses or ignores the likelihood that harmful interference will "imperil the ability of first responders, providers of critical infrastructure, and members of the public to communicate during a crisis." Mozilla, 940 F.3d at 60. For this reason, alone, the Order is arbitrary and capricious and cannot stand.9

⁹ The Commission cannot remedy this deficiency on appeal but must instead properly address these issues in the first instance. *See Mozilla*, 940 F.3d at 62.

b. The Order failed to address important issues.

In addition to the failure to consider the effect of the Order on utilities' critical role in providing for the safety and welfare of the public, several of the Order's new rules are arbitrary and capricious as they fail to consider important concerns in the record. These include: (1) the rules for the sharing of the 6 GHz band by authorizing unlicensed indoor low power devices do not provide any AFC system or other pre-deployment coordination mechanism, an action that will soon lead to deployment of millions, if not billions, of unidentifiable radiating devices in the band operating at level that the record shows will destroy incumbent licensed users' ability to use their existing facilities; (2) the new rules failed to adopt an effective *ex post* mechanism to protect licensees from harmful interference when it arises; (3) the adoption of the new rules ignored that devices will routinely operate outside; (4) adopting the new rules ignored incumbent users detailed real-world technical studies, and dismissed Petitioners' members' concerns about the risk to critical infrastructure and public safety operations; (5) the adoption of the new rules relied on unrealistic and unverified theoretical simulations not submitted to the record; and (6) before adopting the new rules, the Commission failed to conduct even a single actual field test to evaluate the actual, not theoretical, impact this influx of unlicensed indoor devices will have on incumbent operations. All of this was arbitrary and capricious in violation of Section 706.

B. Petitioners Will Suffer Immediate Irreparable Harm Absent a Stay.

To demonstrate irreparable harm, a party must show that the harm is certain, great, and of such imminence that there is a clear and present need for equitable relief. *See Wisconsin Gas Co. v. FERC*, 758 F.2d 669, 673-74 (D.C. Cir. 1985). Notably, the potential harms "during a public safety emergency are irreparable"—for "whenever public safety is involved, lives are at stake." *Mozilla*, 940 F.3d at 62. Disruption to the systems operating in the 6 GHz band would delay emergency responses, cause interruptions in necessary utility services, and put the health and welfare of the public at risk. The direct and consequential damage from widespread deployment of many millions of unregistered devices operating on an unlicensed and geographically unlimited and unidentifiable basis cannot be undone or controlled after the fact. Petitioners and the public need not wait for disaster to strike (literally) to obtain a stay pending appeal.

Interference is also certain to occur. The Commission and vendors of 6 GHz unlicensed devices anticipate that these devices will be pervasive. *See* Denial Order at ¶ 42. Unlicensed use proponents' own predictions suggest hundreds of millions, if not billions, of low-power devices will be deployed in the band.¹⁰

¹⁰ See, e.g., Letter from Apple et al., to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (Feb. 11, 2020) ("[B]y 2022 Wi-Fi will carry 57 percent of U.S. Internet traffic ... and 71 percent of global 5G mobile traffic will be offloaded to Wi-Fi ... Unlicensed technologies ... are expected to contribute more than \$834

Every 6 GHz public safety and utility system will be at risk of harmful interference. Importantly, several studies in the record, all summarily dismissed by the Order, demonstrate that even one device operating pursuant to the new rules could debilitate a utility's licensed 6 GHz fixed link.¹¹ *See* Trosclair Declaration at \P 6; Bornhoft Declaration at \P 6; *see also* Kuberski Declaration at \P 8. Any given cluster of devices in any one location only multiplies the risk that a nearby utility network will be compromised. The law of large numbers cautions that if device deployment is anywhere near the Commission's projections, the resulting interference will vitiate utility communication infrastructure.

Moreover, this harm is imminent. As the Commission noted, "6 GHz unlicensed devices will make an immediate impact" and "[i]t is reasonable to

billion this year."); Letter from Apple et al, to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (Nov. 5, 2019) (noting that there are now "13 billion devices worldwide" and it has been "more than twenty years since new mid-band spectrum was made available for Wi-Fi" which suggests that adding 1200MHz (6GHz unlicensed) to the existing 580MHz of Wi-Fi will attract a large share of the products (already at 13B) to the new spectrum); Letter from Apple et al, to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (Oct. 25, 2019) (stating that "[t]he contributions of Wi-Fi 6 have already begun ... US Companies Broadcom, Intel, Marvell, and Qualcomm being among the first with Wi-Fi 6 Certified products"). Broadcom announced their first Wi- Fi 6E chipset (for 6GHz capability) on February 13, 2020 for integration/testing with volume shipments fall 2020.

¹¹ Letter from Southern to Marlene H. Dortch, Secretary, ET Docket No. 18-295 (February 27, 2020). Attachments B, C, and D each show this analysis on page 10, Table 8 with 18 of 30 total locations analyzed exceeding -6dB I/N level specified by ITU for interference.

expect that low-power indoor devices will be available to the public before the 2020 holiday season." *See* Denial Order at ¶¶ 31, 42. In addition, 6 GHz chips and routers—the precursors to device deployment—are already on the market, signaling that devices will soon follow (and be widely available in time for the holiday sales season).¹²

Given the irreparable nature of the harm and the clear immediacy and certainty that harm will occur, a stay of the Order is appropriate.

C. Other Parties Will Not Suffer Immediate Harm If the Stay Is Not Granted.

Granting the stay would entail returning to the pre-Order status quo while this case is pending. Other parties will not be substantially harmed by returning to the regulatory framework in place in July. Parties with commercial interests in the marketing and sale of 6 GHz unlicensed devices would be able to continue to take preparatory steps toward deployment. A brief delay in unspecified monetary benefit to these companies does not constitute substantial harm, particularly in light of the threat to public safety and irreparable harm that Petitioners seek to prevent. *See Nat'l Lifeline Ass'n v. FCC*, No. 18-1026, 2018 WL 4154794, at *1 (D.C. Cir. Aug. 10, 2018).

¹² Ry Crist, *Qualcomm's new Wi-Fi 6E chipsets promise faster, more capable mobile devices*, CNET (May 28, 2020), https://www.cnet.com/news/here-come-new-wi-fi-6e-chipsets-from-qualcomm-for-faster-more-capable-mobile-devices/.

Similarly, delaying the putative benefits of the Order for consumers for a brief period does not constitute a substantial harm. While the Commission claimed that the Order was satisfying a "need for additional network capacity," Denial Order at ¶ 36, the Commission failed to describe an immediate need for more unlicensed spectrum to eliminate an existing or prevent a pending harm. Indeed, the statement of Chairman Pai in adopting the Order indicated that existing unlicensed spectrum is currently sufficient for supporting virtual doctor's appointments *simultaneously* with streaming video solely for entertainment purposes.¹³ Delaying the delivery of hypothetical, unspecified benefits is not a substantial harm. Further, this potential benefit is not applicable to the low power indoor rules challenged here. Low power indoor devices will only extend existing in-home access, and do not offer the potential to increase bandwidth provided to the home.

D. The Equities and Public Interest Favor a Stay.

For much the same reasons, the public interest strongly favors a stay. Protecting utility communications will become more difficult every day that the Commission's rules are in effect and eliminating interfering devices after they have

¹³ See Statement of Chairman Ajit Pai; Denial Order at ¶ 37. No evidence has been provided that unlicensed devices operating prior to the Order were unable to handle current needs.

been introduced will be nearly impossible. Once unlicensed 6 GHz devices are deployed, the risk to incumbent 6 GHz links will be immediate and unrecoverable. There is no limit to where a consumer could use such a device, no way to track the location of any one device once deployed, and no way to pinpoint the precise location from where harmful interference is emanating, meaning that there is a very real and dangerous possibility that all 6 GHz links nationwide will be immediately compromised. Taking that risk while the Court considers the merits of this case is contrary to the public interest.

CONCLUSION

In the Order, the Commission has abdicated its responsibility to protect utilities—incumbent licensed users of the 6 GHz band—from disruptive interference, and in the process, endangered the public, who rely on utilities to provide critical services. To prevent a catastrophic failure of these lifesaving systems, the Court should grant a stay of the Order pending judicial review.

Respectfully submitted,

Dated: September 8, 2020

<u>/s/ Craig A. Gilley</u> Craig A. Gilley Mitchell Y. Mirviss Elizabeth C. Rinehart Meryl E. Bartlett VENABLE LLP 600 Massachusetts N.W. Washington, DC 20001 202-344-4703 Telephone

202-344-8300 Facsimile cagilley@venable.com mymirviss@venable.com lcrinehart@venable.com mebartlett@venable.com

Counsel for Edison Electric Institute, the Utilities Technology Council, the National Rural Electric Cooperative Association, and the American Public Power Association

CERTIFICATE OF COMPLIANCE

1. This document complies with the type-volume limit of Fed. R. App. P. 27(d)(2) because, excluding the parts of the document exempted by Fed. R. App. P. 32(f), this document contains 5,103 words.

2. This document complies with the typeface requirements of Fed. R. App. P. 32(a)(5) and the type-style requirements of Fed. R. App. P. 32(a)(6) because this document has been prepared in a proportionally spaced typeface using Microsoft Word 2010 in 14-point Times New Roman.

> /s/Elizabeth C. Rinehart Elizabeth C. Rinehart

CERTIFICATE AS TO PARTIES, RULINGS, AND RELATED CASES

Pursuant to Circuit Rule 28(a)(1), Edison Electric Institute ("EEI"), the Utilities Technology Council ("UTC"), the National Rural Electric Cooperative Association ("NRECA"), and the American Public Power Association ("APPA") (collectively "Petitioners") certify that:

A. PARTIES

Petitioners and the Federal Communications Commission are the only parties to this motion.

EEI is a trade association representing U.S. investor-owned electric generation and distribution companies, including all of the major regional electric utilities.

UTC is the international trade association for the telecommunications and information technology interests of electric, gas, and water utilities.

APPA is a non-profit that represents not-for-profit, community-owned utilities before the federal government to protect the interests of the more than 49 million people that public power utilities serve, and the 93,000 people they employ.

NRECA is the national trade association representing more than 900 local electric cooperatives operating in 48 states.

B. RULINGS UNDER REVIEW

This is an emergency motion for stay pending appeal of an Order by the Federal Communications Commission in Report and Order and Further Notice of Proposed Rulemaking, Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, 35 FCC Rcd. 3852 (2020) ("Order"). The Commission denied EEI's (and other petitioners') petitions to stay the Order on August 13, 2020. *See* Order Denying Petitions for Stay, Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, DA 20-879, ET Docket No. 18-295, GN Docket No. 17-183 (Office of Eng'g & Tech. 2020).

C. RELATED CASES

Petitioners are aware of related cases, as that term is defined in Circuit Rule 28(a)(1)(C), in Case Nos. 20-1272, 20-1274, 20-1284, and 20-1190.

/s/Elizabeth C. Rinehart Elizabeth C. Rinehart

CERTIFICATE OF SERVICE

I certify that on September 8, 2020, I caused a copy of the foregoing and

accompanying exhibits to be served on all counsel of record and the administrative

agency by electronic mail, having obtained consent to do so from all but the

following counsel, to whom I sent a paper copy:

Robert B. Nicholson, Attorney Direct: 202-514-2489 Email: robert.nicholson@usdoj.gov U.S. Department of Justice (DOJ) Antitrust Division, Appellate Section Room 3228 950 Pennsylvania Avenue, NW Washington, DC 20530-0001

> /s/Elizabeth C. Rinehart Elizabeth C. Rinehart

Exhibits

Exhibit 1	Report and Order and Further Notice of Proposed Rulemaking, Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, 35 FCC Rcd. 3852 (2020)
Exhibit 2	Order Denying Petitions for Stay, In the Matter of Unlicensed Use of the 6 GHz Band; Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183 (Office of Eng'g & Tech. 2020)
Exhibit 3	Declaration of Coy Trosclair
Exhibit 4	Declaration of Kevin Bornhoft
Exhibit 5	Declaration of Michael V. Kuberski

Exhibit 1

(Page 30 of Total)

Page 2 of 143

Federal Communications Commission

FCC 20-51

Before the Federal Communications Commission Washington, D.C. 20554

In the Matter of)	
Unlicensed Use of the 6 GHz Band)	ET Docket No. 18-295
Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz)	GN Docket No. 17-183

REPORT AND ORDER AND FURTHER NOTICE OF PROPOSED RULEMAKING

Adopted: April 23, 2020

Released: April 24, 2020

Comment Date: 30 days after Federal Register publication Reply Comment Date: 60 days after Federal Register publication

By the Commission: Chairman Pai and Commissioners O'Rielly, Carr, Rosenworcel, and Starks issuing separate statements.

TABLE OF CONTENTS

HE	AD	ING	ز	PARAGRAPH #
I.	INT	ГRC	DDUCTION	
II.	BA	CK	GROUND	6
III.	RE	POI	RT AND ORDER	
	A.	Sta	andard-Power Operations in U-NII-5 and U-NII-7 Bands	
		1.	AFC-Based Access to Protect Fixed Microwave Services	
			a. The AFC System Framework and Database	
			b. Operational Requirements for Access Points	
			c. Designating AFC Operators	
			d. Interference Protection Analyses and Parameters	
			e. Other AFC System Issues	
		2.	Radio Astronomy Observatories	
		3.	Fixed-Satellite Services	
		4.	Additional Issues	
	В.	Lo	w-Power Indoor Operations Across the Entire 6 GHz Band	
		1.	Indoor Operations	
		2.	Power Spectral Density Limit	
		3.	Protecting Incumbent Operations	
			a. Fixed Microwave Service	
			b. Mobile Services	
			c. Fixed-Satellite Services	
			d. Radio Astronomy	
	C.	Мı	ulti-Stakeholder Group	
	D.	Eq	uipment Issues	
		1.	Antenna Requirements	
		2.	Maximum Channel Bandwidth	
		3.	Transmitted Power Levels	
		4.	Emission Mask and Out-of-Band Emission Limits	

Federal Communications Commission

FCC 20-51

	5.	Client Device Restrictions	
E.	Oth	er Issues	
	1.	Making Portions of the 6 GHz Band Available for New Licensed Services	
	2.	Mobile Operations and Use in Moving Vehicles	
	3.	Microwave Links in the Gulf of Mexico	
	4.	Ultra-Wideband and Wideband	
	5.	Synchronized Unlicensed Operation	
	6.	Digital Identifying Information	
	7.	Benefits and Costs	
IV. FU	JRTH	IER NOTICE OF PROPOSED RULEMAKAING	
А.	Ve	ry Low Power Operation	
В.	Pov	wer Spectral Density Increase for Low Power Indoor Operation	
С.	Mo	bile Standard-Power Access Point Operation	
D.	Hig	ther Power Limits and Antenna Directivity for Standard-Power Access Points	
V. PR	OCE	EDURAL MATTERS	
APPEI	NDI	K A – Final Rules	
APPE	NDI	K B – Final Regulatory Flexibility Act Analysis	
APPE	NDIX	C – Initial Regulatory Flexibility Act Analysis	
APPE	NDIX	X D – List of Commenting Parties	
APPE	NDIX	K E – Technical Studies Submitted	

I. INTRODUCTION

1. Unlicensed devices that employ Wi-Fi and other unlicensed standards have become indispensable for providing low-cost wireless connectivity in countless products used by American consumers. In this Report and Order, we seize the opportunity to expand unlicensed broadband operations into the 6 GHz band to benefit the American public. In creating this opportunity for innovators to provide new and advanced services, we are also ensuring that licensed incumbent operations in the band are protected from harmful interference and continue to deliver the high value services on which Americans rely. In making broad swaths of 6 GHz band spectrum available for unlicensed use, we envision new innovative technologies and services that will advance the Commission's goal of making broadband connectivity available to all Americans, especially those in rural and underserved areas. Unlicensed devices operating in this band are expected to work in concert with new licensed 5G services by providing consumers' ubiquitous connectivity to a full range of services regardless of location. Our actions taken in this Report and Order will help secure U.S. leadership in the next generation of wireless services.

2. The demand for wireless broadband continues to grow at a phenomenal pace. Cisco projects that mobile data traffic will more than double between now and 2022.¹ According to Ericsson the average amount of data per month used by a smartphone will increase from 7 gigabytes in 2018 to 39 gigabytes by 2024.² A large proportion of this mobile data traffic is delivered on an unlicensed basis through Wi-Fi, Bluetooth and similar protocols. In fact, according to Cisco, 59% of mobile data traffic will be offloaded to Wi-Fi by 2022.³ To meet this demand, we are adopting rules to make 1200 megahertz of spectrum available for unlicensed use in the 6 gigahertz (GHz) band (5.925-7.125 GHz). Unlicensed devices will share this spectrum with incumbent licensed services under rules that are carefully crafted to protect those licensed services and to enable both unlicensed and licensed operations

¹ Cisco Systems, *Cisco Visual Networking Index: Global Mobile Data Traffic Forecast Update*, 2017-2022 at 31 (Feb. 2019) <u>https://s3.amazonaws.com/media.mediapost.com/uploads/CiscoForecast.pdf</u> (*Cisco VNI*).

² Ericsson, *Ericsson Mobility Report* at 17 (June 2019) <u>https://www.ericsson.com/en/mobility-report/reports/june-2019</u> (*Ericsson Mobility*).

³ Cisco VNI at 17.

Federal Communications Commission

FCC 20-51

to thrive throughout the band. Our actions here will provide additional spectrum to complement spectrum where Wi-Fi is presently deployed to ease any existing and anticipated congestion so that businesses and consumers can take advantage of new data intensive applications.

3. We authorize two different types of unlicensed operations—standard-power and indoor low-power operations. We authorize standard-power access points using an automated frequency coordination (AFC) system. These access points can be deployed anywhere as part of hotspot networks, rural broadband deployments, or network capacity upgrades where needed. We also authorize indoor low-power access points across the entire 6 GHz band. These access points will be ideal for connecting devices in homes and businesses such smartphones, tablet devices, laptops, and Internet-of-things (IoT) devices to the Internet. As has occurred with Wi-Fi in the 2.4 GHz and 5 GHz bands, we expect that 6 GHz unlicensed devices will become a part of most peoples' everyday lives. The rules we are adopting will also play a role in the growth of the IoT; connecting appliances, machines, meters, wearables, and other consumer electronics as well as industrial sensors for manufacturing.⁴

4. As a consequence of the Commission's proposals for the 6 GHz band, industry has been proactive in developing standards for more efficient protocols that can be used in the 6 GHz band. IEEE 802.11ax is the latest version of the ubiquitous Wi-Fi standard and like its predecessor 802.11ac, features channels as large as 160 megahertz.⁵ 3GPP has been developing the 5G NR-U standard which will enable unlicensed 5G networks.⁶ Our actions will spur new innovation and allow consumers to experience faster internet connections and new applications. The new rules will also enable cable companies and wireless carriers to expand their Wi-Fi hotspot networks to provide customers' access to even higher speed data connections when away from home than they experience today⁷ and expand their networks in areas where they need additional capacity. By making this spectrum available for unlicensed use, we are satisfying the American public's need for additional network capacity while safeguarding the licensed systems that will continue to use the 6 GHz band.

5. In addition to the Report and Order, we issue a Further Notice of Proposed Rulemaking proposing to permit very low power devices to operate across the entire 6 GHz band. This proposed action would make a contiguous 1200-megahertz block of spectrum available for the development of new and innovative high-speed, short range devices. We also explore ways in which we could enhance the offerings available to the American public by seeking comment on allowing additional power for low power indoor access points.

II. BACKGROUND

6. The demand for wireless broadband continues to grow at a phenomenal pace, as American citizens and businesses increasingly rely on Internet connectivity. To meet this demand, the Commission continuously evaluates spectrum use and seeks to enable more efficient usage using a variety of methods, including unlicensed operations.

⁴ Intel, *Developing Solutions for the Internet of Things*, <u>https://www.intel.com/content/www/us/en/internet-of-things/white-papers/developing-solutions-for-iot.html</u> (last visited Apr. 21, 2020).

⁵ Afaqui et al., *IEEE 802.11ax: Challenges and Requirements for Future High Efficiency WiFi*, IEEE Wireless Communications, June 2017, 130, 133; National Instruments, *Introduction to 802.11ax High-Efficiency Wireless* (Mar. 5, 2019) <u>http://www.ni.com/en-us/innovations/white-papers/16/introduction-to-802-11ax-high-efficiency-wireless.html#section-1277099502</u> Ryan Jones, *What is Wi-Fi 6 and how fast is it?* Trusted Reviews (Oct. 2, 2019) <u>https://www.trustedreviews.com/news/wifi-6-routers-speed-3442712</u>.

⁶ Monica Alleven, *3GPP Approves Work Item to Bring 5G NR into Unlicensed Spectrum*, FierceWireless (Dec. 14, 2018) <u>https://www.fiercewireless.com/wireless/3gpp-approves-work-item-to-bring-5g-nr-into-unlicensed-spectrum</u>.

⁷ AT&T, *Wi-Fi from AT&T*, <u>https://www.att.com/wi-fi/</u> (last visited Apr. 21, 2020); Xfinity, *Xfinity WiFi Hotspot Overview*, <u>https://www.xfinity.com/support/articles/about-xfinity-wifi-internet</u> (last visited Apr. 21, 2020).

USCA Case #20-1216

Federal Communications Commission

FCC 20-51

7. *Incumbent services.* The 6 GHz band is comprised of allocations for Fixed Services, Mobile Services, and Fixed Satellite Services (FSS) across four sub-bands.⁸ Fixed microwave service licensees, specifically those operating point-to-point microwave links that support a variety of critical services provided by utilities, commercial and private entities, and public safety agencies, are the largest user group in the 6 GHz band.⁹ These fixed microwave service licensees make significant use of the U-NII-5 and U-NII-7 bands, and also operate in relatively smaller numbers in the U-NII-8 band.¹⁰ The band is used to provide backhaul for commercial wireless providers (such as traffic between commercial wireless base stations and wireline networks), and links for coordination of railroad train movements, control of natural gas and oil pipelines, management of electric grids, and long-distance telephone service.¹¹

8. The Broadcast Auxiliary Service and Cable Television Relay Service operate in the U-NII-6 band on a mobile basis, and in the U-NII-8 band on both a fixed and mobile basis.¹² Licensees use broadcast auxiliary service and Cable Television Relay Service pick-up stations to transmit programming material from special events or remote locations, including electronic news gathering, back to the studio or other central receive locations.¹³ Television broadcast related microwave links, such as television studio transmitter links, television inter-city relay links, and television translator relay links, operate primarily one-way point-to-point systems in the U-NII-8.¹⁴ Additionally, Low Power Auxiliary Stations, which operate on an itinerant basis, are authorized to operate in the U-NII-8 band on a secondary basis for uses such as portable cameras, wireless microphones, cues, and backstage communications.¹⁵

9. The Fixed Satellite Service (FSS) Earth-to-space is allocated in all four sub-bands, except for the 7.075-7.125 GHz portion of the U-NII-8 band.¹⁶ FSS operations are heaviest in the U-NII-5 band, which is paired with the 3.7-4.2 GHz space-to-Earth frequency band to comprise the "conventional C-band."¹⁷ Predominant FSS uses of these frequencies include content distribution to television and radio broadcasters, including transportable antennas to cover live news and sports events, cable television and small master antenna systems, and backhaul of telephone and data traffic.¹⁸ The 7.025-7.075 GHz portion

¹⁰ As of Mar. 31, 2020, the FCC databases indicate there were 30,679 call signs for fixed microwave links in U-NII-5, 17,225 in U-NII-7, and 124 in U-NII-8.

¹¹ Fixed Wireless Communications Coalition Comments at 3 (Oct. 2, 2017).

¹² 47 CFR §§ 74.602(a), (i), 78.18(a)(5), 78.18(a)(7).

¹³ 47 CFR §§ 74.631, 78.11(e).

¹⁴ Most systems are comprised of a single point-to-point link without a corresponding return link. 47 CFR § 74.631 and review of ULS TV Studio Transmitter (TS), TV Intercity Relay (TI), and TV Translator Relay (TT) licenses.

¹⁵ 47 CFR § 74.802(a)(1); § 74.803(c). Wireless microphone users may operate on a licensed basis under Part 74 in the 6.875-7.125 GHz band, where eligibility is limited to broadcasters, broadcast network entities, and large venue owners/operators or professional sound companies that routinely operate 50 or more wireless microphones for major events/productions. *See Promoting Spectrum Access for Wireless Microphone Operations*, Report & Order 30 FCC Rcd 8739, 8789-90, paras. 131-32 (2015).

16 47 CFR § 2.106.

¹⁸ Notice, 33 FCC Rcd at 10501, para. 12.

⁸ Unlicensed Use of the 6 GHz Band, Notice of Proposed Rulemaking, 33 FCC Rcd 10496, 10499-501, paras. 8-13 (2018) (Notice).

⁹ Notice, 33 FCC Rcd at 10499, para. 8, Figure 1.

¹⁷ 47 CFR § 25.103. We note that the Commission has recently adopted a Report and Order to eventually sunset fixed satellite service operations in the 3.7-4.0 GHz band and limit fixed satellite service operations to only the 4.0-4.2 GHz band. *See Expanding Flexible Use of the 3.7 to 4.2 GHz Band*, Report and Order and Order of Proposed Modification, FCC 20-22 (rel. Mar. 3, 2020).

Federal Communications Commission

FCC 20-51

of the U-NII-8 band also hosts feeder uplinks to satellite digital audio radio service space stations.¹⁹ Additionally, FSS space-to-Earth stations operate in portions of the U-NII-7 and U-NII-8 bands for mobile-satellite service feeder links between 6.700 GHz and 7.075 GHz. However, the 7.025-7.075 GHz allocation is limited to two grandfathered satellite systems with three grandfathered locations.²⁰

10. In addition to these licensed incumbents, an allocation table footnote urges that we take "all practicable steps" to protect the radio astronomy service observations in 6.650-6.6752 GHz.²¹ Finally, low-power unlicensed ultra-wideband (UWB) and wideband systems operate in the 6 GHz band under our Part 15 rules.²² Like all other Part 15 devices, UWB and wideband devices operate on a non-interference basis and are not permitted to cause harmful interference to licensed services.²³

11. *The Notice*. In its October 2018 Notice of Proposed Rulemaking (Notice), the Commission sought comment on how best to provide new opportunities for unlicensed use in the 5.925-7.125 GHz (6 GHz) band while also ensuring that licensed services that operate in the band continue to thrive.²⁴ Recognizing that a variety of incumbent licensed services occupy different portions of the 6 GHz band, the Commission proposed to permit two different types of unlicensed devices—"standard-power" access points and "low-power" access points—to operate in four different sub-bands (as indicated below).²⁵ These four sub-bands—which the Notice referred to as U-NII-5, U-NII-6, U-NII-7, and U-NII-8, respectively—were derived based on the prevalence and characteristics of incumbent licensed services that operate in the sub-bands.²⁶

Sub-	Frequency Range	Primary	Predominant Licensed Services
band	(GHz)	Allocation	
U-NII-5	5 0 25 6 4 25	Fixed	Fixed Microwave
	5.925-0.425	FSS	FSS (uplinks)
U-NII-6		Mobile	Broadcast Auxiliary Service
	6.425-6.525	FSS	Cable Television Relay Service
			FSS (uplinks)
U-NII-7	6 525 6 875	Fixed	Fixed Microwave
	0.323-0.873	FSS	FSS (uplinks/downlinks)
U-NII-8		Fixed	Broadcast Auxiliary Service
	6.875-7.125	Mobile	Fixed Microwave
		FSS	Broadcast Auxiliary Service

 Table 1: Predominant Uses of the 6 Gigahertz Band

¹⁹ 47 CFR § 25.214(c)(5).

²⁰ 47 CFR § 2.106 footnotes NG172 and 5.458B. The space-to-Earth allocation is limited to non-geostationary mobile-satellite service feeder links and earth stations receiving in this band are limited to locations within 300 meters of coordinates in Brewster, WA, Clifton, TX, and Finca Pascual, PR.

²¹ 47 CFR § 2.106 5.458A.

²² 47 CFR § 15.250; 47 CFR Part 15, subpart F. Unlicensed UWB operations are permitted in many different frequency bands. *See* 47 CFR Part 15, subpart F. Wideband operations are mostly limited to the 6 GHz band. 47 CFR § 15.250 (limiting wideband operations to the 5.925-7.250 GHz band). For both the wideband and ultra-wideband systems permitted under the Part 15 rules, the maximum EIRP allowed is –41.3 dBm/MHz except for certain vehicular radar systems which are restricted to an EIRP of –61.3 dBm/MHz. *See* 47 CFR § 15.250(d)(1) and Subpart F.

²³ 47 CFR § 15.5(b).

²⁴ Notice, 33 FCC Rcd 10496.

²⁵ Notice, 33 FCC Rcd at 10504-05, para. 20-21.

²⁶ Notice, 33 FCC Rcd at 10499-501, 10503-04, paras. 8-12, 20.

Federal Communications Commission

FCC 20-51

Cable Television Relay Service
FSS (uplinks/downlinks) (6.875-7.075 GHz only)

12. To promote compatibility between unlicensed devices and the variety of licensed 6 GHz incumbents, the Commission proposed to tailor unlicensed operation by band. Specifically, for the U-NII-5 and U-NII-7 sub-bands (totaling 850 megahertz), which support a large number of high reliability point-to-point microwave links, the Commission proposed to permit unlicensed "standard-power access points" to operate under the control of an automated frequency coordination (AFC) system.²⁷ Under this proposal, the AFC system would determine the frequencies on which access points could operate without causing harmful interference to incumbent microwave receivers, and then make those frequencies available for use by the access points.²⁸ In the U-NII-6 and U-NII-8 bands (totaling 350 megahertz), where many of the incumbent operations are mobile, the Commission proposed that "low-power access points" be permitted to operate indoors without any AFC system.²⁹ The Commission also proposed to permit unlicensed "client devices" (i.e., a U-NII device whose transmissions are under the control of an access point and that is not capable of initiating a network³⁰) to operate in all of the subbands at lower power levels than the respective access points.³¹

13. In the Notice, the Commission also sought comment on other unlicensed operation alternatives. In particular, it sought comment on whether to also permit indoor "low-power" access point operations in the U-NII-5 and U-NII-7 bands under the same conditions as proposed for operations in the U-NII-6 and U-NII-8 bands, without any AFC requirement, thereby permitting indoor operations across the entire 6 GHz band. It further sought comment on whether there were any other operational requirements, rules, or mitigation techniques that would allow low-power access points to operate in the U-NII-5 and U-NII-7 bands without the use of an AFC system.³² The Commission also requested comment on whether to permit standard-power access points also to operate across the U-NII-6 and U-NII-8 bands under the control of an AFC system as proposed for the U-NII-5 and U-NII-7 bands, thereby permitting such operation across the entire 6 GHz band.³³ The Commission's proposals are summarized in Table 2.

²⁷ Notice, 33 FCC Rcd at 10504, para. 20.

²⁸ *Id.* at 10505-06, paras. 23, 25.

²⁹ *Id.* at 10518, para. 59.

³⁰ Notice, 33 FCC Rcd at 1505, para. 23 & n.68.

³¹ Id. at 10516, para. 53, 10521, para. 69, 10524, para. 78.

³² *Id.* at 10522, para. 73.

³³ *Id.* at 10522-23, paras. 73-74.
FCC 20-51

Device Class	Operating Bands	Maximum Conducted Power (dBm)	Maximum EIRP (dBm) ³⁴	Maximum Power Spectral Density (dBm/MHz) EIRP
Standard-Power (AFC Controlled)	U-NII-5 U-NII-7 (Sought comment on also permitting in U-NII-6 & U-NII-8)	30 dBm	36 dBm	23 dBm
Low-Power (indoor only)	U-NII-6 U-NII-8 (Sought comment on also permitting in U-NII-5 & U-NII-7)	24 dBm	30 dBm	17 dBm
Client (Anywhere)	All	18 dBm	24 dBm	11 dBm

Table 2: Proposed 6 GHz Unlicensed Use

14. The record. The Commission received comments from numerous proponents in favor of permitting unlicensed operations in the 6 GHz band, parties representing the interests of incumbent licensees raising particular concerns about potential harmful interference from proposed unlicensed operations, representatives of wireless providers requesting that portions of the 6 GHz band instead be made available for new licensed services, and other parties requesting that the Commission address various particular concerns relating to the proposals for unlicensed operations in the band. More than 150 parties commented.35

15. In response to the Notice, proponents of authorizing unlicensed operations in the 6 GHz band-including Apple, Broadcom et al.,³⁶ the Wi-Fi Alliance, the Wireless Internet Service Providers Association (WISPA), the Dynamic Spectrum Alliance (DSA), Comcast, Charter Communications, and CableLabs-support the Commission's proposal for authorizing standard-power as well as lower power unlicensed device operations in the band. They emphasize the continued growth in spectrum demand for unlicensed operations.³⁷ Specifically, these commenters support the Commission's proposal to permit higher powered unlicensed standard-power operations in the U-NII-5 and U-NII-7 bands, subject to use of an AFC system,³⁸ and several also proposed permitting these operations in the lower 100 megahertz of the

³⁶ See Apple, Broadcom et al. Comments (a group of companies that include Apple, Broadcom, Cisco Systems, Facebook, Google, Hewlett Packard Enterprise, Intel, Marvell Semiconductor, Microsoft, Qualcomm, and Ruckus). This specific group submitted several joint filings in this proceeding. Several of these companies also have submitted individual filings on behalf of their companies. We also note that, at times, joint filings made by Apple, Broadcom, and other companies include variations in the composition of the group, depending on the particular filing(s).

³⁷ See, e.g., Apple, Broadcom et al. Comments at 7-14; Wi-Fi Alliance Comments at 2-9; Open Technology Institute, et al. Comments at 2-13.

³⁴ The proposed rules specified power in terms of a conducted power and conducted power spectral density. If an antenna with a gain greater than 6 dBi is used, the conducted power and power spectral density must be reduced by the amount the antenna gain is greater than 6 dBi. Notice, 33 FCC Rcd at 10524, para. 78.

³⁵ A list of commenters is presented in Appendix D.

³⁸ See, e.g., Apple, Broadcom et al. Comments at 5; Cambrium Comments at 3; Charter Comments at 2; DSA Comments at 1; CompTIA Comments at 2; Facebook Comments at 2; Microsoft Comments at 13-15; Open Technology Institute et al. Comments at 2; Sony Comments at 1-2; Verizon Comments at 2-5; Wi-Fi Alliance Comments at 10; WISPA Comments at 2.

FCC 20-51

U-NII-8 band.³⁹ Unlicensed proponents also broadly support low power indoor operations, and request that such operations not be limited to the U-NII-6 and U-NII-8 sub-bands and instead be permitted across the entire 6 GHz band.⁴⁰ In addition, many support permitting "very low power" device operations across the entire 6 GHz band.⁴¹ These commenters assert that technical rules can be established that protect incumbents from harmful interference while maximizing the utility of the 6 GHz band for innovative unlicensed devices that will provide enormous benefits to the American consumer.⁴² Many commenters submitted technical studies to support their recommendations.⁴³

Commenters representing incumbents expressed various concerns about the potential for 16 harmful interference to their operations from the standard-power, low power indoor, and very low power unlicensed operations. Commenting parties included the Fixed Wireless Communications Coalition, AT&T, the Utilities Technology Council, Edison Electric Institute et al., and APCO on behalf of fixed microwave incumbents,44 Intelsat and SES Americom, Globalstar, and Sirius XM Radio representing fixed satellite service incumbents,45 the National Association of Broadcasters (NAB) and the Society of Broadcast Engineers among others for broadcast auxiliary service incumbents,⁴⁶ and the National Academy of Sciences' Committee on Radio Frequencies regarding radio astronomy observatories.47 Several of these commenters also submitted technical studies to support their positions.⁴⁸ The Ultra-Wide Band Alliance and other UWB advocates express concern that unlicensed 6 GHz devices could potentially have adverse impacts on their systems.⁴⁹ In addition, commercial wireless interests, including CTIA and others, ask the Commission not to make all of the 6 GHz spectrum available for unlicensed operations, and instead relocate some of the incumbent licensees to make the upper portion of the 6 GHz band available for licensed wireless service providers through competitive bidding.⁵⁰ Finally, the Commission received comments from various parties on other specific issues, such as protecting

⁴¹ See, e.g., Apple, Broadcom et al. Comments at 4; Facebook Comments at 2; Hewlett Packard Enterprise Comments at 7.

⁴² *See, e.g.*, Apple, Broadcom et al. Comments at 3; Consumer Technology Association Comments at 1-3; Open Technology Institute et al. Comments at 5-13.

⁴³ Appendix E.

⁴⁵ See, e.g., Intelsat and SES Americom Comments at 5-15; Globalstar Comments at 8-16; Sirius XM Radio Comments at 11-24.

⁴⁶ See, e.g., NAB Comments at 4-20; NCTA Comments at 8-9; Society of Broadcast Engineers Comments at 2-12.

⁴⁷ National Academy of Sciences Committee on Radio Frequencies Comments at 1-9.

⁴⁸ Appendix E.

⁴⁹ See, e.g., Ultra-Wide Band Alliance Comments at 6-8; Decawave Comments at 5-15; Zebra Technology Comments at 3-6.

⁵⁰ See, e.g., CTIA Comments at 2-11; Ericsson Comments at 4.

³⁹ See, e.g., Apple, Broadcom et al. Comments at 4; Wi-Fi Alliance Comments at 10; WISPA Comments at 2.

⁴⁰ *See, e.g.*, Apple, Broadcom et al. Comments at 3-4; Facebook Comments at 2; Cisco Comments at 2; Charter Comments at 3; Hewlett Packard Enterprise Comments at 7; Netgear Comments at 2-3; Open Technology Institute, et al. Comments at 2; Wi-Fi Alliance Comments at 10-19; WISPA Comments at 3; Microsoft Comments at 1, 5, 8; Qualcomm Comments at 3.

⁴⁴ See, e.g., Fixed Wireless Communications Coalition Comments at 8-37; APCO Comments at 6-8; AT&T Comments at 6-8, 9-14; NPSTC Comments at 3-6; Utilities Technology Council, Edison Electric Institute, et al. (a group of commenters including the Utilities Technology Council, the Edison Electric Institute, the American Public Power Association, the National Rural Electric Cooperative, the American Petroleum Institute, and the American Water Works Association); Comments at 4-15; Los Angeles County Comments at 6.

FCC 20-51

incumbent operations in the adjacent 5.9 GHz band, permitting mobile operations, and permitting low power unlicensed operations in certain aircraft.⁵¹

III. **REPORT AND ORDER**

After review of the technical issues before us and an examination of the record, we are 17 authorizing two types of unlicensed operations in the 6 GHz band. First, we authorize unlicensed standard-power access points in the U-NII-5 and U-NII-7 bands through use of an AFC system. This will permit operations at the same power levels already permitted in the 5 GHz U-NII-1 and U-NII-3 bands (5.150-5.250 GHz and 5.725-5.850 GHz bands, respectively), enabling synergistic use of both the 5 GHz and 6 GHz bands for promoting unlicensed broadband deployment.

18. Second, we are opening the entire 6 GHz band for unlicensed indoor low power access points. By authorizing use of the entire 6 GHz band for this type of use, we provide opportunities for up to unlicensed operations to use up to 320-megahertz channels to expand capacity and performance capabilities. This forward-looking action anticipates the next generation of unlicensed devices and advances the U.S.'s role as an innovator and global spectrum policy leader.⁵² Client devices communicate using power levels that depend on the type of access point-either the standard-power or the indoor lowpower access point-to which they are connected.

Device Class	Operating Bands	Maximum EIRP	Maximum EIRP Power Spectral Density
Standard-Power Access Point (AFC Controlled)	U NII 5 (5 025 6 425 CHz)	36 dBm	23 dBm/MHz
Client Connected to Standard- Power Access Point	U-NII-7 (6.525-6.875 GHz)	30 dBm	17 dBm/MHz
Low-Power Access Point (indoor only)	U-NII-5 (5.925-6.425 GHz) U-NII-6 (6.425-6.525 GHz)	30 dBm	5 dBm/MHz
Client Connected to Low-Power Access Point	U-NII-7 (6.525-6.875 GHz) U-NII-8 (6.875-7.125 GHz)	24 dBm	-1 dBm/MHz

Table 3: Expanded Unlicensed Use of the 6 Gigahertz Band

19. The rules we adopt today are designed to optimize unlicensed access to the 6 GHz band while also protecting incumbent services so that they continue to thrive in the band. In our analysis below, we account for the concerns raised by parties representing the various incumbent services that operate in the 6 GHz band, weigh the various technical studies presented by proponents of unlicensed operations as well as representatives of incumbent services, and address how the rules we are adopting will enable unlicensed operations to operate in the 6 GHz band and protect the various incumbent services that operate in the band.

⁵¹ See, e.g., 5GAA Comments at 2-6; Boeing Comments at 3.

⁵² See D. Lopez-Perez, A. Garcia-Rodriguez, L. Galati-Giordano, M. Kasslin and K. Doppler, "IEEE 802.11be Extremely High Throughput: The Next Generation of Wi-Fi Technology Beyond 802.11ax," in IEEE Communications Magazine, vol. 57, no. 9, pp. 113-119, September 2019(stating that 320-megahertz bandwidth is a leading candidate for inclusion in the 802.11be standard), available

at https://ieeexplore.ieee.org/document/8847238.

FCC 20-51

Standard-Power Operations in U-NII-5 and U-NII-7 Bands A.

20. In the Notice, the Commission proposed to make the U-NII-5 and U-NII-7 bands (5.925-6.425 GHz and 6.525-6.875 GHz, respectively) available for unlicensed operations under technical rules generally consistent with the existing rules for unlicensed device operations in the nearby U-NII-1 and U-NII-3 bands (5.150-5.250 GHz and 5.725-5.850 GHz bands, respectively).53 Under this proposal, the power levels permitted for "standard-power access points" would be set at 36 dBm EIRP.⁵⁴ This is based on the power spectral density (PSD) of 23 dBm /MHz EIRP.⁵⁵ To protect incumbent fixed microwave operations in these bands, the Commission proposed that unlicensed devices at these power levels only be permitted access to spectrum under the control of an Automated Frequency Coordination (AFC) system, which would establish exclusion zones where unlicensed devices could not operate.⁵⁶ The Commission proposed that, prior to transmitting, a standard-power access point would be required to obtain from an AFC system a list of permissible frequencies or a list of prohibited frequencies on which it cannot transmit.57 The Commission also proposed to allow unlicensed "client devices," which would operate at a 30 dBm EIRP maximum based on a 17 dBm/MHz EIRP maximum PSD; these devices would be required to obtain a list of permissible operating frequencies from a standard-power access point and restrict operation to those frequencies.⁵⁸ In the Notice, the Commission tentatively concluded that the AFC would only be needed to protect fixed service microwave links and would not be necessary to protect incumbent fixed-satellite operations.59

21 The Commission's proposals were designed to address incumbents' stated requirements regarding reliable service as well as the increasing need for spectrum for innovative uses.⁶⁰ With respect to unlicensed standard-power access through the AFC system, the Commission sought extensive comment on the framework, design, and operation of the AFC system (e.g., the AFC system database, information on the incumbent microwave links and the unlicensed standard-power access points, how the system would determine permissible operating frequencies, updating frequency availability determinations, the AFC system security requirements, and AFC operator requirements).⁶¹ It also sought specific comment on the appropriate interference protection parameters that the AFC system would use to

⁵⁶ Notice, 33 FCC Rcd at 10505, para. 23; see also id. at 10509, para. 37. As with the procedures that the Commission adopted for other shared-use bands, such as white spaces and the Citizens Broadband Radio Service, this process would be automated. Id. at 1505, para. 23. White space and Citizens Broadband Radio Service devices are required to access a database system that determines the available frequencies at a device's location prior to operation. 47 CFR §§ 15.711(c)(2), 96.39(c) 96.59(a). A device may transmit only on frequencies that the database system indicates are available for use. Id. §§ 15.711(c)(2), 96.39(c) 96.59(a).

⁵³ Notice, 33 FCC Rcd at 10505, para. 22.

⁵⁴ Notice, 33 FCC Rcd at 10524, para. 78.

⁵⁵ Notice, 33 FCC Rcd at 10524, para. 78. The U-NII-1 and U-NII-3 rules permit unlicensed devices to operate with up to 30 dBm conducted power into a 6 dBi antenna for a total of 36 dBm EIRP, regardless of bandwidth. See (47 CFR § 15.407(a)(1)(i); 15.405(a)(3). The 802.11 standards for the 5 GHz U-NII bands specify bandwidths of 20, 40, 80 and 160-megahertz (See, e.g., M. Gong, B. Hart, M. Shiwen, "Advanced Wireless LAN Technologies: IEEE 802.11AC and Beyond," in GetMobile: Mobile Computing and Communications, January 2015 available at: https://dl.acm.org/doi/abs/10.1145/2721914.2721933). Because the maximum power is fixed the highest spectral density occurs for the narrowest channel; i.e., 20-megahertz and 36 dBm/20-megahertz is equivalent to 23 dBm/megahertz.

⁵⁷ Notice, 33 FCC Rcd at 10506, para. 25.

⁵⁸ Notice, 33 FCC Rcd at 10524, para 78. See 47 CFR § 15.403(g) of the proposed rules.

⁵⁹ Notice, 33 FCC Rcd at 10506, para. 24, 10517, para. 55.

⁶⁰ Notice, 33 FCC Rcd at 10497, 10505, paras. 1-2, 22.

⁶¹ Notice, 33 FCC Rcd at 10506-09, 10514-15, paras. 25-36, 50-52.

FCC 20-51

protect incumbent fixed services from harmful interference from standard power access points (e.g., signal propagation model, signal fade characteristics, interference protection criteria),⁶² and how client devices would operate under the control of the standard-power access point.⁶³ In addition, the Commission requested comment on its tentative conclusion that the AFC system was not necessary to protect fixed satellite service receivers, and whether it should adopt antenna pointing limitations on unlicensed standard-power access points to protect the satellite space station receivers.⁶⁴

22. Based on the record before us, we adopt the proposal set forth in the Notice to permit standard power unlicensed operations in the U-NII-5 and U-NII-7 bands to operate outdoors or indoors with similar power levels as permitted for unlicensed portions of the 5 GHz band through use of an AFC system to protect incumbent fixed microwave operations from harmful interference. Specifically, we authorize standard-power access points to operate in these bands at power levels up to 36 dBm EIRP (PSD of 23 dBm /MHz EIRP), and client devices to operate at up to 30 dBm EIRP (PSD of 17 dBm/MHz EIRP). The rules we adopt for these unlicensed device operations will protect incumbent fixed microwave, radio astronomy, and fixed-satellite operations, add much needed capacity to meet the rapidly increasing demands of the wireless industry, and promote innovation and investment in new wireless unlicensed technologies. To protect incumbent fixed microwave operations from harmful interference, unlicensed access to these bands is only permitted on frequencies and locations determined by an AFC system based on the exclusion zones that it establishes. We also will protect certain radio astronomy observatories through the AFC system. Finally, in affirming the Commission's tentative conclusion that the AFC system is not necessary to protect incumbent fixed satellite service operations, we also adopt a restriction on unlicensed standard-power access point to prevent them from pointing toward the space station receivers.

1. **AFC-Based Access to Protect Fixed Microwave Services**

23. Consistent with the framework proposed in the Notice, the AFC mechanism, combined with the technical and operational rules that we are adopting, will protect incumbent fixed microwave operations from the potential of harmful interference from unlicensed standard-power operations in the U-NII-5 and U-NII-7 bands.⁶⁵ As noted by the Commission, the use of an automated system to control access to spectrum is not new. The Commission has previously used this approach to protect television reception from unlicensed white space devices in the TV bands and to protect satellite earth stations and government radars from devices of the Citizens Broadband Radio Service in the 3550-3700 MHz band.⁶⁶ Commenters generally acknowledge that a properly designed AFC system in the U-NII-5 and U-NII-7 bands will protect incumbent operations, though they often differ on particular design and features of that system.67

24. The AFC-based system for permitting unlicensed standard power operations in the 6 GHz bands will consist of several components which, when taken together, will determine the specific exclusion zones that will protect incumbent operations. These components include (1) the framework, design, and operation of AFC system; (2) the operational requirements that we establish regarding

⁶⁶ Notice, 33 FCC Rcd at 10505, para. 22-23 & n. 66; 47 CFR § 15.713; Amendment of the Commission's Rules with Regard to Commercial Operations in the 3550-3650 MHz Band, Report and Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959, 4035-4069, paras. 246-378 (2015).

⁶⁷ See, e.g., Fixed Wireless Communications Coalition Comments at 13; APCO Comments at 2; National Spectrum Managers Association Comments at 32 (arguing that all U-NII-5 and U-NII-7 operation must be under the control of an AFC); AT&T Reply at 15-19.

⁶² Notice, 33 FCC Rcd at 10509-14, paras. 37-49.

⁶³ Notice, 33 FCC Rcd at 10516-17, paras. 53-54.

⁶⁴ Notice, 33 FCC Rcd at 10517-18, paras. 55-58.

⁶⁵ Notice, 33 FCC Rcd at 10505, para. 22.

FCC 20-51

standard-power access points (e.g., geolocation capabilities, antenna-related restrictions); and (3) the interference protection parameters that protect the incumbent fixed service operations.

The AFC System Framework and Database я.

25. In the Notice, the Commission envisioned an AFC system that would involve a simple database that would be easy to implement and sought comment on the capabilities that should be incorporated into the system.⁶⁸ It asked whether the system should be a centralized model, i.e., where all data and computations are performed in a central location,69 or whether the architecture should be based on a de-centralized model where the standard-power access point maintains a local database and performs the necessary computations.⁷⁰ The Commission proposed that the AFC system would use data from the Universal Licensing System (ULS) database for determining the location of incumbent fixed microwave operations for purposes of establishing the exclusion zones, and sought comment on the extent to which that information would be sufficient in identifying incumbent fixed microwave operations that would be protected by the AFC system.⁷¹ It also sought comment on the requirements for determining the location of standard-power access points, as well as their antenna heights, which would be used by the AFC system in establishing exclusion zones.⁷² In addition, the Commission asked whether the AFC system should determine frequency availability for the standard-power access points by using the maximum permissible power level for the standard-power access point, or instead determine availability at power levels less than the maximum by calculating a list of available frequencies and the maximum power level permitted at each one (similar to the white spaces database system).⁷³

Centralized approach. Proponents of unlicensed operations in the band, including 26. Microsoft, WISPA, and Hewlett Packard Enterprise, request that the Commission permit both a centralized and de-centralized AFC model to increase flexibility for access point manufacturers.74 However, several commenters including those representing fixed microwave interest support permitting only a centralized approach for simplicity, consistency and uniformity.⁷⁵

⁷³ Notice, 33 FCC Rcd at 10506, para. 26.

⁷⁴ See, e.g., Hewlett Packard Enterprise Comments at 23 ("[T]he FCC should permit innovation so that protocols and configuration will look different from one AFC operator to another and from one AP to another."); WISPA Comments at 16 ("equipment manufacturers should not be prohibited from developing access points that will perform the same function at the local level as an alternative to (not a replacement for) the centralized mode l[...]"); Microsoft Comment at 18 ("Microsoft urges the Commission to allow both centralized and decentralized AFC models"); Teradek Comments at 3 (arguing the AFC should support both options of centralized and de-centralized architecture; this will ease the AP design challenges); PIO Comments at 26 (commenting that the Commission should allow both centralized and decentralized models).

⁷⁵ See, e.g., Cambium Networks Comments at 5 (arguing that a centralized location can easily be updated any time a new device is to be included in the protected services list, or if a device is no longer using resources.); MidContinent Comments at 14; Sony Comments at 3 (contending that a centralized model will minimize the cost, complexity, and resource demands of access points and client devices, thereby encouraging market adoption.); Northeast Colorado Cellular Comments at 2; NPSTC Comments at 10 (pointing out that, if the AFC is centralized, the algorithms and protocols can be updated as needed rather easily, as compared to updating every deployed access point and

(continued....)

⁶⁸ Notice, 33 FCC Rcd at 10506, para. 25.

⁶⁹ In the centralized model, each standard-power access point establishes a connection with the AFC system and provide its location and technical details. Notice, 33 FCC Rcd at 10506, para. 25. The AFC system communicates the list of permissible frequencies (or a list of prohibited frequencies) back to the standard-power access point. Id.

⁷⁰ In the de-centralized model, each standard-power access point performs the AFC function itself, *i.e.* it calculates frequency availability based on its location and information that it has in memory such as exclusion zones or the technical parameters of microwave systems. See Notice, 33 FCC Rcd at 10506, para. 25.

⁷¹ Notice, 33 FCC Rcd at 10509-10, paras. 39-41.

⁷² Notice, 33 FCC Rcd at 10514-15, paras. 50-52.

FCC 20-51

27. We will require the AFC to use a centralized model where each standard-power access point remotely accesses an AFC to obtain a list of available frequency ranges in which it is permitted to operate and the maximum permissible power in each frequency range. First, this approach is consistent with the centralized model the Commission has already employed with both the white space database system and the Citizens Band Radio Service spectrum access systems.⁷⁶ In our experience, this model has effectively facilitated widespread deployment of new services while protecting incumbents.

28. Second, the centralized model will facilitate Commission oversight to ensure that each AFC system provides accurate frequency availability information to standard-power access points, whereas such management would be more complicated in a de-centralized system where each access point performs the AFC function itself. For example, if there are any concerns about an AFC's frequency availability determinations, a centralized AFC model would allow the Commission to more easily investigate the cause by contacting an AFC system operator to determine the incumbent data it is using and how it is calculating the protection zones and direct the AFC operator to make any necessary corrections promptly. By contrast, we are concerned a de-centralized architecture could make such enforcement actions more difficult. The de-centralized approach may also lead to varying update times for different access points and new microwave links not being adequately protected until all access points are able to complete their updates.

29 *Third*, a centralized database approach reduces design complexity, allows for simplicity as envisioned in the Notice and enables faster development and implementation of the AFC systems. We are concerned that allowing both architectures (centralized and de-centralized) could create problematic or unforeseen complications in operational management of AFC systems and devices and thereby could delay unlicensed deployment in this band. Thus, we decline to permit use of a dual AFC architecture as some parties have suggested.

Use of ULS for information on incumbent operations. As proposed in the Notice, we will 30 require that the AFC system rely on the Commission's Universal Licensing System (ULS) for fixed microwave link data when calculating and establishing the exclusion zones to protect those microwave links from harmful interference.⁷⁷ The Universal Licensing System is the official licensing database for microwave links in the U-NII-5 and U-NII-7 bands and contains extensive technical data for site-based licenses including transmitter and receiver locations, frequencies, bandwidths, polarizations, transmitter EIRP, antenna height, and the make and model of the antenna and equipment used. Thus, the Universal Licensing System contains the information necessary for AFC systems to protect fixed service links. Several commenters, including APCO, the Dynamic Spectrum Alliance, the Open Technology Institute et al., Apple, Broadcom et al., and Wi-Fi Alliance support using the ULS system for this purpose.⁷⁸ To

⁷⁷ Notice, 33 FCC Rcd at 10509, para. 39.

⁽Continued from previous page) .

associated client device); City of Austin Comments at 2; City of New York Comments at 3; El Paso Electric Comments at 3 ("any registration requirement should include a centralized AFC system operated by a single organization for the sake of consistency and uniformity"); Idaho Power Comments at 6; Ultra-Wideband Alliance Comments at 8.

⁷⁶ 47 CFR §§ 15.711(c)(2)(i), 96.39(c).

⁷⁸ APCO Comments at 10 (ULS contains data sufficient for the AFC system's purposes, and would have the added benefit of providing a single, authoritative source of licensees' information); Nokia Reply at 2 (the Commission's ULS database can be used as long as the ULS information is accurate, up-to-date and covers the necessary fixed link parameters); Dynamic Spectrum Alliance Reply at 8-10 (the Universal Licensing System is fully capable of supplying accurate and up-to-date information to AFCs); Open Technology Institute, et al. Comments at 28 (agreeing with Commission's proposal that AFC systems use data from ULS); Apple, Broadcom et al. Comments at C-5 (ULS location information is generally accurate but corrections should be encouraged); APCO Comments at 10 (ULS contains data sufficient for the AFC system's purposes and would have the added benefit of providing a single, authoritative source of licensees' information); Wi-Fi Alliance Comments at 21 (ULS contains all the

⁽continued....)

FCC 20-51

ensure that AFC systems have the most recent information on fixed service links, we will require AFC systems to download the database on a daily basis.

We recognize the concerns of some parties that information used by the AFC systems 31 must be accurate and up-to-date,⁷⁹ and note that there may currently be some inaccurate or incomplete data in the Universal Licensing System database.⁸⁰ Because ULS is the official Commission compendium of license records, licensees are obligated under the terms of their licenses to keep their information filed with the Commission current and complete. Thus, licensees have the responsibility, as well as significant incentive, to maintain the continued accuracy of data in the Universal Licensing System to ensure that they are protected from harmful interference not only from new unlicensed devices, but also from new fixed microwave links that may access the band.⁸¹ To the extent licensees determine that their actual operations differ from the Commission's licensing records, they should modify those records to ensure they are properly protected from harmful interference from any other spectrum users, and we direct the Wireless Telecommunications Bureau to issue a public notice following release of this order reminding such licensees of the importance of maintaining accurate information in that system.⁸²

Microwave links may begin operation prior to obtaining a license so long as certain 32. criteria are met, such as completing successful frequency coordination and filing an application that appears in the Universal Licensing System as pending.⁸³ Because such a filing may indicate that a new station is operational, or soon will be, we will require the AFC system to protect pending as well as granted facilities. In addition, temporary fixed microwave links may be authorized by a blanket authorization, in which case the licensee is not required to obtain approval from the Commission prior to operating at specific locations or report the technical details of their operation to the Commission.⁸⁴ Because the AFC system must have knowledge of the location of temporary fixed links in order to protect them from harmful interference, we will require the operators of temporary fixed stations to register the details of their operations (transmitter and receiver location, antenna height, antenna azimuth, antenna make and model, etc.) in the Universal Licensing System prior to transmission if they desire to be protected from potentially receiving harmful interference from standard-power access points in the U-NII-5 and U-NII-7 bands.⁸⁵ Because temporary fixed links are not mobile and intended to operate at a

(Continued from previous page)

necessary data fields for 6 GHz licensed incumbents for an AFC to determine where frequencies may be available for unlicensed use).

⁷⁹ See, e.g., Dakota County, New Mexico Comments at 1; Cook County Sheriff's Police Department Comments at 2-3; Washington County Sheriff's Office in Minnesota Comments at 1-2; City of Portland, Oregon Comments at 1; Bastrop County, Texas Comments at 1; County of St. Croix, Wisconsin Comment at 1; Lucas County Sheriff's Office Comment at 1; Lincoln County, Oregon Comments at 1; EcliptixNet Broadband Comments at 1; Singer Executive Development Comments at 1; Comsearch Comments at 16-17; Fixed Wireless Communications Coalition Comments at 33; City of Los Angeles Reply Comments at 8.

⁸⁰ See Comsearch Comments at 17-20 (the ULS is primarily an administrative rather than a technical database and is of limited utility in informing interference analysis necessary to allow additional use in the band by unlicensed devices); Fixed Wireless Communications Coalition Reply at 34 (receiver data in ULS is error-prone and unreliable; more complete and accurate fixed microwave receiver databases exist).

⁸¹ Notice, 33 FCC Rcd at 10509, para. 39.

⁸² Some parties argue that if the Commission uses ULS as a data source it should allow a temporary waiver of filing fees for data corrections before the AFC becomes operational. FWCC Comments at 28, Microsoft Reply at 17, Dynamic Spectrum Alliance Reply at 8-10. Filing fees are mandated by statute and cannot be waived by the Commission. 47 U.S.C. § 158(a).

83 47 CFR § 101.31(b); Notice, 33 FCC Rcd at 10510, para. 41.

⁸⁴ 47 CFR § 101.31(a)(2); Notice, 33 FCC Rcd at 10510, para. 41.

⁸⁵ The capability to register temporary fixed links does not currently exist in the ULS system. That functionality will be developed upon adoption of this Order and its availability will be announced by Public Notice.

FCC 20-51

specified location for up to a year,⁸⁶ we do not believe this registration requirement poses a significant burden on licensees.

33. Information on microwave operations in border areas near Canada and Mexico. As required by international agreements, and consistent with actions regarding white spaces and the CBRS, we will require the AFC to protect microwave operations in Canada and Mexico near the United States border.⁸⁷ We recognize that the ULS does not contain information on microwave operations in these countries. We therefore intend to work with the governments of Canada and Mexico to obtain information on microwave systems in those countries and a method for providing it to AFC operators for incorporation into their systems.

34. Information on location and antenna height of standard-power access points. The AFC system also will make use of data concerning the location and antenna height of standard-power access points when calculating the availability of frequencies and channels of operations. We establish particular operational requirements for access points in this Order that ensure the accuracy of this data.

35. Use of specified interference protection parameters. The AFC system will apply the specified interference protection parameters established in this Order to protect fixed microwave operations from harmful interference. These include use of specified propagation models and a conservative interference protection criterion when calculating exclusion zones, and the methodology for addressing adjacent channel operations.

36. Determining frequency and channel availability based on unlicensed device power levels. As suggested by several commenters, we will require that the AFC have the capability to determine frequency availability at the maximum permissible power of 36 dBm for standard-power access points, as well as at lower power levels.⁸⁸ Because the minimum required separation distance from a fixed service receiver, among other factors, is a function of the access point power, lower power devices do not have to meet as large a separation distance to provide the same level of protection as higher power devices. This means that more spectrum may be available for access points that operate with power levels below the maximum, especially in congested areas where spectrum is more heavily used by the fixed microwave services. This action is consistent with the Commission's white space rules in which white space devices operating at power levels less than the maximum have shorter required separation distances from protected services, and the white space database provides devices with a list of available frequencies and the maximum permissible power on each.⁸⁹

37. We will require that the AFC system be capable of determining frequency availability in steps of no greater than 3 dB below the maximum 36 dBm permissible EIRP, down to a minimum level of 21 dBm. While commenters did not suggest a specific interval between power levels or a minimum power level, we believe 3 dB is an appropriate step size because it is large enough to be significant (i.e. a factor of two), and will allow the AFC to determine frequency availability at multiple power levels so a device can select its optimum frequency and power level combination. Our requirement that an AFC only consider power levels as low as 21 dBm is predicated on our expectation that outdoor access points will

⁸⁹ 47 CFR §§ 15.712(a)(2), 15.715(e).

^{86 47} CFR § 101.3.

⁸⁷ 47 CFR §§ 15.712(g), 15.713(j)(1), 96.19.

⁸⁸ *See, e.g.* Midcontinent Communications Comments at 17 (contending that the AFC system should calculate a list of available frequencies and the maximum power permitted on each frequency); Sony Comments at 4 (maintaining that the AFC system should determine frequency availability at power levels less than the maximum, and then calculate a list of available frequencies and the maximum power permitted on each one); Teradek Comments at 4; Wi-Fi Alliance Comments at 21 (maintaining that the AFC should provide the device with a list of permissible frequencies at various transmit power levels and allow the device to select appropriate options); Wi-Fi Alliance Reply at 21-22.

FCC 20-51

generally operate at the higher power levels to maximize coverage area or throughput or both. However, because certain situations or applications may not need that much power, there may be a need for AFCs to evaluate additional power levels. We will not preclude AFC operators from determining frequency availability at additional power levels, e.g., below 21 dBm or in smaller step sizes; we are simply establishing minimum AFC performance requirements. Consistent with the white space rules, the AFC will provide a list of available frequencies and power levels to standard-power access points but will not select the frequency or control the power level of a device.⁹⁰ Rather, each access point will select its operating frequency and power level from the list provided by the AFC.

b. **Operational Requirements for Access Points**

38. As discussed in the Notice, the AFC system requires a device's geographic coordinatesalong with the accuracy of those coordinates-and the device's antenna height above ground, in order to determine which frequencies are available for use at its location.⁹¹ The Commission sought comment on whether it should require all standard power access points to incorporate a geo-location capability, or whether there are other means that could be used to obtain location information, such as a street address and floor number.92 It also sought comment on the degree of location accuracy necessary to protect the fixed service, and whether it would be more appropriate to instead determine the uncertainty of the computed location, and then have the AFC adjust the separation distance between the standard-power access point and fixed service receivers based on the location uncertainty.93 The Commission further sought comment on the appropriate method for determining the antenna height above ground, and whether to require that every standard-power access point be professionally installed.⁹

Several commenters support the use of automated geo-location, but suggest that we allow 39. professional installation as an alternative,⁹⁵ while others support requiring professional installation in all cases.⁹⁶ NAB supports requiring automatic geo-location and opposes relying on professional installation as a means of verifying the accuracy of data.⁹⁷ Several commenters, including Comsearch, APCO, Apple, Broadcom et al., and Dynamic Spectrum Alliance, discussed the geo-location capabilities that they believe are appropriate.⁹⁸

93 Notice, 33 FCC Rcd at 10514-15, para. 50.

94 Notice, 33 FCC Rcd at 10515, para. 51-52.

⁹⁵ See, e.g., Microsoft Comments at 19 (arguing the Commission should permit, but not mandate, professional installation); Qualcomm Comments at 17 (arguing professional installation is one means of ensuring reliable geolocation information and should be allowed, but the Commission should not require professional installation because there are other reliable means by which location can be determined).

⁹⁶ See, e.g., Midcontinent Communications Comments at 7 (supporting professional installation and certification program); Sony Electronics Comments at 5 (The Commission should require professional installation of all access point that operate in the U-NII-5 and U-NII-7 bands because it will facilitate verification of these parameters and the accuracy of the access point geolocation.); APCO Comments at 14 (contending professional installation may be necessary for obtaining reliable location information in some situations); NSMA Comments at 31 (endorsing a "professionally installed" requirement for standard-power access points).

⁹⁷ NAB Comments at 17 (recommending that the Commission not allow professional installation as a means of verifying the accuracy of data); NAB Reply at 11 ("[T]he geographic coordinates of the access point should be automatically determined by GPS or a similarly reliable method except in the most unusual circumstances.").

⁹⁸ See, e.g., Comsearch Comments at 27 (arguing each unlicensed device must be able to determine the accuracy of its position; this location accuracy would be used to determine the worst-case position of the unlicensed device with respect to the microwave receiver exclusion zone); APCO Comments at 14 (supporting a geolocation capability (continued....)

⁹⁰ 47 CFR § 15.711(c)(2).

⁹¹ Notice, 33 FCC Rcd at 10514-16, paras. 50-52.

⁹² Notice, 33 FCC Rcd at 10516, para. 52.

FCC 20-51

40. Incorporated geo-location. We will require all standard-power access points to include a geo-location capability to determine their geographic coordinates, rather than relying on a professional installer to determine them. Additionally, an incorporated geo-location capability provides a means for a device to automatically re-establish its coordinates if they are lost or altered due to a power outage or equipment reboot.

41. As suggested by Comsearch, we will require a device's geo-location capability to determine its location uncertainty and report it to the AFC system, which will use this information to determine the minimum required separation distances from fixed service receivers.⁹⁹ While commenters did not specifically address the appropriate accuracy level for the geo-location uncertainty measurement, we will require that it be determined, in meters, with 95% confidence level, which is consistent with the rules for white space devices which operate with similar geo-location requirements to those we are adopting for AFC controlled standard-power access points.¹⁰⁰ Our experience with this rule confirms that it reliably ensures protection against harmful interference, at reasonable cost.

42. We recognize that geo-location technologies such as GPS do not work at locations where satellite signals are blocked by obstructions such as tall buildings and trees, or deep within buildings.¹⁰¹ To ensure that standard power access points can accurately determine their coordinates and provide them to the AFC in these situations, without the need for professional installation, we are providing additional flexibility for manufacturers and device operators by making provisions for standard-power access points that operate in locations where an incorporated geo-location capability may not work. The Commission provides similar flexibility in other services where it requires devices to accurately determine their location.¹⁰² In this regard, we will allow standard-power access points to obtain their geographic coordinates through an external geo-location source when they are used at locations where an internal geo-location capability does not function.¹⁰³ We will allow an external geo-location source to be connected to an access point through either a wired or a wireless connection and will allow a single geo-location source to provide location information to multiple access points.¹⁰⁴ We will require that an external geo-location source be connected to an access point using a secure connection to ensure that only an external geo-location source approved for use with a device provides geographic coordinates to that

99 Comsearch Comments at 27; see also APCO Comments at 14 ("The AFC system should evaluate the worst-case value based on sufficiently stringent uncertainty measurements in each dimension.").

¹⁰⁰ See 47 CFR § 15.711(b)(1), (c). White space devices also provide their coordinates, location uncertainty and antenna height to a database that determines the available frequencies at a location. 47 CFR § 15.711(b)(1).

¹⁰¹ APCO Comments at 14 (supporting a geolocation capability requirement for standard-power access points and maintaining that professional installation may be necessary for obtaining reliable location information in some situations).

¹⁰² Amendment of Part 15 of the Commission's Rules for Unlicensed White Space Devices; Amendment of Part 15 of the Commission's Rules for Unlicensed Operations in the Television Bands, Repurposed 600 MHz Band, 600 MHz Guard Bands and Duplex Gap, and Channel 37; Expanding the Economic and Innovation Opportunities of Spectrum Through Incentive Auctions, ET Docket Nos. 16-56 and 14-165 and GN Docket No. 12-268, Report and Order and Order on Reconsideration, 34 FCC Rcd 1827, 1833, para. 17 (White Spaces Report and Order and Order on Reconsideration); 47 CFR § 15.711(c)(1).

103 47 CFR § 15.407(k)(9) in Appendix A.

¹⁰⁴ 47 CFR § 15.407(k)(9)(ii) in Appendix A.

⁽Continued from previous page)

requirement for standard-power access points; professional installation may be necessary for obtaining reliable location information in some situations); Apple, Broadcom et al. Comments at 54 (maintaining GPS could provide location information for AFC-controlled devices to allow effective operation of the protection mechanism); Dynamic Spectrum Alliance Comments at 12 (arguing the Commission should allow geolocation strategies to adapt to the diversity of users and cost points in the unlicensed device market).

FCC 20-51

device.¹⁰⁵ Additionally, we will allow the use of extender cables to connect a remote receive antenna to a geo-location receiver within a fixed device.¹⁰⁶ In cases where equipment uses a remote geo-location source, the separation distance between the access point transmit antenna and geo-location source must be included in the location uncertainty reported to the AFC system.¹⁰⁷ Based on our experience, we believe these provisions will increase the manufacturers' flexibility to develop devices that can be used in a wide variety of locations while ensuring that devices accurately determine their location and report it to the AFC to prevent harmful interference to protected services.

Considering the geo-location requirements that we are adopting, we are not requiring 43. professional installation. We agree with Microsoft and Qualcomm that a professional installation requirement is not necessary because manufacturers can incorporate a variety of location technologies into their devices; many of these, such as GPS, are widely available at low cost.¹⁰⁸ Further, we believe that requiring professional installation of all standard-power access points would be burdensome and that requiring devices to incorporate automatic geo-location will ensure that the information provided to the AFC system is accurate.

44. Antenna height above ground. For the AFC to accurately calculate exclusion zones to protect fixed service receivers, it requires the antenna height above ground of a standard-power access point. Consistent with the rules for white space devices, we will permit this information to be provided to the AFC either automatically by the device, or manually by the installer or operator of the device but will not require it to be determined by a professional installer.

45. Because automated geo-location methods such as GPS may not accurately provide height information in all cases, we will allow a device installer to manually determine the antenna height above ground and provide it to the AFC. As the Commission noted with respect to white space devices, installers with simple measuring equipment should be able to accurately determine antenna height above ground.¹⁰⁹ However, because improvements in technology in the future could enable devices to automatically determine their antenna height above ground with more precision, we are providing the option for standard-power access points to automatically do so.¹¹⁰ We expect that industry groups will work on developing methods for automatic height determination that could be used for standard-power access points or other applications where the antenna height above ground must be known.

46. Frequency availability re-check interval. The Notice proposed to require devices to periodically verify whether frequency availability has changed and sought comment on the maximum permissible interval for verifying frequency availability.¹¹¹ As supported by a number of commenters and

¹⁰⁶ Id.

¹⁰⁹ White Spaces Report and Order and Order on Reconsideration, 34 FCC Rcd at 1838, para. 32 & n. 77.

¹⁰⁵ 47 CFR § 15.407(k)(9)(iii) in Appendix A. A smartphone with appropriate software loaded could conceivably be used as an external geo-location source, provided the applicant for equipment authorization can demonstrate that it will reliably supply accurate coordinates to a standard-power access point.

¹⁰⁷ This requirement will be enforced through the equipment certification process.

¹⁰⁸ Microsoft Comments at 19 (the Commission should permit, but not mandate, professional installation); Qualcomm Comments at 17 (professional installation is one means of ensuring reliable geolocation information and should be allowed, but do not require professional installation because there are other reliable means by which location can be determined).

¹¹⁰ We note that the Commission has rules and a separate proceeding on determining the vertical location (z-axis) accuracy of wireless handsets for Enhanced 911 (E911) calls. 47 CFR §9.10(i)(2)(ii) and PS Docket No. 07-114. An applicant for equipment authorization of a standard-power access point that relies on automatic means to determine the antenna height above ground will be required to describe the method used as well as its accuracy in its application.

¹¹¹ Notice, 33 FCC Rcd at 10507, para. 30.

FCC 20-51

consistent with the requirements for white space devices, we will require a standard-power access point to contact an AFC system at least once per day to obtain the latest list of available frequencies at its location.¹¹² We find that once per day is an appropriate re-check interval because the Commission's Universal Licensing System, from which the AFC system will obtain data, is updated on a daily basis. We disagree with recommendation of Comsearch, Apple, Broadcom et al., Hewlett Packard Enterprise and Wi-Fi Alliance that of a 30-day re-check interval be instituted.¹¹³ While the likelihood is low that a new microwave link will become operational on any given day at a given location, when 6 GHz devices are widely deployed there will be situations where new microwave links are licensed in the vicinity of cochannel standard-power access points. To ensure that an unlicensed device quickly ceases operation on a frequency that becomes licensed for a microwave link near its location, we are requiring all standardpower access points to re-check their frequency availability on a daily basis, i.e., the same as the Universal Licensing System update interval.

47. We recognize that there may be situations when an AFC system is temporarily unavailable due to a sustained power loss, an Internet outage, or other circumstances that disrupt a device's ability to contact an AFC system.¹¹⁴ Consistent with the Commission's actions in other proceedings, we will permit an access point that cannot contact the AFC system during any given day to continue operating until 11:59 p.m. of the following day at which time it must cease operations until it reestablishes contact with the AFC system and re-verifies its list of available frequencies.¹¹⁵ We do not believe that a one-day grace period is likely to result in harmful interference to fixed service links because an access point being unable to contact the AFC system for a day is likely to be a relatively infrequent occurrence, and the probability that it will occur at the same time in the same place where a new microwave link commences operation is low.

Designating AFC Operators c.

Operator approval and system certification process. Consistent with the Commission's 48 actions regarding white spaces and the CBRS, we direct the Chief of the Office of Engineering and Technology (OET) to designate AFC system operators and oversee operation of their systems.¹¹⁶

49. OET will designate AFC operators using a multi-stage review process similar to that it used for designating white space database and SAS administrators.¹¹⁷ As the first step, the OET will issue a public notice inviting prospective AFC system operators to submit proposals describing how their

¹¹⁵ 47 CFR § 15.711(c)(2)(iii), (h).

¹¹⁶ 47 CFR § 0.241(h), (j).

¹¹² See 47 CFR §§ 15.711(c)(2)(iii) (requiring daily check-ins by white space devices to verify that the operating channel is still available); Fixed Wireless Communications Coalition Comments at 13 (require each radio local area network (RLAN) to update its permissions at least once every 24 hours); APCO Comments at 7 (access points should be required to periodically verify whether frequency availability has changed at least once every 24 hours); Teradek Comments at 2 (database re-check no more than once every 24 hours); National Spectrum Management Association Comments at 14 (frequency availability should be verified daily as the FCC database is updated daily).

¹¹³ Wi-Fi Alliance Comments at 23; Apple, Broadcom et al. Comments at 49 and C-4; Hewlett Packard Enterprise Reply at 27; Comsearch Reply at 8.

¹¹⁴ Unlicensed Operation in the TV Broadcast Bands and Additional Spectrum for Unlicensed Devices Below 900 MHz and in the 3 GHz Band, ET Docket Nos. 04-186 and 02-380, Second Report and Order, 23 FCC Rcd 16807, 16879, para. 206 (2008).

¹¹⁷ Unlicensed Operation in the TV Broadcast Bands and Additional Spectrum for Unlicensed Devices Below 900 MHz and in the 3 GHz Band, Order, 26 FCC Rcd 554 (2011); Unlicensed Operation in the TV Broadcast Bands and Additional Spectrum for Unlicensed Devices Below 900 MHz and in the 3 GHz Band, Order, 26 FCC Rcd 10599 (2011); Amendment of the Commission's Rules with Regard to Commercial Operations in the 3550-3650 MHz Band, Report And Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959, 4067, paras. 369-372 (2015).

FCC 20-51

systems would comply with all Commission AFC rules.¹¹⁸ The public will have an opportunity to review and comment on these AFC system proposals. OET will conditionally approve applicants that demonstrate that their proposed systems would comply with all AFC requirements. Applicants that receive a conditional approval will then be required to provide a test system that will be subject to a public trial period to provide interested parties an opportunity to check that it provides accurate results. This trial period will include thorough testing, both in a controlled environment (e.g., lab testing) and through demonstration projects (e.g., field testing).

We encourage formation of a multi-stakeholder group that would address issues specific 50. to technical and operational issues associated with the AFC system, and we intend to work with industry stakeholder groups as necessary to develop appropriate procedures for thoroughly testing AFC systems prior to use. We will not grant final approval for an AFC system operator to begin providing service until after the operator satisfactorily demonstrates that standard-power access points can operate under the control of its system without causing harmful interference to fixed wireless services.

Multiple AFC Operators. As proposed in the Notice, we will allow multiple AFC 51. operators to be designated.¹¹⁹ Commenters support designating multiple AFC system operators and no parties opposed this proposal.¹²⁰ This action is consistent with the rules for white spaces and the CBRS.¹²¹ As the Commission previously noted in regard to white spaces databases, this would prevent a single party from obtaining monopoly control over the AFC systems, could provide an incentive for AFC system operators to provide additional services beyond those required by the rules, and is more likely to result in lower costs to consumers.¹²²

52. We will permit AFC functions, such as a data repository, registration, and query services, to be split among multiple entities, as is done for white spaces and the CBRS.¹²³ No parties commented on this specific issue. This approach will allow greater flexibility in AFC system design and potential cost savings by allowing multiple operators to share the costs of running parts of an AFC systems.¹²⁴ However, to ensure that the Commission can effectively oversee the AFC system operation, we will require that entities designated as AFC system operators be held accountable for all aspects of system administration, including any functions performed by third parties.

53. Term of AFC Designation. The Commission proposed that an AFC system operator be required to serve for a five-year term which can be renewed by the Commission based on performance during the operating term.¹²⁵ It further proposed that if an AFC system ceases operation, it must provide a minimum of 30-days' notice to the Commission and transfer its registration data to another AFC system

121 47 CFR §§ 15.715, 96.63.

¹²² Unlicensed Operation in the TV Broadcast Bands and Additional Spectrum for Unlicensed Devices Below 900 MHz and in the 3 GHz band, ET Docket Nos. 04-186 and 02-380, Second Memorandum Opinion and Order, 25 FCC Rcd 18661, 18704-05, para. 104 (2010) (White Spaces Second MO&O).

123 47 CFR §§ 15.715, 96.63.

124 Several parties requested that we allow flexibility in AFC system design. See Apple Comments at 6; Broadcom Comments at 4; HP Comments at 24; Microsoft Comments at 17; Qualcomm Comments at 12.

¹²⁵ Notice, 33 FCC Rcd at 10508, para. 35.

¹¹⁸ For example, see Office of Engineering and Technology Invites Proposals from Entities Seeking to be Designated TV Band Device Database Managers, Public Notice, 24 FCC Rcd 14136 (OET 2009).

¹¹⁹ Notice, 33 FCC Rcd at 10507, para 33.

¹²⁰ See, e.g., Comsearch Comments at 25; Dynamic Spectrum Alliance Comments at 12; Federated Wireless Comments at 11; Quantenna Comments at 5; Sony Comments at 7; WISPA Comments at 19; Motorola Comments at 4; Open Technology Institute et al. Comments at 26.

operator.¹²⁶ Several commenters including Wi-Fi Alliance support the Commission's proposal for a fiveyear term.¹²⁷ However, Wi-Fi Alliance claims that it is impractical to require an AFC operator to transfer registration information at the end of the term and that an AFC operator should have the flexibility to discontinue operations at its discretion.128

54. To ensure a stable operating environment for standard-power access points and consistent with both the white space and CBRS rules, we adopt our proposal for a five-year term which, at the Commission's discretion, may be renewed.¹²⁹ Similar to the requirements for the white space database and SAS administrators, in the event an AFC system operator does not wish to continue to provide services, or if its term is not renewed, the system operator will be required to transfer its database along with the information necessary to access the database to another designated AFC system and will be permitted to charge a reasonable fee for the transfer of this information.¹³⁰ Transferring this information assures operational continuity for existing devices; otherwise in the event an AFC discontinues service, devices would be denied operating frequencies and cut-off from providing services until it established a connection to a new database. This action allows that new connection to occur automatically.

We disagree with Wi-Fi Alliance that it would be burdensome for an AFC operator to 55. transfer its registration data to another AFC system operator since the data that must be transferred (e.g., location, antenna height, device FCC ID and serial number) is relatively simple. We are also adopting our proposal that an AFC system operator must provide a minimum of 30 days' notice to the Commission when it plans to cease operation. Because standard-power access points must be able to access an AFC in order to operate, we do not believe that the Commission should designate AFC system operators that could cease operation at any time with no notice as that could leave users with equipment that ceases operating unexpectedly.

56. *Fees.* The Commission proposed in the Notice that an AFC system operator be permitted to charge a fee for providing registration and channel availability functions.¹³¹ It further noted that fees could be charged on a transaction basis every time a device is registered, or when it receives an update from an AFC system.¹³² Many commenters support permitting AFC system operators to charge a reasonable transaction fee for providing registration and channel availability functions.¹³³ However, Open Technology Institute, et al. state that while cost recovery is a given, the Commission should also strive to minimize transaction costs and arrangements that exclude or deter ordinary consumers.¹³⁴

¹²⁸ Wi-Fi Alliance Comments at 29.

129 47 CFR §§ 15.715(h), 96.63(e).

130 47 CFR §§ 15.715, 96.63.

¹³¹ Notice, 33 FCC Rcd at 10508, para. 36.

¹³² Id.

¹³³ Comsearch Comments at 25-26; Dynamic Spectrum Alliance Comments at 12; Quantenna Communications; Comments at 4; Microsoft Comments at 18; Wi-Fi Alliance Comments at 30 (arguing AFC system operators should be permitted to charge market-based fees); Midcontinent Communications Comment at 14.

¹³⁴ Open Technology Institute et al. Comments at 4. It also argues that that if low power and indoor-only use of the 850 megahertz in the U-NII-5 and 7 bands would be subject to AFC control and professional installation rules, consumers and small business would be swept up in cumbersome registration process and fees. Because we are not requiring AFC for such uses, this concern is moot.

 $^{^{126}}$ Id.

¹²⁷ See, e.g., WISPA Comments at 20; Wi-Fi Alliance Comments at 29; Sony Comments at 8; Midcontinent Communications Comments at 14.

FCC 20-51

Consistent with the rules for white space database and CBRS SAS administrators and as supported in the record, we will permit AFC operators to charge fees for the provision of service.¹³⁵

Because we are allowing multiple AFC operators to be designated, we believe that 57 competition among them will serve to keep fees reasonable and will allow for multiple business models that could benefit consumers, e.g., device manufacturers or a trade association could fund an AFC system as part of its business and no individual transaction fees would be charged.¹³⁶ However, as with white space databases and the CBRS SAS, we will permit parties to petition the Commission to review fees and require changes to the fees if they are found to be excessive.¹³⁷

58. AFC to AFC synchronization requirements. In the Notice, the Commission sought comment on whether each AFC system could operate autonomously or whether there would be a need for them to communicate any information with each other, and if so, what information would need to be exchanged.¹³⁸ The National Spectrum Management Association and NAB request that AFC operators be required to share data that can be used in interference mitigation and to ensure that all databases contain the same information on protected entities.¹³⁹ However, Apple, Broadcom et al. and the Dynamic Spectrum Alliance argue that there is no need to require AFC operators to synchronize data because such a requirement would impose substantial burdens on the AFC systems with no corresponding benefit.¹⁴⁰

We conclude that, under the AFC system that we are adopting, there is no need to require 59. AFC systems to synchronize their data with each other. Unlike white space database systems that must accept and share registration information from protected entities, e.g., cable headends and licensed wireless microphone operators, that cannot be obtained from Commission databases, AFC systems will obtain their data on protected entities from a single source (the ULS).¹⁴¹ Therefore, there will be no need for AFC operators to synchronize protected entity information between different systems as NAB suggests. Additionally, because we are not requiring AFC systems to consider aggregate interference from multiple standard-power access points when determining frequency availability, there is no need for the AFC systems to share information about registered standard-power access points.

d. **Interference Protection Analyses and Parameters**

As proposed in the Notice, we will protect fixed microwave operations from harmful 60 interference by using an AFC system that establishes location and frequency-based exclusion zones for standard-power unlicensed devices around fixed microwave receivers operating in the U-NII-5 and U-NII-7 bands.¹⁴² Under this AFC system, individual unlicensed devices will not be permitted to operate on certain frequencies within the exclusion zone. Below, we discuss technical parameters that the AFC system will use to calculate these exclusion zones.

¹³⁵ Comsearch Comments at 26 (supporting the Commission's proposal to permit AFC operators to collect fees); Dynamic Spectrum Alliance Comments at 12 (the Commission should permit but not require AFC system operators to charge fees); Quantenna Communications Comments at 4; 47 CFR §§ 15.714, 96.65.

¹³⁶ Notice, 33 FCC Rcd at 10508-09, para. 36.

¹³⁷ 47 CFR §§ 15.714(c), 96.65(b).

¹³⁸ Notice, 33 FCC Rcd at 10508, para. 33.

¹³⁹ National Spectrum Management Association Comment at 14; NAB Reply at 11.

¹⁴⁰ Dynamic Spectrum Alliance Reply at 12-14; Apple, Broadcom et al. Comments at 67 (arguing further that these burdens would grow exponentially as additional AFC systems are certified).

¹⁴¹ Under the white space rules, protected entities not listed in Commission databases, e.g., cable headends and licensed wireless microphones, may register their operational parameters with a single white space database administrator, which must then synchronize this information with all other white space databases. 47 CFR §§ 15.713(b)(2), 15.715(l).

¹⁴² See Notice, 33 FCC Rcd at 10505, 10509, paras. 23, 37.

FCC 20-51

Propagation models. As proposed in the Notice, evaluating potential harmful 61. interference from U-NII-5 and U-NII-7 unlicensed standard-power access point devices depend on the propagation models assumed for both fixed microwave signals and unlicensed devices. The propagation model that we adopt will, in turn, be used by the AFC system as one of the factors when determining the exclusion zones.

62. The Commission sought comment in the Notice on different propagation models, including use of a free space path loss model as well as the WINNER II and Irregular Terrain Model and ITU-R P.2108 models as well as whether several propagation models accounting for different conditions and distances should be adopted.¹⁴³ Commenters expressed widely divergent opinions. Apple, Broadcom, et al., the Wi-Fi Alliance, and CableLabs recommend use of propagation models that are combinations of WINNER II, Irregular Terrain Model, and ITU clutter models (including ITU-R P.2108 for urban and suburban areas, and ITU-R P.452-16 for rural areas).¹⁴⁴ In contrast, the Fixed Wireless Communications Coalition, the Southern Company, AT&T, and others contend that terrain and clutter losses should not be assumed using a statistical model and that the appropriate propagation model should be free-space path-loss.¹⁴⁵ NAB, representing broadcast auxiliary service incumbents operating in the U-NII-6 and U-NII-8 bands, also supports use of free-space path-loss model.¹⁴⁶

63. After considering the record, we believe an approach which combines different propagation models is most appropriate for evaluating necessary separation distances of 6 GHz unlicensed devices from fixed microwave links. More specifically, because propagation models have been developed to accommodate a variety of environments and over various distances, we find that using a combination of models optimized for the varying propagation conditions that will be encountered is the best way to balance unlicensed device access and incumbent protection in the 6 GHz band. That is, it is most appropriate to use a set of propagation models keyed to specific separation distances between an unlicensed device and a fixed service receiver to determine appropriate exclusion zone size. Under this approach, we use the free-space model for short distances, where it accurately predicts signal path loss, use the WINNER II for medium distances, and Irregular Terrain Model (ITM) for longer distances to more realistically account for terrain and clutter losses.¹⁴⁷

¹⁴⁵ Fixed Wireless Communications Coalition Comments at 14; see also Southern Company Comments at 14; AT&T Nov. 12, 2019 Ex Parte at 5; CTIA Mar. 16, 2020 Ex Parte at 5; Rignet July 11, 2019 Ex Parte at 21.

¹⁴³ Notice at 33 FCC Rcd 10513-14, paras. 48-49.

¹⁴⁴ Apple, Broadcom, et al. Comments at 43-45, Attachment at A-7 (for clutter models, recommending ITU-R P.2108 for urban and suburban areas, and ITU-R P.452-16 for rural areas); Wi-Fi Alliance Comments at 25 (for clutter, recommending ITU-R P.2108); CableLabs Dec. 20, 2019 Ex Parte 20.

¹⁴⁶ NAB Comments at 15.

¹⁴⁷ See, e.g., Broadcom Comments 16 (stating that for distances between 30 meters and one kilometer, the models that best account for clutter loss and include both line-of-sight ("LOS") and non-line-of-sight ("NLOS") conditions are the WINNER II model for urban and suburban environments, and the Irregular Terrain Model (Shuttle Radar Topography Model) ("ITM(SRTM)") combined with the ITU-R P.452 clutter model for rural environments at distances of greater than one kilometer; and noting that for longer distances, ITM combined with the ITU-R P.2108 for suburban and urban environments, and ITU-R P.452 for rural environment clutter models should be used); Federated Wireless Inc. Reply Comments at 8 (stating that a more refined propagation model, including a hybrid of s ITU-R P.2108, ITU-R P.1411, WINNER II could better account for clutter loss, building penetration loss, and atmospheric loss to more accurately target the necessary incumbent protections and maximize unlicensed spectrum availability based on the local environment); Comsearch Comments at Appendix A (which provides details of their simulation based on the WINNER II propagation model for devices between 30 meters and 1 kilometer of a microwave receiver and the ITM with ITU-R P.2108 statistical clutter loss model for distances beyond 1 kilometer). NSMA recommends that these models not be specifically described within the Commission's rules. Instead, NSMA recommends that the model requirements be stated but the methodology be developed through a multi-stakeholder group. NSMA Apr. 14, 2020 Ex Parte at 3.

FCC 20-51

64. Under our general approach, we find that for separation distances of 30 meters or less, the free space pathloss model is the appropriate model. Commenters generally assumed that 6 GHz unlicensed devices would not be placed within 30 meters of a microwave receiver and thus, did not suggest a propagation model for such short distances.¹⁴⁸ Because, the potential for a direct line-of-sight between an unlicensed device and a microwave receiver is greatest at short distances, we are adopting the free space pathloss model for distances less than 30 meters. This model generates the greatest possible path loss to account for the possibility of direct line-of-sight from a standard-power access point to a microwave receiver. The free space pathloss model though theoretically simple, has a limited range of applicability because it ignores environmental clutter and over long distances can result in extremely conservative calculations that under predict the amount of actual path loss.

65. Incumbents generally recommend use of free space propagation model for all separation distances regardless of environment,¹⁴⁹ while proponents of unlicensed operations advocate use of a combination of propagation models that specifically consider the propagation environment. Beyond 30 meters and up to one kilometer from an unlicensed device to a microwave receiver, we find that the most appropriate propagation model is the Wireless World Initiative New Radio phase II (WINNER II) model for urban, suburban, and rural environments.¹⁵⁰ At these distances, the WINNER II model accounts for obstructions by urban and suburban clutter, which the free space model does not. We make this decision recognizing that the WINNER II model is one of the most widely used and well-known channel models in the world¹⁵¹ and was developed from measurements conducted by the WINNER organization, as well as results from academic literature¹⁵² and used by several commenters for analyses submitted to the record.¹⁵³ We will require the use of site-specific information, including buildings¹⁵⁴ and terrain data, for determining the line-of-sight/non-line-of-sight path component in the WINNER II model where this information is available. For evaluating paths where this data is not available, we will require, as suggested by Broadcom,155 probabilistic combining of the line-of-sight and non-line-of-sight path into a single path-loss.¹⁵⁶ Using the WINNER II propagation model for these separation distances will provide

¹⁴⁹ See Southern Company Feb 6, 2020 Ex Parte, Attachment at 4; Fixed Wireless Communications Coalition Aug. 22, 2019 Ex Parte, Attachment A 1.

¹⁵⁰ The urban, suburban, and rural WINNER II channel models are referred to as C2, C1, and D1, respectively. WINNER II Channel Models Part 1, at Table 2-1 (propagation scenarios) and Table 4-4 (path-loss models). https://www.cept.org/files/8339/winner2%20-%20final%20report.pdf.

¹⁵¹ Patrick Marsch et al., "5G System Design: Architectural and Functional Considerations and Long-Term Research", 2018, at 57.

¹⁵² Martin Döttling et al., "Radio Technologies and Concepts for IMT-Advanced," 2010, at 75.

¹⁵³ See, e.g., Broadcom Comments at 16 (proposed model uses the WINNER II model to assess interference levels under real-world conditions); RKF Engineering Solutions Reply Comments at 5 (its study used the WINNER II propagation model for RLANs in Urban and Suburban environments up to 1 km away from the FS receiver and that "[t]he WINNER II model is based on a large set of measurements that capture the variability of the different morphologies, and in doing so, takes into account location and structure variability for Urban and Suburban areas").

¹⁵⁴ See, for example, OSM building data. <u>https://osmbuildings.org/data/.</u>

¹⁵⁵ See Broadcom Comments at A-3.

¹⁵⁶ When site-specific information regarding line-of-sight/non-line-of-sight is not available then path losses of lineof-sight(LOS) and non-line-of-sight(NLOS) paths can be combined into a single loss using the following formula: Path-loss (L) = $\Sigma_i P(i) * L_i = P_{LOS} * L_{LOS} + P_{NLOS} * L_{NLOS}$, where P_{LOS} is the probability of line-of-sight, L_{LOS} is the line-of-sight path loss, P_{NLOS} is the probability of non-line-of sight, L_{NLOS} is the non-line-of-sight path loss, and L is the combined path loss. The WINNER II path loss models include a formula to determine PLOS as a function of antenna heights and distance. P_{NLOS} is equal to (1- P_{LOS}).

¹⁴⁸ See, e.g., Comsearch Comments at Appendix A (stating that for its simulation and consistent with other studies, no LPI devices were placed within 30 meters of a microwave receiver); Broadcom Comments at A-2 (Declaration of Dr. Vinko Erceg which assumes a 30-meter exclusion zone around microwave receivers).

FCC 20-51

the best prediction of actual pathloss between unlicensed devices and fixed service receivers as it accounts for environmental information not considered in the free space model.

The Irregular Terrain Model is a propagation model that specifically takes into account 66 the effects of terrain on radio propagation but does not include clutter losses.¹⁵⁷ The model accounts for transmission loss relative to free space loss for distances between 1 km and 2000 km.¹⁵⁸ For separation distances greater than one kilometer, commenters suggest that the Irregular Terrain Model combined with a clutter model depending on the environment is the most appropriate model.¹⁵⁹ We agree. Consistent with Commission use of propagation models in other proceedings,¹⁶⁰ we will require use of 1 arc-second digital elevation terrain data and,¹⁶¹ for locations where such data is not available, we will require use of the most granular digital elevation terrain data available.¹⁶² To account for the effects of clutter, such as from buildings and foliage, we will require that the Irregular Terrain Model be combined with a statistical clutter model ITU-R P.2108¹⁶³ for urban and suburban environments, and ITU-R P.452-16 clutter model for rural environments. The appropriate clutter category that most closely represents the local morphology should be selected when using ITU-R P.452-16. However, if detailed local information is not available, we believe the "Village Centre" clutter category should be used as a default because access points will generally be installed in or on buildings (i.e., in a village) and this category most closely represents that morphology.¹⁶⁴ We specify the Irregular Terrain Model because it has been widely available and accepted since the early 1980s, has been used by the Commission for interference prediction

¹⁶⁰ See, e.g., 47 CFR § 27.1310 (OET Bulletin 74). See also In the Matter of Expanding the Economic and Innovation Opportunities of Spectrum Through Incentive Auctions, Report and Order, 29 FCC Rcd 6637, para. 150 (2014) ("The one arc-second dataset, which is derived from smaller scale topographic maps with more granular elevation data than datasets used by earlier implementations ..., will allow for more accurate calculation of the effect of terrain on propagation."). See also, e.g., 47 CFR § 101.21, requiring position location accuracy of no less than one arc-second for antenna sites.

¹⁶¹ "The 1 arc-second NED layer provides seamless coverage of the conterminous United States, Hawaii, Mexico, Canada, Puerto Rico, other territorial islands, and in limited areas of Alaska." https://www.sciencebase.gov/catalog/item/5825a0c3e4b01fad86db66dc.

¹⁶² Alaska 2 Arc-second Digital Elevation Models. <u>https://catalog.data.gov/dataset/national-elevation-dataset-ned-</u> alaska-2-arc-second-downloadable-data-collection-national-geosp. Digital Elevation Model (DEM) terrain files are available for areas in the United States at https://viewer.nationalmap.gov/basic/.

¹⁶³ ITU Recommendation P.2108 §3.2 provides a statistical model for clutter loss distributions for urban and suburban environments.

¹⁶⁴ Apple, Broadcom, et al. recommended use of ITU-R P.452 for rural environments. Apple, Broadcom, et al. Comments, Attachment at A-7. See Table 4 of ITU-R P.452-16. Prediction procedure for the evaluation of interference between stations on the surface of the Earth at frequencies above about 0.1 GHz. https://www.itu.int/dms_pubrec/itu-r/rec/p/R-REC-P.452-16-201507-I!!PDF-E.pdf. The "Village Centre" clutter category is categorized as having 5-meter nominal height above local ground level and 0.07-kilometer nominal distance between the clutter point and the antenna.

¹⁵⁷ See, e.g., 47 CFR Part 24 Appendix I, Subpart E ("A Procedure for Calculating PCS Signal Levels at Microwave Receivers") (using ITM models).

¹⁵⁸ See "A Guide to the Use of the ITS Irregular Terrain Model in the Area Prediction Mode" at 7. https://www.ntia.doc.gov/files/ntia/publications/ntia 82-100 20121129145031 555510.pdf.

¹⁵⁹ See, e.g., Broadcom Comments at 16 (stating that for distances greater than 1-kilometer, the model that best accounts for clutter loss and line-of-sight and non-line of-sight conditions is the Irregular Terrain Model combined with the ITU-R P.452 clutter model for rural environments and the ITU-R P.2108 clutter loss model for urban and suburban environments); Apple, Broadcom et. al Comments at 45 (specifying that the Irregular Terrain Model (ITM) is most accurate, in conjunction with location-specific terrain data for distances greater than 1-kilometer)

FCC 20-51

in other proceedings,¹⁶⁵ is supported by the record, and in our experience has served reliably as a propagation model. The Irregular Terrain Model is the propagation model currently used to determine spectrum availability in the spectrum access systems (SAS) used to manage access to the 3550-3700 MHz band in the Citizens Broadband Radio Service.¹⁶⁶ We do depart from the suggestion by Apple, Broadcom et al. to use the Irregular Terrain Model combined with ITU-R P.452 for rural environments for distances from 30 to 1000 meters because the Irregular Terrain Model is only valid for distances between 1 km and 2000 km.¹⁶⁷

67. We disagree with those commenters that claim that a free space model must be used in all cases where clutter and terrain data are not known.¹⁶⁸ While a free space model is appropriate for short distances, based on our experience it drastically underpredicts path loss for longer distances because, as a practical matter, there is almost always interaction with the environment that reduces the signal level below the free space level. We also disagree with those commenters who claim that propagation models should not be used.¹⁶⁹ Propagation models are tools that are widely used by radio frequency engineers to make interference predictions and the use of an AFC system employing such models will permit the 6 gigahertz band to be more efficiently used.

68. Interference protection criterion. In the Notice, the Commission proposed that exclusion zones would be based, in part on the AFC using a specific interference protection criterion to prevent harmful interference to fixed microwave link receivers.¹⁷⁰ The Commission sought comment on possible metrics for this criterion, including whether it could be based on the ratio of interference to noise power (I/N ratio) or the ratio of the carrier to interference power (C/I ratio), where the interference is the signal from the unlicensed devices, the carrier is the signal strength of the received fixed service transmission, and noise is the background noise level.¹⁷¹ The Commission noted a less stringent interference protection criterion would result in a smaller exclusion zone.¹⁷² It encouraged commenters to provide technical analyses to support their preferred metric.¹⁷³

69 In their comments, the Fixed Wireless Communications Coalition, the Utilities Technology Council et al., and other representatives of fixed microwave incumbents, support using a -6 dB I/N as the appropriate metric.¹⁷⁴ Although Apple, Broadcom et al., the Wi-Fi Alliance, and

¹⁶⁹ See, e.g., National Spectrum Management Association Comments at 4.

¹⁷⁰ Notice, 33 FCC Rcd at 10509, para. 37, 10511, para. 43.

¹⁷¹ Notice, 33 FCC Rcd at 10510, para. 42.

¹⁷³ Notice, 33 FCC Rcd at 10510-11, para. 43.

¹⁶⁵ Use of this model was agreed upon through stakeholder consensus agreement. See Expanding the Economic and Innovation Opportunities of Spectrum Through Incentive Auctions, Third Report and Order and First Order on Reconsideration, 30 FCC Red 12049, 12103, Appendix C n.1 (2015); Longley-Rice Methodology for Evaluating TV Coverage and Interference, OET Bulleting No. 69 (Feb. 4, 2004), https://transition.fcc.gov/bureaus/oet/info/documents/bulletins/oet69/oet69.pdf.

¹⁶⁶ Requirements for Commercial Operation in the U.S. 3550-3700 MHz Citizens Broadband Radio Service Band, Wireless Innovation Forum, Document WINNF-TS-0112, at 11 (June 25, 2019), https://winnf.memberclicks.net/assets/CBRS/WINNF-TS-0112.pdf.

¹⁶⁷ See Apple, Broadcom et al. Comments, Attachment A, at A-9; "A Guide to the Use of the ITS Irregular Terrain Model in the Area Prediction Mode" at 7, https://www.ntia.doc.gov/files/ntia/publications/ntia 82-100 20121129145031 555510.pdf.

¹⁶⁸ See, e.g., Fixed Wireless Communications Coalition Comments at 14; see also Southern Company Comments at 14; AT&T Nov. 12, 2019 Ex Parte at 5; CTIA Mar. 16, 2020 Ex Parte at 5; Rignet July 11, 2019 Ex Parte at 21.

¹⁷² Notice, 33 FCC Rcd at 10511, para. 43.

¹⁷⁴ See, e.g., Fixed Wireless Communications Coalition Comments at 17, 22; Utilities Technology Council et al. Comments at 15; Association of American Railroads Comments at 12; Tucson Electric Power Comments at 10-11; (continued....)

FCC 20-51

WISPA contend that a 0 dB I/N would offer sufficient protection against harmful interference to microwave receivers, they provide an extra margin against potential interference in their analyses by using a more conservative -6 dB I/N criterion.¹⁷⁵ Moreover, most commenters employ this metric in their analysis. Motorola and the National Public Safety Telecommunications Council (NPSTC) supports use of an even more conservative -12 dB I/N.¹⁷⁶ There was little support for use of a C/I ratio.¹⁷⁷

Based on the extensive record compiled in this proceeding, we will require the prescribed 70 AFC system to use an I/N metric rather than C/I for determining the exclusion zones. The I/N ratio was used by most commenters in their analyses as the interference protection metric and is more straightforward to implement, and thus is more consistent with one of our major goals for the AFC system—simplicity of implementation.¹⁷⁸ As the Wi-Fi Alliance points out, use of a C/I ratio would entail additional implementation complexities.¹⁷⁹ In particular, calculating the C/I ratio would require calculating the power arriving at the microwave receiver from its corresponding transmitter in addition to estimating the signal level from the access point. This would require knowledge of the microwave link characteristics including the instantaneous transmitted power as well as the modulation and coding scheme used, which is information that is not available in ULS.

71. As for the specific interference protection criterion, we are specifying a I/N of -6 dB I/N. As discussed above, several microwave incumbents support use of this particular I/N metric,¹⁸⁰ and Apple, Broadcom et al., and the Wi-Fi Alliance used same this metric in their studies.¹⁸¹ By specifying that AFC exclusion zone calculations will be based on this particular interference protection criterion, we are taking a conservative approach, as suggested by commenting parties, to ensure that the potential for harmful interference is minimized and important fixed microwave services in the 6 GHz band are protected. We are not, however making a determination that any signal received with an I/N greater than -6 dB would constitute "harmful interference."182 No commenter provides technical justification for using a particular I/N level as the actual level necessary to protect fixed microwave receivers against harmful interference. In determining to apply -6 dB I/N as the interference protection criterion, we do not find the

¹⁷⁵ Apple, Broadcom et al. Comments at 15-16 (in technical analyses, assumes a "very low" interference protection threshold of -6 dB I/N, which is "more than adequate to protect [fixed service] links, even under the worst conditions" and is "very conservative"); Wi-Fi Alliance Comments at 24 (even though I/N of 0 dB offers sufficient harmful interference protection to the microwave receiver, to further reduce interference potential, the Wi-Fi Alliance proposes that the AFC should determine the exclusion zone using a more conservative I/N of -6 dB); WISPA Comments at 20 (asserting that I/N of 0 dB is appropriate because microwave links operate with a "very high fade margin").

¹⁷⁶ Motorola Comments at 4; NPSTC Reply at 11.

¹⁷⁷ See, e.g., NE Colorado Cellular Comments at 2-3.

¹⁷⁸ Notice, 33 FCC Rcd at 10506, para. 25 (envisioning an AFC system with a "simple database that is easy to implement").

¹⁷⁹ Wi-Fi Alliance Comments at 24.

¹⁸⁰ See, e.g., Fixed Wireless Communications Coalition Comments at 17, 22; Utilities Technology Council et al. Comments at 15.

¹⁸¹ Apple, Broadcom et al. Comments at 15-16; Wi-Fi Alliance Comments at 24.

¹⁸² The Commission defines harmful interference as "[i]nterference which endangers the functioning of a radionavigation service or of other safety services or seriously degrades, obstructs, or repeatedly interrupts a radiocommunication service operating in accordance with ITU Radio Regulations." 47 CFR § 2.1(c). See also 15 CFR § 15.3(m).

⁽Continued from previous page) -National Spectrum Managers Association Comments at 16. A -6 dB I/N is equivalent to 1 dB rise over the background noise level.

FCC 20-51

need to establish a specific industry multi-stakeholder group to establish the appropriate metric on this issue, as some have suggested.¹⁸³

Aggregate interference. The Commission did not propose, nor do we find that there is 72. any need, to consider the effect of aggregate interference from multiple access points to point-to-point microwave links, as suggested by AT&T, CTIA, and Comsearch.¹⁸⁴ As the Fixed Wireless Communications Coalition notes, the risk of interference from large numbers of standard power access points would not be due to signal aggregation from multiple unlicensed devices, but from a single standard-power access point in or near the main beam of a microwave link receive antenna with little or no intervening clutter.¹⁸⁵ The Fixed Wireless Communications Coalition further states that in the event that two or more access points could cause interference to the same microwave receiver, the signal from the nearest would dominate over the others and make the others irrelevant to the analysis.¹⁸⁶ We agree and will not require the AFC to consider aggregate interference when determining exclusion zones.

73. Adjacent channel protection. In the Notice, the Commission did not propose to protect fixed links from adjacent channel unlicensed operations, noting that suppression from out-of-band emission (OOBE) limits should be sufficient to protect the fixed service links.¹⁸⁷ In comments, several incumbent fixed service representatives, including the Fixed Wireless Communications Coalition, the National Spectrum Managers Association, and APCO, contend that we should protect against potential interference from standard power access point operations in adjacent channels,¹⁸⁸ and the Fixed Wireless Communications Coalition also submitted a technical analysis supporting this position.¹⁸⁹ Apple, Broadcom et al. oppose adopting adjacent channel restrictions on standard power operations, asserting that such restrictions are not needed to protect incumbent fixed microwave receivers and would significantly and unnecessarily diminish the spectrum available for unlicensed use.¹⁹⁰ Apple, Broadcom et al. believe that filters used in microwave receivers do not adequately distinguish between energy within their channel and energy present in other nearby channels and as a result, regardless of how stringently

¹⁸³ Open Technology Institute et al. Comments at 27; Comsearch Reply at 12. As discussed below, we nonetheless encourage AFC multi-stakeholder industry working groups that focus on complex technical and operational issues that could provide valuable information and help promote the efficient ecosystem in the 6 GHz band. See Section III.C., below.

¹⁸⁴ Letter from Michael P. Goggin, AT&T Services, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 3 (filed Aug. 8, 2019); Letter from Jennifer L. Oberhausen, Director of Regulatory Affairs, CTIA, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, Appendix at 12 (filed Oct. 8, 2019); Comsearch Comments at 21-22.

¹⁸⁵ Letter from Donald J. Evans and Mitchell Lazarus, Counsel for the Fixed Wireless Communications Coalition, Fletcher Heald and Hildreth, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 3 (filed July 25, 2019).

¹⁸⁶ Letter from Donald J. Evans and Mitchell Lazarus, Counsel for the Fixed Wireless Communications Coalition, Fletcher Heald and Hildreth, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 9 (filed Oct. 31, 2019).

¹⁸⁷ Notice, 33 FCC Rcd at 10511, para. 44.

¹⁸⁸ See, e.g., Fixed Wireless Communications Coalition Comments at 25, 27 (recommending that the Commission institute a guard band equal to half of the nominal microwave channel based on tentative calculations, because the necessary guard band is sensitive to the distribution of energy from unlicensed device operation across its bandwidth); National Spectrum Managers Association Comments at 16-23; APCO Comments at 7-8.

¹⁸⁹ Fixed Wireless Communications Coalition Comments, Attachment C.

¹⁹⁰ Apple, Broadcom et al. Comments at Reply at 26-30.

FCC 20-51

unlicensed devices limit their out-of-band emissions, they will still need to use huge guard bands in order to accommodate the supposedly poor adjacent-channel filtering performance of microwave receivers.¹⁹¹

The Fixed Wireless Communications Coalition contends, based on its technical analysis examining the boresight of a point-to-point microwave antenna, and assumed guard band and the path of a proposed unlicensed device, that a relative exclusion angle would be necessary to protect fixed service stations.¹⁹² Under this approach, the smaller this exclusion angle is, the stronger the signal received from the hypothetical unlicensed device, and therefore a higher likelihood for harmful interference to the adjacent channel microwave receiver. Apple, Broadcom et al. dispute this analysis, claiming that it fails to consider several important factors such as the probable interference geometry and propagation conditions, and that it is unrealistic that the typical receiver would exhibit such poor adjacent-channel rejection.193

75. We are not persuaded by the Fixed Wireless Communications Coalition's analysis, and share some of the concerns raised by Apple, Broadcom et al. The Fixed Wireless Communications Coalition's analysis fails to provide any receiver information (including model and manufacturer data), cites an unpublished document in support of the receiver filter mask performance, and uses an interference limit that is 13 dB higher than the blocking limit set by the Commission for protecting fixed satellite service earth stations in the 3.600-3.700 GHz band, a service that is more sensitive to blocking than microwave receivers.¹⁹⁴ Using a receiver filter mask instead of an actual receiver filter significantly distorts the receiver's ability to distinguish between energy within its channel and energy present in other nearby channels. Also, the analysis uses the free space path loss propagation model for all distances,¹⁹⁵ and ignores typical polarization loss (3 dB) and feeder and other losses (3 dB), as pointed out by Apple, Broadcom et al.¹⁹⁶

76. Another factor that the Fixed Wireless Communications Coalition fails to consider is that angular separation occurs naturally as a result of the expected height difference between microwave receiver antennas and outdoor standard-power access point antennas.¹⁹⁷ In cases where the unlicensed device is close to the microwave receiver the large angular separation results in a small microwave antenna gain in the direction of the unlicensed device and thus the received signal would generally be below a level that could cause harmful interference. At greater distances the pathloss as indicated by the WINNER II model shows that harmful interference is unlikely to occur. Support for angular separation analysis can be found in the study by Edison Electric Institute study, an opponent of unlicensed use, that

¹⁹⁶ See Apple, Broadcom et al. Reply at 29.

¹⁹¹ Apple, Broadcom et al. Comments at Reply at 26-30.

¹⁹² Fixed Wireless Communications Coalition Comments Attachment C at 9-14.

¹⁹³ Apple, Broadcom et al. Reply at 28-29 (stating that, in their analysis, "with only 2 MHz frequency separation, an outdoor standard-power access point would not cause interference to exceed -6 dB I/N at any distance, even assuming line-of-sight propagation conditions, considering only FS receive filter performance.").

¹⁹⁴ Fixed Wireless Communications Coalition Comments Attachment C at 7; see Amendment of the Commission Rules with Regard to Commercial Operations in the 3550-3650 MHz Band, Second Report and Order on Reconsideration, 31 FCC Rcd at 5091-5092, paras. 272-273 (adopting a -60 dBm RMS as the median blocking limit from aggregate adjacent CBSDs to protect fixed satellite earth station receivers in the 3.4-4.2 GHz band).

¹⁹⁵ As the vast majority of standard-power outdoor access points will be deployed in the urban setting, the propagation model that should be employed for this analysis is the WINNER II urban model. The Irregular Terrain Model would not be appropriate here because the calculation is not being done for a specific geographic location*i.e.* there is no terrain data to use for the analysis.

¹⁹⁷ For example, a height difference of 50 meters provides an angular separation of 27° at a distance of 100 meters from the microwave receiver, which will significantly reduce the gain of the microwave antenna. See Fixed Wireless Communications Coalition Comment, Attach. C at 9.

FCC 20-51

shows 99% of 6.77 million access points in the Houston MSA have an I/N ratio -5.5 dB or better.¹⁹⁸ It should be noted that this study uses a very conservative propagation model (free space) that tends to exaggerate potential interference.

77. Although we believe that the risk of adjacent channel interference to fixed service microwave receivers is low, we nevertheless will include some protection as we are taking a conservative approach to enabling new unlicensed devices in the 6 GHz band. Thus, in addition to the AFC calculating a co-channel exclusion zone, we will also require it to determine an adjacent channel exclusion zone.¹⁹⁹ We expect these adjacent channel zones will be small and not significantly impact the amount of spectrum available to unlicensed devices at any given location. Also, because the AFC will need to calculate co-channel exclusion zones for all nearby fixed service stations, the incremental burden to also calculate adjacent channel exclusion zones should be minimal. To this end, we will require the AFC to determine an adjacent channel exclusion zone based on the out-of-band emission mask we are adopting for unlicensed devices which is designed to keep energy outside an unlicensed device's operating channel to low levels and the same protection criterion we are using to determine co-channel exclusion zones; that is the I/N ratio must be calculated to be -6 dB or less. This requirement will protect fixed microwave receivers from harmful interference due to unlicensed devices out-of-band emissions.

Other AFC System Issues

78. Security Issues. In the Notice, the Commission sought comment on the types of security measures that should be adopted with respect to standard-power devices and the AFC database.²⁰⁰ Reliable and secure communications between AFC systems and access points are essential for the success of standard-power access point operations and incumbents' protection and should be protected with up-todate security measures. Both representatives of incumbent microwave services and proponents of unlicensed operations strongly support including robust security protocols for the AFC system stored data and communications.²⁰¹ Commenters state the Commission should ensure that performance-based security safeguards are in place so that device-based software cannot be easily modified to allow operation on frequencies other than those that the AFC indicates are available, the link between the AFC system and access point should be secure and encrypted, and AFC operator(s) should be required to use the best industry security measures and be audited periodically.²⁰²

We require that AFC systems and standard-power access points employ protocols and procedures to ensure that all communications and interactions between the AFC and standard-power access points are accurate and secure and that unauthorized parties cannot access or alter the database or the list of available frequencies and power levels sent to an access point. These requirements are similar

¹⁹⁹ The adjacent channel exclusion zone defines a zone under which any standard power access point is prevented from operating adjacent to an FS receiver within one-half channel bandwidth of the access point.

²⁰⁰ Notice, 33 FCC Rcd at 10507, paras. 31-32.

²⁰² CTIA Reply at 17; NPSTC Comments at 11.

¹⁹⁸ See Edison Electric Institute Jan. 13, 2020 Ex Parte at 14.

²⁰¹ Comsearch Comments at 15-16 (arguing an AFC system must incorporate reliable security); Quantenna Communications Comments at 5 (maintaining that an AFC system should always provide the list of available frequencies and respective power levels after authentication of the interested device's credentials); Wi-Fi Alliance Comments at 30 (arguing the Commission should consider imposing non-burdensome security obligations on AFC operators, similar to those for the CBRS and white spaces); NE Colorado Cellular Comments at 2; El Paso Electric Comments at 4; Apple Inc. Reply at 6-7; Utilities Technology Council et al. Reply at 20; Sony Comments at 7 (recommending that the Commission adopt security requirements that are similar to those already specified in Part 15 Subpart H for white spaces devices and in Part 96 for CBRS); APCO Comments at 10 (supporting a requirement that security measures be imposed on similar services, e.g., white spaces); CTIA Reply at 17; NPSTC Comments at 11 (arguing that AFC providers should be required to use the best industry security measures and should be audited periodically for security practices).

FCC 20-51

to those adopted for the white space database and the Citizens Broadband Radio Service spectrum access system.203

We are not mandating specific security models. Instead, we will require AFC system 80. operators to use advanced security standards and demonstrate that their systems contain communication and information security features during the AFC system certification process. These security protocols will be subject to the Commission's review and approval. We anticipate that an industry-wide multistakeholder group will take the lead on this process and develop security protocols that AFC administrators may consider for their operation, subject to Commission review and approval. We also expect that security models will be updated as needed to reflect state-of-the-art protection against new security threats. The Commission will review any modifications or updates in the security protocols AFC system operators or a multi-stakeholder group proposes to implement.

81. AFC device registration. The Commission sought comment in the Notice on whether it should require a standard-power access point to register with the AFC by transmitting identifying information along with its location to the AFC system before receiving a list of permissible frequencies, or alternatively whether it should provide only its location information.²⁰⁴ The record is divided over a registration requirement. Several commenters see this requirement as a way to assist in locating devices in the event that a licensee reports receiving harmful interference.²⁰⁵ Others argue that device registration in the AFC system should not be required in order to keep the rules simple and flexible and because of privacy concerns.206

82. To further ensure the AFC ecosystem integrity, we will require standard-power access points to register with the AFC system when requesting a list of available operating frequencies and power levels. We disagree with commenters who argue that device registration in the AFC system should not be required.²⁰⁷ Although we recognize that the AFC system would be simpler without a registration requirement, device registration provides another layer of protection by ensuring only authorized devices access the spectrum and by easing the process of mitigating harmful interference if it occurs. Because the

²⁰³ With respect to automated coordination, white space database administrators and Citizens Broadband Radio Service SAS administrators are required to establish protocols and procedures to ensure that devices communicate only with authorized databases, that all communications and interactions between a database and devices are accurate and secure, and that unauthorized parties cannot access or alter a database, or the list of available frequencies sent to a device. 47 CFR §§ 15.715(f) and 96.63(d). They are also subject to requirements that communications between devices and the database, and between different databases, must be secure to prevent corruption or unauthorized interception of data, and that databases be protected from unauthorized data input or alteration of stored data. 47 CFR §§ 15.711(j) and 96.61(b).

²⁰⁴ Notice, 33 FCC Rcd at 10506, para. 27.

²⁰⁵ CTIA Comments at 19 (arguing that access points must be required to register with an AFC by providing sufficient information to ensure accountability in the event of harmful interference); NPTSC Comments at 11 (arguing that the AFC should maintain a list of registered access points, accessible by unit ID and location, that can be accessed in the event an interference problem arises); Comsearch Comments at 29; Verizon Comments at 6 (declaring that registration with the AFC system allows for security, identification, and authentication of unlicensed access point devices); APCO Comments at 6 (maintaining that device registration will be helpful for managing standard-power access points and identifying and eliminating potential sources of interference); Association of American Railroads Reply at 7.

²⁰⁶ Qualcomm Comments at 3 (arguing that the rules for the AFC need to be simple and flexible and should not require unlicensed system registration); Dynamic Spectrum Alliance Comments at 12-14; Hewlett Packard Enterprise Reply at 28 (arguing that the Commission should not require device registration or identifiers); Apple Comments at 14 (declaring that creating a log of uniquely-identified 6 GHz devices would be fundamentally inconsistent with users' privacy expectations).

²⁰⁷ Qualcomm Comments at 3; Dynamic Spectrum Alliance Comments at 12-14; HP Reply at 28.

FCC 20-51

registration information would be automatically provided by the access point or network proxy to the AFC system, the registration process will require little effort by the access point user.²⁰⁸

To register, a standard-power access point will be required to provide the AFC system-83 in addition to the technical information described above with the device's FCC identifier (FCC ID), and its serial number.²⁰⁹ Although the FCC ID or the access point's serial number are not required to calculate frequency availability, the AFC will use the information for two purposes. First, the information will be used to authenticate the device, to ensure that no rogue devices are operating in the band. The AFC will verify the device's FCC ID by accessing the Commission's Equipment Authorization System.²¹⁰ Second, the information will be used for interference mitigation and enforcement purposes to identify the source if harmful interference were to occur.²¹¹ In addition, as APCO and UTC request and as we have done in the context of the white space devices, we will require that AFC systems have the capacity to deny spectrum access to a particular registered standard-power access point upon request by the Commission, in the event of harmful interference caused by a particular device or type of device.²¹² We will also require that AFC operators implement procedures to respond to requests from Commission personnel for information stored or maintained by the AFC, and that they establish and follow protocols to comply with enforcement instructions from the Commission, including discontinuance of access point operations in designated geographic areas. These requirements will ensure that the Commission is able to ascertain the accuracy of information stored in the AFC, obtain information necessary to enforce the Commission's rules, and ensure that access points that do not comply with the rules are shut down in a timely manner.213

84. We encourage formation of a multi-stakeholder group that would include representatives of unlicensed equipment manufacturers, equipment users and point-to-point microwave providers to

²⁰⁸ We will not, however, expand the scope of device registration with the AFC to include NFL stadiums and venues as suggested by the NFL. The NFL requests that such registration be permitted so that AFC administrators can account for the NFL's game-day use of UWB devices in the band-unlicensed operations that, by rule, do not receive interference protection. NFL Apr. 13, 2020 Ex Parte. The registration process provides a mechanism for standard-power unlicensed devices to provide their details to the AFC so that fixed microwave links can be protected based on their license information in the Commission's Universal Licensing System. Registration in and of itself does not convey protection on any particular location or venue. That protection is provided by the AFC based on calculating the exclusion zone for each fixed microwave station authorized channel and comparing that to the standard-power device's registration details. Adding a separate registration process to protect entire locations rather than specific fixed microwave links is beyond the scope of what the Commission proposed and would add a layer of complexity to the AFC system as well as delay AFC deployment at the expense of its main objective of protecting licensed microwave operations. Any fixed microwave receiver located at an NFL stadium will be protected in the same manner as all other fixed microwave stations in the 6 GHz band.

²⁰⁹ This is consistent with the Commission's actions in the white spaces and CBRS proceedings in which it required devices to report the FCC ID and serial number to the database during registration. See 47 CFR §§ 15.713(g)(3), 96.39(c).

²¹⁰ The AFC can retrieve the FCC IDs of certified standard-power access points from the Commission's equipment authorization database using an Application Program Interface (API) or another method and determine whether the FCC ID provided by a device during registration is valid. Access to the equipment authorization database and extracting FCC IDs is a process that is used by the CBRS SAS and white space data administrators.

²¹¹ Some commenters indicate the AFC system should register unlicensed devices, which would provide the AFC system with information that could prevent harmful interference or help resolve interference issues. Southern Company Services Reply at 9-10; Association of American Railroads Reply at 7; Fixed Wireless Communications Coalition Reply at 37; WISPA Comments at 19; Verizon Comments at 6; CTIA Comments at 19.

²¹² APCO Comments at 10; Utilities Technology Council et al. Comments at 16-17; see also 47 CFR § 15.715(k).

²¹³ We adopted similar requirements for the CBRS. See 47 CFR § 96.63(m).

develop additional procedures to resolve interference concerns.²¹⁴ Regardless of the processes that stakeholders may develop for addressing interference, consistent with statute the Commission will be the final arbiter regarding cases of harmful interference.²¹⁵

85. Individual standard-power access points will not be required to interface with the AFC system if the required registration data is communicated by a proxy device or network control device.²¹⁶ In other words, the registration information can be provided directly and individually by a single standard-power access point or by a network proxy representing multiple devices operating on the same network. The access point or its proxy must register with the AFC system via any communication link, wired or wireless, outside the U-NII-5 and U-NII-7 bands. The AFC system will then communicate back a list of permissible frequency range(s) and the maximum power in each range for standard-power access point operation. In the case of a proxy, each access point must still provide its exact location and will obtain a set of available frequencies for that location.

We will require the AFC system to store registered information in a secure database until 86. an access point ceases operation at a location, which we will define as a device not contacting the AFC to verify frequency availability information for more than three months.²¹⁷ This requirement will ensure that the AFC database does not become cluttered with entries for devices that are no longer being used. To ensure the users' privacy, the AFC system will use the registered data and any other access point operational information only to protect incumbents and for potential interference mitigation.²¹⁸

2. **Radio Astronomy Observatories**

87. Incumbent operations in the U-NII-7 band include several radio astronomy observatories, located in remote areas, that observe methanol spectral lines between 6.6500-6.675.2 GHz.²¹⁹ The National Academy of Sciences' Committee on Radio Frequencies requests that the AFC system protect these observatories using exclusion zones that it specifically proposes, which depend on the heights of the unlicensed devices and the radio astronomy antennas.²²⁰

We recognize the importance of these observations to the scientific community and will 88. adopt exclusion zones to protect them from interference over the specified frequencies. In so doing, we note that there is no radio astronomy allocation for these observations requiring that they be protected from interference; the radio astronomy allocation table footnote merely provides that "all practicable steps

²¹⁴ The Commission adopted a similar approach for the Citizens Broadband Radio Service. Amendment of the Commission's Rules with Regard to Commercial Operations in the 3550-3650 MHz Band, GN Docket No. 12-354, Report and Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959, 4080-81, paras. 413-17 (2015). For example, a stakeholder group could develop a centralized process for receiving interference reports and disseminating the reports quickly to all AFC system operators, who could then take appropriate actions such as making certain frequencies unavailable for standard-power access points in the area where reported interference is occurring.

²¹⁵ 47 U.S.C. §§ 301-303.

²¹⁶ The network management device may be the point of interface with the AFC system for multiple access points.

²¹⁷ This requirement is consistent with the rules for fixed white space devices. 47 CFR § 15.707(o).

²¹⁸ HP Reply at 28 (arguing the Commission should not require device registration or identifiers); Apple Comments at 14 (creating a log of uniquely identified 6 GHz devices would be fundamentally inconsistent with users' privacy expectations).

²¹⁹ Observation of methanol spectral lines is a significant contributor to research of star formation. The observatories where such research is conducted are Arecibo Observatory, the Green Bank Observatory, the Very Large Array, the 10 Stations of the Very Long Baseline Array, the Owens Valley Radio Observatory, and Allen Telescope Array. National Academy of Sciences Committee on Radio Frequencies Comments at 6.

²²⁰ National Academy of Sciences Committee on Radio Frequencies Comments at 5-6.

FCC 20-51

shall be taken to protect the radio astronomy service" in this band from harmful interference).²²¹ As these observatories are located in remote areas we do not believe excluding standard-power access points from this 25.2 megahertz of spectrum in these areas will be a significant burden on unlicensed operations. The AFC system will determine the size of the exclusion zones by the radio line-of-sight distance between the radio astronomy antenna and the unlicensed access point, as proposed by the National Academy of Sciences' Committee on Radio Frequencies.²²²

3. **Fixed-Satellite Services**

89. In the Notice, the Commission tentatively concluded that the proposed radiated power limits would prevent individual unlicensed devices from causing harmful interference to the incumbent FSS space station receivers that operate in the U-NII-5 and U-NII-7 bands, and that use of an AFC system would not be necessary to protect such receivers.²²³ The Commission noted that these incumbent operations are limited to Earth-to-space transmissions,²²⁴ and that the signal levels from standard-power unlicensed devices at geosynchronous space station receivers would be so low as to have no or only a negligible effect on them such that the AFC system would not need to provide specific protection to FSS space stations.²²⁵ Noting that it anticipated that standard-power access points might use omnidirectional or wide beamwidth antennas (such as 60 to 120 degrees) instead of highly directional antennas (such as those used by fixed microwave stations), the Commission sought comment on whether it nonetheless would be appropriate to protect the satellite receivers by adopting a restriction to prevent antennas from pointing toward the geostationary arc, similar to that required for outdoor U-NII-1 devices.²²⁶

Intelsat and SES Americom, who provide fixed satellite services relying on portions of the 6 GHz band for uplinks, express concern about of potential harmful interference from aggregate unlicensed operations and request that the Commission adopt an maximum permissible aggregate power limit which would be monitored and controlled by the AFC system.²²⁷ The Wi-Fi Alliance contends that the limits on unlicensed devices' radiated power, along with the significant separation distances between unlicensed devices and geosynchronous satellites,²²⁸ will prevent interference to space station receivers,

²²³ Notice, 33 FCC Rcd at 10517, para. 55.

²²⁴ The Commission stated that there is an allocation for space-to-Earth satellite use of the 6.7-6.875 GHz portion of the U-NII-7 band for feeder links for non-geostationary Mobile Satellite Service systems. Notice, 33 FCC Rcd at 10518, para. 58. As the Commission noted, however, no earth stations are currently licensed to use this allocation in the space-to-Earth direction. See id.

²²⁵ Notice, 33 FCC Rcd at 10517, para. 55.

²²⁶ Notice, 33 FCC Rcd at 10517-18, paras. 55-56; see also 47 CFR § 15.407(a)(1); Revision of Part 15 of the Commission's Rules to Permit Unlicensed National Information Infrastructure (U-NII) Devices in the 5 GHz Band, First Report and Order, 29 FCC Rcd 4127, 4138, para. 37 (2014). The U-NII-1 rules permit indoor and outdoor access points to operate generally with a conducted power of 1 watt (30 dBm) and a 6 dBi gain antenna, which is equivalent to a 36 dBm EIRP, while outdoor access points used in fixed point-to-point applications may operate with up to a 23 dBi gain antenna with no reduction in conducted power. 47 CFR § 15.407(a)(1). The U-NII-1 rules limit the radiated power from outdoor access points to 21 dBm at angles of more than 30 degrees above the horizon to protect satellite receivers but place no similar restriction on indoor access points or client devices.

²²⁷ Intelsat and SES Americom Comments at 3-13 (proposing a cap on aggregate power received at the satellite antenna of -142 dBW per channel).

²²⁸ The geostationary satellite arc is located approximately 35,800 km above the equator.

²²¹ 47 CFR § 2.106 US342.

²²² The radio line-of-sight should be determined using 4/3 earth curvature using the following formula dkm_los = 4.12*(sqrt(Htx) + sqrt(Hrx)), where Htx and Hrx are the heights of the unlicensed access point and radio astronomy antenna in meters above ground level, respectively. See National Academy of Sciences Committee on Radio Frequencies Comments at 6.

FCC 20-51

and that use of the AFC system to protect them would not be necessary.²²⁹ The Wi-Fi Alliance, which at one time indicated support for limiting the power transmitted above a 30 degree elevation angle,²³⁰ now believes that such a restriction would not be necessary.²³¹ Sirius XM and NCTA support adoption of an antenna pointing restriction and additional power limits.²³²

91. We adopt rules supporting the Commission's tentative conclusion that the AFC system is not needed to protect incumbent fixed-satellite operations from standard power access point operations in the U-NII-5 and U-NII-7 bands. Considering that the satellites receiving in these sub-bands are limited to geostationary orbits, approximately 35,800 kilometers above the equator, we believe it unlikely that relatively low-power unlicensed devices would cause harmful interference to the space station receivers. Intelsat and SES Americom's filing indicates a general concern about potential harmful interference, including aggregate interference, from low-power devices due to the potential that the large geographic coverage of a satellite receiver's beam could see large numbers of unlicensed devices.²³³ However, they do not include any specific technical analysis for their particular position.

We decline to adopt Intelsat and SES Americom's s suggestion for an aggregate power 92. limit from unlicensed devices to be enforced though the use of the AFC systems.²³⁴ Apple, Broadcom et al. submitted a study ("RKF Study") of projected aggregate I/N at geostationary satellites as of the year 2025 which found that I/N from unlicensed devices would never rise above -20 dB.²³⁵ Intelsat and SES Americom argue that changes in the input variables for spectrum sharing studies such as the RKF Study can produce a wide range of results, "some of which indicate that the FSS protection criteria would be exceeded by unlicensed device deployment representing a fraction of the total numbers predicted."236 Although we disagree in significant part with their analysis, as a precautionary measure, we will adopt a rule requiring outdoor standard-power access points to limit the maximum EIRP above a 30 degree elevation angle to 21 dBm, which the Commission noted in the Notice would be similar to what the Commission already requires in the U-NII-1 band to protect fixed satellite services.²³⁷ This skyward restriction, something not considered by the RKF study, should address Intelsat and SES's concerns. We adopt this restriction rather than an aggregate power limit for two reasons. First, outdoor access points have no reason to radiate significant power skyward, and so we do not believe this requirement will impose a burden on standard-power access point manufacturers and users. Second, designing an AFC system to undertake aggregate power limit monitoring would be very complex, requiring the AFC to know how much energy is being emitted to each portion of the geostationary arc for each unlicensed device. That in turn would require the AFC to have knowledge of each outdoor access point's antenna pattern, orientation, actual transmit power levels, and percent of the time it transmits as well as similar information for unlicensed client devices operating outdoors. Given the skyward EIRP restrictions we are

²³⁵ See Apple, Broadcom et al. Jan. 25, 2018 *Ex Parte* in GN Docket No. 17-183., attachment (RKF Engineering study titled "Frequency Sharing for Radio Local Area Networks in the 6 GHz Band, January 2018") (RKF Study) at p. 43.

²³⁶ Intelsat and SES Americom Comments at 7.

²²⁹ Wi-Fi Alliance Comments at 36.

²³⁰ Wi-Fi Alliance Reply, GN Docket No. 17-183 at (Nov. 15, 2017).

²³¹ Wi-Fi Alliance Comments at 36.

²³² Sirius XM Comments at 23; NCTA Comments at 12-13.

²³³ Intelsat and SES Americom Comments at 4-7.

²³⁴ Intelsat and SES Americom Comments at 11 (suggesting that all AFC systems be designed to monitor and limit the aggregate interference to FSS receivers to -142 dBW per 40-megahertz channel).

²³⁷ 47 CFR § 15.407(a)(4) in Appendix A; Notice, 33 FCC Rcd at 10517-18, para. 56; *see also* 47 CFR § 15.407(a)(1).

FCC 20-51

placing on the AFC controlled outdoor unlicensed devices and the RKF study showing a low likelihood of aggregate interference, we see no reason to require this level of complexity in the AFC systems.

4. **Additional Issues**

93. Authorizing standard-power access points to operate in the U-NII-8 band. We will not authorize standard-power access points to operate in the lower 100-megahertz portion of the U-NII-8 band, which had been requested by some unlicensed proponents, including Apple, Broadcom et al., the Wi-Fi Alliance, and WISPA.²³⁸ The Commission did not propose to take this approach in the Notice, and we decline to do so for a number of reasons. The U-NII-8 band is used by both fixed and mobile broadcast auxiliary service services and the lower 25-megahertz portion of the band is available for Low Power Auxiliary Stations operations such as licensed wireless microphones.²³⁹ The geographic areas for these types of licensed operations are specified in a variety of fashions, including point/radius, countywide, statewide and nationwide. The AFC system would not be able to allow standard-power access points to operate in the band while protecting licensed operations without additional information on their exact operating locations and times, and information on mobile operations can change frequently. Even if licensees were to provide additional operational information, this would increase the complexity of the AFC system and its interactions with unlicensed devices, and still may not adequately protect mobile operations.²⁴⁰ Accordingly, we are not authorizing standard-power access points to operate in the lower 100 megahertz of the U-NII-8 band.

94. Adopting an "inclusion zone" approach. We also decline to adopt the suggested alternative to an AFC system proposed by Encina Communications Corporation (Encina). Encina urges the Commission to permit unlicensed devices to operate in an "inclusion zone" around microwave transmitters.²⁴¹ Under this approach, an applicant for a microwave license would conduct coordination for both the licensed link and unlicensed devices within the inclusion zone; because the coordination would involve analyzing the interference potential to all other microwave receivers that would be potentially affected, the unlicensed devices would be able to operate within the inclusion zone without causing harmful interference to other microwave receivers.²⁴² Encina claims that this would make a lot more spectrum available for unlicensed devices than our AFC approach.²⁴³ No other party in the record supported this proposal.

In declining to adopt Encina's approach, we note that its proposal is nearly identical to 95. the concept of auxiliary stations, which the Commission considered as part of the Wireless Backhaul proceeding.²⁴⁴ The auxiliary station proposal contemplated placement of multiple lower power transmitters within the signal pattern of a microwave link.²⁴⁵ These auxiliary stations would be

²⁴² Encina Reply at 6.

²⁴³ Encina Comments at 4.

²³⁸ Apple, Broadcom et al. Comments at 4, 46-47; Wi-Fi Alliance Comments at 10, 33; WISPA Comments at 2.

²³⁹ 47 CFR § 74.802(a)(1). Both the lower and upper 25-megahertz portions of the U-NII-8 band are available for Low Power Auxiliary Stations operations (6.875-6.900 GHz and 7.025-7.125 GHz).

²⁴⁰ For example, unlicensed devices would have to perform frequent channel availability checks to determine whether any licensed mobile devices have begun operating in an area.

²⁴¹ Encina Comments at 4-6.

²⁴⁴ Amendment of Part 101 of the Commission's Rules to Facilitate the Use of Microwave for Wireless Backhaul and Other Uses and to Provide Additional Flexibility to Broadcast Auxiliary Service and Operational Fixed Microwave Licensees, Report and Order, Further Notice of Proposed Rulemaking, and Memorandum Opinion and Order, 26 FCC Rcd 11614, 11637-43, paras. 54-68 (2011). The only real difference in the two concepts appears to be that one involves unlicensed devices while the other would license stations operating on a secondary basis.

²⁴⁵ Id. at 11638, paras. 56-57.

coordinated in advance of deployment and have secondary status. The Commission rejected this proposal, one of the reasons being that the proposal would create an incentive for microwave license applicants to propose excessive power or use more diffuse antenna patterns for their primary transmitters thereby precluding use of the spectrum by other microwave operators.²⁴⁶

В. Low-Power Indoor Operations Across the Entire 6 GHz Band

In the Notice, the Commission proposed to allow unlicensed access points to operate 96. indoors in the U-NII-6 and U-NII-8 bands at a conducted output power of 24 dBm (11 dBm/MHz) and 30 dBm EIRP (17 dBm/MHz PSD) achievable by using up to a 6 dBi antenna.²⁴⁷ It also sought comment on whether this same type of indoor operations should be permitted in the U-NII-5 and U-NII-7 bands as well,²⁴⁸ thus making the whole 6 GHz band available for this type of use.

Proponents of unlicensed operations widely supported the Commission's authorizing of these low-power indoor operations, under the same rules, across the entire 6 GHz band.²⁴⁹ They assert that permitting these operations will enable deployment of next-generation Wi-Fi on several 160-megahertz channels across the entire band at power levels that would effectively minimize the potential for interfering with the various incumbent licensed services that operate in different portions of the band.²⁵⁰ Representatives of the different incumbent services expressed concerns about the potential for interference to their services.²⁵¹ Several proponents of unlicensed low-power operations and representatives of incumbent services submitted technical analyses into the record.²

98 Based on the record before us, we open the entire 6 GHz band for unlicensed indoor operations without the need for AFC-controlled access. By doing so, we create new unlicensed use opportunities in these bands-including optimizing the potential for deployment of next generation Wi-Fi that makes use of 160 MHz channels²⁵³—while protecting the various incumbent licensed services in the band, including fixed microwave services, various other fixed and mobile services, and fixed-satellite services.

99 Because there will be no AFC system to prevent interference to licensed services from occurring, the rules we adopt three restrictions designed to prevent harmful interference. Devices are: (1) limited to indoor operation; (2) required to use a contention-based protocol; and (3) subject to lowpower operation.

²⁵⁰ See, e.g., Apple, Broadcom et al. Comments at 19, 26-30, 33-35; Wi-Fi Alliance Comments at 9, 11, 15-16; Broadcom Comments at 25-27.

²⁵¹ See, e.g., Fixed Wireless Communications Coalition Reply at 29-31; NAB Comments at 1, 9-12; Utilities Technology Council et al. Comments at 14; APCO Comments at 15-16.

²⁵² Appendix E list the technical studies submitted by both proponents of 6 GHz unlicensed operations and representatives of incumbent Services.

²⁴⁶ *Id.* at 11639, 11641-42, paras. 60, 65-66.

²⁴⁷ Notice, 33 FCC Rcd at 10524, para. 78. Under the proposal client devices would be limited to an EIRP of 24 dBm (PSD of 11 dBm/MHz). Id.

²⁴⁸ Notice, 33 FCC Rcd at 10522, para. 73.

²⁴⁹ See, e.g., Apple, Broadcom et al. Comments at 17-34; Wi-Fi Alliance Comments at 10; Broadcom Comments at 5-6; Hewlett Packard Enterprise Comments at 7; CableLabs, Charter, Comcast Mar. 25, 2020 Ex Parte at 1.

²⁵³ Afaqui et al., IEEE 802.11ax: Challenges and Requirements for Future High Efficiency WiFi, IEEE Wireless Communications, June 2017, 130, 133; National Instruments, Introduction to 802.11ax High-Efficiency Wireless (Mar. 5, 2019), http://www.ni.com/en-us/innovations/white-papers/16/introduction-to-802-11ax-high-efficiencywireless.html#section-1277099502; Ryan Jones, What is Wi-Fi 6 and how fast is it? Trusted Reviews (Oct. 2, 2019) https://www.trustedreviews.com/news/wifi-6-routers-speed-3442712.

FCC 20-51

100. *First*, these low-power access points must operate only indoors. The signals transmitted by these unlicensed devices will be significantly attenuated when passing through the walls of buildings. The median signal loss from a traditionally constructed building is 17 dB and newer, highly efficient buildings provide even higher signal attenuation.²⁵⁴ No commenters disagreed with the ITU median signal loss value for traditional construction. This attenuation is key to providing the necessary signal reduction to prevent harmful interference from occurring to incumbents.

101. Second, we require that the indoor low-power devices, both access points and their associated client devices, employ a contention-based protocol. Adopting such a requirement is suggested by CableLabs, Comcast, Charter, and Cox as a means of providing assurance that incumbent operations will not be harmed.²⁵⁵ A contention-based protocol allows multiple users to share spectrum by providing a reasonable opportunity for the different users to transmit. Because the weighted average airtime utilization of Wi-Fi networks today is 0.4%, Wi-Fi devices share spectrum using a contention-based protocol.²⁵⁶ For IEEE's 802.11, a "listen-before talk" medium access scheme based on the Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA) protocol functions as a contention-based algorithm to provide access to all traffic.²⁵⁷ Before initiating any packet delivery, a station listens to the wireless medium and if the medium is idle, the station may transmit; otherwise the station must wait until the current transmission is complete before transmitting.²⁵⁸ To ensure efficient and cooperative shared use of the spectrum, we require all unlicensed indoor low power operations use technology that includes a contention-based protocol.259

102 In addition to providing equal access to the spectrum for unlicensed devices, a contention-based protocol can also be used to avoid co-frequency interference with other services sharing the band.²⁶⁰ Thus, this requirement can be leveraged to facilitate spectrum sharing with incumbent fixed and mobile services in the band. In addition, requiring a contention-based protocol will limit the amount of time that the low-power unlicensed device will transmit because of the need to share the spectrum with other devices. This will limit the time periods during which interference could potentially occur.²⁶¹

Third, we limit the low-power indoor access points to lower power levels than the standard-power access points that operate under the control of an AFC. Consistent with the Commission's approach for the existing U-NII bands, we specify both a maximum power spectral density and an absolute maximum transmit power, both in terms of EIRP. Specifically, we will allow a maximum radiated power spectral density of 5 dBm per 1 megahertz and an absolute maximum radiated

²⁵⁶ CableLabs Dec. 20, 2029 Ex Parte at 5.

²⁵⁷ Apple, Broadcom et al. Mar. 20, 2020, Ex Parte at 2-6; Wireless Operations in the 3650-3700 MHz Band, Report and Order, 20 FCC Rcd 6502 at para. 57 (2005).

²⁵⁸ Id.

²⁶⁰ Apple, Broadcom et al. Mar. 20, 2020 Ex Parte at 1; CableLabs Mar. 20, 2020 Ex Parte at 3.

²⁶¹ Apple, Broadcom et al. Mar. 20, 2020 *Ex Parte* at 1.

²⁵⁴ Predication of Building Entry Loss, International Telecommunications Union Radiocommunications Sector, ITU-R P.2109-0 at 4 (2017). The Notice sought comment on using the 2017 version of ITU-R P.2109 for building entry loss. Notice, 30 FCC Rcd at 10521, para. 70. This has since been replaced in 2019 by ITU-R P.2109-1.

²⁵⁵ CableLabs, Charter, Comcast, Cox Mar. 20, 2020 Ex Parte at 2-3 (the Commission could consider requiring that 6 GHz unlicensed devices employ a contention-based protocol or listen-before-talk ("LBT") mechanism).

²⁵⁹ Contention-based protocol. A protocol that allows multiple users to share the same spectrum by defining the events that must occur when two or more transmitters attempt to simultaneously access the same channel and establishing rules by which a transmitter provides reasonable opportunities for other transmitters to operate. Such a protocol may consist of procedures for initiating new transmissions, procedures for determining the state of the channel (available or unavailable), and procedures for managing retransmissions in the event of a busy channel. 47 CFR § 90.7.

FCC 20-51

channel power of 30 dBm for the maximum permitted 320-megahertz channel (or 27 dBm for a 160megahertz channel). In addition, to ensure that client devices remain in close proximity to the indoor access points, we are limiting their PSD and maximum transmit power to 6 dB below the power permitted for the access points. In adopting these power levels in our rules, we authorize indoor unlicensed devices with adequate power to be useful to the public while also protecting the licensed services in the 6 GHz band from harmful interference. In accordance with the record developed in this proceeding, we find that this power level meets these twin goals.

104. In the sections below, we first discuss the provisions we are adopting to keep these lowpower access points indoors. We then discuss the technical parameters for indoor unlicensed operations in this band—the power levels different parties request, the rationale behind the power levels we adopt today, and how the technical filings in this proceeding support our conclusion that the potential for harmful interference to incumbent services operating in the 6 GHz band is insignificant. We then evaluate the probability of unlicensed devices causing harmful interference to the incumbent services in the 6 GHz band—fixed services, mobile services, FSS, and radio astronomy. We discuss the technical studies submitted to the record, most of which employ different analysis methodologies with widely varying input assumptions leading to divergent conclusions. Certain studies are based on statistical simulations while others are based on worst-case scenarios. In evaluating these studies, we discuss the methodologies and the underlying assumptions regarding propagation models, building entry loss, antenna patterns, height of unlicensed devices, activity factor and the bandwidth overlap of incumbent and unlicensed services and the associated consequences and conclusions.

1. Indoor Operations

105. We first address measures designed to restrict these operations to indoor use. Among other things, the Commission sought comment on requiring a direct connection to a power outlet, adopting equipment form-factor restrictions, or requiring devices to cease operation if a GPS signal is detected.²⁶²

106. Commenters express widely divergent views on whether it would be possible to restrict these devices to indoors and what measures should be included in our rules to accomplish this goal. Proponents of unlicensed low-power indoor operations generally contend that, given the nature and design of these devices, specific equipment rules are not necessary or that rules should be minimal, such as requiring direct connection to a power source, requiring integrated antennas, and adopting marketing and labeling rules.²⁶³ Boeing suggests that access point equipment should not be water resistant.²⁶⁴ NAB, APCO, Society of Broadcast Engineers among others express concern that it could be difficult to ensure that devices would stay indoors.²⁶⁵

²⁶⁴ Boeing Comments at 7 (suggesting that the access points have open air vents on their casing or use materials that are not rain resistant).

²⁶² Notice, 33 FCC Rcd at 10521, para. 71.

²⁶³ See, e.g., Apple, Broadcom et al. Comments at 31 (contending that, given the ready availability of all-weather RLAN APs intended for outdoor use, the lower lifecycle cost of these devices, and the shrinking difference between the initial purchase prices of indoor and outdoor devices, there would be little or no reason for a consumer to intentionally circumvent the Commission's indoor-only restriction); Wi-Fi Alliance Comments at 18 (maintaining there would be little reason for users to substitute indoor devices for outdoor use, particularly when indoor devices may not perform as intended outdoors); Hewlett-Packard Enterprise Comments at 21 (arguing that instances of outdoor use of indoor-only devices would be rare even without FCC rules to provide extra security).

²⁶⁵ National Association of Broadcasters Comments at 12; National Association of Broadcasters Reply at 4 (arguing that there is no easy way to ensure that unlicensed devices stay indoors, adopting power connection requirement can be defeated by use of an extension cord and requiring a label would be ineffectual); APCO International Comments at 15; Society of Broadcast Engineers Comments at 6; Engineers for the Integrity of Broadcast Auxiliary Services Spectrum Comments at 5.

FCC 20-51

107. Because building attenuation is a key factor in minimizing the potential for harmful interference from indoor low-power access points to licensees' receivers, we are adopting reasonable and practical measures that will restrict low power access points to indoor operations. Specifically, we adopt three equipment-related hardware requirements that are designed to keep these low-power access points indoors. First, as suggested by Boeing, we will require that the access point devices cannot be weather resistant.²⁶⁶ Second, we will require that the low-power access points have integrated antennas and prohibit the capability of connecting other antennas to the devices, which will prevent substituting higher gain directional antennas and make the devices less capable or suitable for outdoor use as suggested by the Wi-Fi Alliance.²⁶⁷ Third, consistent with the suggestions by Hewlett-Packard Enterprise and the Wi-Fi Alliance, we will prohibit these low-power access points from operating on battery power.²⁶⁸ Furthermore, we will require that the access points be marketed as "for indoor use only" and include a label attached to the equipment stating that "FCC regulations restrict to indoor use only." We will also require that this statement be placed in the device's user manual. This statement along with existing Commission requirements for Part 15 equipment²⁶⁹ will inform consumers of the appropriate use.

We find that these requirements will make outdoor operations impractical and unsuitable, 108. and so we disagree with those commenters that suggest either that no requirements are needed²⁷⁰ or that any requirements would be ineffective.²⁷¹ Based on the record before us, we decline to adopt Microsoft's suggestion to use GPS to determine whether a device is indoors.²⁷² Globalstar and Boeing persuasively argue this suggestion is impractical.²⁷³ Furthermore, we are hesitant to require all devices to incur the cost of incorporating a GPS capability given that the effectiveness of this idea has not been demonstrated.

2. **Power Spectral Density Limit**

109. In determining the appropriate power spectral density for low power indoor unlicensed devices in this band, we have carefully reviewed the studies submitted into the record by all parties. Various analysis methodologies are used which fall into two main categories: (i) Monte Carlo simulations,²⁷⁴ which take into account probabilistic factors such as building entry loss, activity factor,

²⁶⁷ Wi-Fi Alliance Comments at 18 (arguing that outdoor deployments typically rely on directional antennas to cover specific areas, such as restaurant patios, parking lots, and common areas; by prohibiting those antennas the Commission could make it ineffective to use low power indoor devices for those purposes).

²⁶⁸ Wi-Fi Alliance Comments at 18-19; Hewlett-Packard Enterprise Comments at 21. We prohibit operation on batteries rather than requiring connection to an AC power outlet so as to permit the use of other sources of obtaining power over a wire such as through DC powered ethernet cables.

²⁶⁹ For example, 47 CFR § 15.19(a)(3) requires devices to bear the general conditions associated with Part 15 operation and 47 CFR § 15.21 requires the user manual to caution users that equipment modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

²⁷⁰ Although these commenters contend that no restrictions are necessary to prevent outdoor use, they nonetheless suggest certain requirements that the Commission could impose if it finds it necessary. Apple, Broadcom et al. Comments at 31-32; Wi-Fi Alliance Comments at 18; Hewlett-Packard Enterprise Comments at 21.

²⁷¹ Motorola Solutions Comments at 6; APCO Comments at 15; NAB Comments at 12; Society of Broadcast Engineers Comments at 6.

²⁷² Microsoft Reply at 14. The Notice asked whether access points could monitor GPS satellite signals and cease transmissions if a GPS signal is detected to determine if the access point is outdoors. CTIA mischaracterizes our rejection of this idea as the Commission refusing to require use of GPS technology for an access point to determine its location to avoid interference to nearby microwave receivers. CTIA Apr. 14, 2010 Ex Parte at 9.

²⁷³ Globalstar Comments at 15; Boeing Comments at 7.

²⁷⁴ A Monte Carlo simulation uses random sampling and statistical modeling to estimate mathematical functions and mimic the operations of complex systems. Harrison RL., Introduction To Monte Carlo Simulation, AIP Conf Proc. 2010;1204:17-21. doi:10.1063/1.3295638.

²⁶⁶ Boeing Comments at 7.

FCC 20-51

and co-channel probability, and (ii) static link budgets with limited considerations of probabilistic dependencies. The studies submitted to the record result in widely varying conclusions. While the studies performed by the incumbents tend to assume worst case conditions and ignore the very low probabilities associated with such worst-case scenarios, the proponents of unlicensed usage tend to assume very low probabilities for the activity factor and high building entry losses. Other assumptions that vary between the models are building entry loss and propagation loss, with incumbents generally assuming line of sight free space propagation and unlicensed device proponents applying industry standard models that either inherently include clutter loss or treat such loss as an additive factor determined by a separate statistical clutter model appropriate for the environment.

After consideration of all of the studies and their varied assumptions and the protection 110. needs of incumbents in all of the 6 GHz U-NII bands, we adopt a 5 dBm/MHz PSD. Based on our experience with unlicensed operations and interference analyses as well as our engineering judgment, we find that 5 dBm/MHz PSD will both adequately protect all incumbents in the band from harmful interference as well as offer enough power to unlicensed devices, commensurate with the levels in the other U-NII bands, to sustain meaningful applications especially when using wider bandwidths. At this power limit and with the other constraints imposed on these operations, we find the risk of harmful interference to incumbent operations to be insignificant. We also note that this value is significantly lower than the proposed 17 dBm/MHz EIRP in the Notice and also lower than the 8 dBm/MHz EIRP sought from the unlicensed proponents—a precaution we take at this time to protect incumbent operations given the state of the record. Because a more fulsome record and further study may alleviate our concerns, we seek further comment on this issue in the attached Further Notice of Proposed Rulemaking.

With respect to unlicensed client devices, we adopt our proposal and do not permit client 111. devices to operate with the same power spectral density as access points. We find that client devices do not need the same power level due to the asymmetrical nature of traffic. An additional margin of 6 dB will provide protection to incumbents as client devices operate in the vicinity of access points. Accordingly, we conclude that the appropriate maximum power spectral density for low power indoor client devices in this band is 6 dB below the limit for access points (or -1 dBm/MHz based on the adopted PSD limit).

3. **Protecting Incumbent Operations**

Fixed Microwave Service я.

112. We find that fixed microwave receivers will be protected from harmful interference from unlicensed indoor low power devices operating at the power levels we are authorizing. We reach this conclusion based on the examination of two representative technical studies submitted to the record. First, a Monte Carlo simulation submitted by CableLabs provides a strong basis for reaching this conclusion. This study assumes realistic operating conditions for both licensed incumbent services and unlicensed operations. Second, a link budget analysis for six particular cases submitted by AT&T illustrates that interference is not likely to occur with the proposed power levels when realistic assumptions are made regarding propagation losses and taking into account the probabilistic nature of unlicensed transmissions. Because these six cases represent microwave receiver/unlicensed device geometries that are challenging from an interference perspective, the results give us confidence that interference is unlikely to occur. We explain in more detail the numerous other technical filings submitted and why we do not find them as significant to our conclusion.

Among several technical studies submitted by advocates of indoor low-power operations 113. showing that the likelihood of interference to fixed microwave receivers is extremely low, we find the CableLabs study the most significant.²⁷⁵ These studies generally perform Monte Carlo computer simulations that model a random deployment of low-power unlicensed devices and calculate statistics on

²⁷⁵ CableLabs Dec. 20, 2019 Ex Parte; CableLabs Jan. 17, 2020 Ex Parte.

the likelihood of interference occurring to microwave receivers.²⁷⁶ Advocates of indoor low-power operations claim that fixed microwave links will not experience harmful interference from the unlicensed devices.277

114. The Fixed Wireless Communications Coalition claims that fixed microwave links are typically designed to achieve 99.999% or 99.9999% reliability and that even rare interference from unlicensed devices will reduce this reliability.²⁷⁸ They object to the statistical nature of the arguments used by unlicensed proponents pointing out that even if a single access point is unlikely to cause interference, the fact that hundreds of millions of access points will be deployed means that a significant number of microwave links will receive interference.²⁷⁹ The Fixed Wireless Communications Coalition points out that its concern is the anomalous access point located within the microwave receiver's main beam, close to the antenna, lacking ground clutter, and either outdoors or inside a building with an inadequate wall. Although such an access point may be rare, they claim that the hundreds of millions of unlicensed devices will make this occurrence commonplace resulting in harmful interference to a significant number of links.²⁸⁰

115. Other fixed microwave licensees have also emphasized the importance of maintaining high link reliability. Utilities claim that their microwave links are used to monitor and control the power grid and must operate in near real-time to avoid system instability and power disruptions.²⁸¹ NPSTC claims that 6 GHz microwave links are used for links to/from 911 centers and connections between public safety radio base stations and control facilities.²⁸² APCO points out that public safety organizations use microwave links that are designed to have downtime of no more than 30 seconds a year.²⁸³ Other microwave licensees such as railroads and telecommunications providers also emphasize the critical nature of their links.²⁸⁴ Parties representing microwave licensees submitted both simulations²⁸⁵ and link budget analyses.286

In general, any technical study pertaining to spectrum sharing should take into 116. consideration the specific behavior of services involved and the complexity of the propagation environment where the services operate. Studies that focus on static link budgets, for example, neglect the effects of the sporadic nature of most unlicensed transmissions (activity factor) and the probability of co-channel operation of the unlicensed device and the licensed service (e.g., an 80-megahertz unlicensed channel covers less than 7% of the 6 GHz band). These factors reduce the probability of interference to

²⁷⁷ Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study); CableLabs Dec. 20, 2019 Ex Parte; CableLabs Jan. 17, 2010 Ex Parte.

²⁷⁸ Fixed Wireless Communications Coalition May 1, 2019 Ex Parte at 2.

²⁷⁹ Id. at 2-3; Fixed Wireless Communications Coalition Aug. 22, 2019 Ex Parte 2-3.

²⁸⁰ Fixed Wireless Communications Coalition Oct. 31, 2019 Ex Parte 2-3.

²⁸¹ UTC Comments at 4: Tucson Electric Power Comments at 7-8: Southern Company at 3-4: Idaho Power Comments at 4.

²⁸² NPSTC Comments at 5.

²⁸³ APCO Comments at 4.

²⁸⁴ Association of American Railroads Comments at 3-5; NE Colorado Cellular Comments at 1-3; AT&T Comments at 6-9.

²⁸⁵ See, e.g., RigNet July 11, 2019 Ex Parte; Edison Electric Institute Jan. 13, 2020 Ex Parte.

²⁸⁶ See, e.g., Rignet July 11, 2019 Ex Parte at 8; AT&T Nov. 12, 2019 Ex Parte at 5; CTIA Mar. 16, 2020 Ex Parte at 5; Southern Company Feb. 6, 2020 Ex Parte at 4; Fixed Wireless Communications Coalition Reply Appendix A.

²⁷⁶ Apple, Broadcom et al., Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study); CableLabs Dec. 20, 2019 Ex Parte; CableLabs Feb. 21, 2020 Ex Parte; Apple, Broadcom et al., June 24, 2019 Ex Parte; Apple, Broadcom et al. Feb. 28, 2020 Ex Parte.
FCC 20-51

the licensed service. Some of the studies based on link budgets use a single value for building entry loss,²⁸⁷ while others treat the building entry loss as a probabilistic quantity with a range of building losses and associated probabilities.²⁸⁸ Some of the studies present different results for traditional buildings and thermally efficient buildings²⁸⁹ while others assume a mix of building types to create a combined distribution of a single attenuation loss.²⁹⁰ A number of studies are based on Monte Carlo-type simulations in order to more accurately capture the sporadic nature of access point transmissions and the probabilistic nature of co-channel operation.²⁹¹ Some of the studies predominately, or strictly, assume free space propagation conditions²⁹² while others use industry standard statistical propagation models that more accurately represent the operational environment.²⁹³

117. CableLabs Study. CableLabs submitted a technical study that models the interference potential of low-power indoor unlicensed devices to microwave receivers.²⁹⁴ This Monte Carlo simulation explores the potential for interference to fixed links in the New York City area.²⁹⁵ The simulation uses the WINNER II urban propagation model, the propagation model we adopt in this Report and Order for intermediate distances for AFC systems.²⁹⁶ The CableLabs study selects a building entry loss between 10dB and 30 dB, which is consistent with ITU recommendation P.2109.297 Furthermore, the simulation uses a distribution of airtime utilization based on data taken from 500,000 Wi-Fi access points to model how often each access point in the simulation transmits.²⁹⁸ The simulations showed that the I/N ratio is far below the conservative -6 dB I/N threshold.²⁹⁹ This is the same -6 dB threshold that the Fixed

²⁹² Rignet July 11, 2019 Ex Parte at 21; See AT&T Nov. 12, 2019 Ex Parte at 5; CTIA Mar. 16, 2020 Ex Parte at 5; Southern Company Feb. 6, 2020 Ex Parte at 4; Critical Infrastructure Industry Jan. 13, 2020 Ex Parte at 15.

²⁹³ CableLabs Dec. 20, 2019 Ex Parte at 20; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 31-35.

²⁹⁴ CableLabs Dec. 20, 2019 Ex Parte; CableLabs Feb. 14, 2020 Ex Parte at 5-7.

²⁹⁵ CableLabs *Ex Parte* Dec. 20, 2019. The CableLabs Study assumes two microwave links with heights at the tenth percentile and ninetieth percentile of the fixed links in the New York City area. Id. at 18. The unlicensed access points were uniformly distributed at a density of 1000 per square mile at heights determined by LIDAR building data from New York City. Id. at 17.

²⁹⁶ By intermediate distances we are referring to distances between 30 meters and 1 kilometer.

²⁹⁷ A 70/30 mix of traditional versus thermally efficient building types would result in building entry losses in this range. We believe that a mix of 70% traditional and 30% thermally efficient building types is appropriate to use when determining a statistical probability of building entry loss, which is consistent with the technical study submitted by NAB and the report from CEPT submitted by AT&T. NAB Dec. 5, 2019 Ex Parte at 42; AT&T Aug. 5, 2019 Ex Parte at 44 (Sharing and compatibility studies related to Wireless Access Systems including Radio Local Area Networks (WAS/RLAN) in the frequency band 5925-6425 MHz, ECC Report 302, May 29, 2019). The median value of the 70/30 building entry loss curve is 20.5 dB. Predication of Building Entry Loss, International Telecommunications Union Radiocommunications Sector, ITU-R P.2109 (2017).

²⁸⁷ Rignet July 11, 2019 Ex Parte at 8; Apple, Broadcom et al., Jul. 31, 2019 Ex Parte at 12.

²⁸⁸ AT&T Nov. 12, 2019 Ex Parte at 14; CTIA Mar. 16, 2020 Ex Parte at 10.

²⁸⁹ CTIA Mar. 16, 2020 Ex Parte at 10; See AT&T Nov. 12, 2019 Ex Parte at 8; Southern Company Feb. 6, 2020 Ex Parte at 11.

²⁹⁰ CableLabs Jan. 20, 2020 Ex Parte attachment 20; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183, at 31-32 (RKF Study).

²⁹¹ CableLabs Dec. 20, 2019 Ex Parte at 8; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 5.

²⁹⁸ CableLabs Ex Parte Dec. 20, 2019.

FCC 20-51

Wireless Communications Coalition, which represents the interest of the fixed microwave licensees, uses as a threshold for protecting against harmful interference to fixed microwave links.³⁰⁰

We find the CableLabs' study persuasive because it uses actual airtime utilization data for hundreds of thousands of Wi-Fi access points along with a statistical model for building entry loss. To account for indoor only non-AFC controlled unlicensed operations in this band, most of the technical studies use data from ITU Recommendation P.2109, which presents cumulative distribution functions of building entry loss for both traditionally constructed buildings and thermally efficient buildings that are based on measured data.³⁰¹ These cumulative distribution functions illustrate that building entry loss attenuation is significantly larger for thermally efficient buildings and increases if the angle of incidence of the signal with the building wall is not perpendicular to the wall.³⁰² Some of the analyses just use a single value, such as the mean value, to represent the attenuation.³⁰³ Others treat the building entry loss as a probabilistic quantity where the cumulative distribution function is used in a Monte Carlo simulation or use a range of building losses and associated probabilities.³⁰⁴ Some of the studies present different results for traditional buildings and thermally efficient buildings while others assume a mix of building types to create a combined distribution of a single attenuation loss.³⁰⁵ Rather than using a single average or median value to represent building entry loss the CableLabs' study uses attenuation values drawn from a probability distribution for each access point in the simulation.³⁰⁶ In this way the simulation more accurately models the variability of the building loss than using a single number for building loss such as the median or average.

119 AT&T claims that the CableLabs Study uses an unrealistic access point power distribution in their study.³⁰⁷ CableLabs later submitted additional simulation results that addresses AT&T's concern by assuming all access points operate at 8 dBm/MHz and that show the I/N was less than -6 dB in all instances.³⁰⁸

³⁰⁰ Fixed Wireless Communications Coalition Comments Feb. 19, 2019 at 17; Fixed Wireless Communications Coalition Reply at 26.

³⁰¹ Predication of Building Entry Loss, International Telecommunications Union Radiocommunications Sector, ITU-R P.2109 (2017).

³⁰² In general, the greater the angle of incidence from perpendicular, the more attenuation occurs. *Id.*

³⁰³ The mean building entry loss used in Rignet and Critical Infrastructure Industry studies is 11 dB. See Rignet July 11, 2019 Ex Parte at 8; See Critical Infrastructure Industry Jan. 13, 2020 Ex Parte at 25;

³⁰⁴ CableLabs Dec. 20, 2019 Ex Parte attachment at 20; CableLabs Jan. 17, 2020 Ex Parte attachment at 12; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 31-32.

³⁰⁵ AT&T Nov. 12, 2019 Ex Parte (uses both traditional and energy efficient values separately); Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) (uses a mix of traditional and energy efficient types).

³⁰⁶ CableLabs Dec. 20, 2019 Ex Parte at 20.

³⁰⁷ AT&T Jan. 23, 2020 Ex Parte at 11.

³⁰⁸ CableLabs Mar. 19, 2020 Ex Parte at 2.

⁽Continued from previous page)

²⁹⁹ CableLabs *Ex Parte* Dec. 20, 2019 at 2. The results of the CableLabs' simulation shows that the aggregate interference power from indoor unlicensed devices is always at least 8 dB below the microwave receiver noise floor and a maximum aggregate I/N = -8.5 dB when the fixed microwave was closer to the ground and maximum aggregate I/N = -29.7 when the fixed microwave receiver was higher above ground. Id., Enclosure at 9. As discussed above, with regard to standard-power operations we specified a conservative -6 dB I/N ratio as an interference protection criterion that will be used by the AFC system when specifying exclusion zones that would ensure that the potential for harmful interference is minimized and fixed microwave services are protected. As explained there, we are not making a determination that any signal received with an I/N greater than -6 dB would constitute harmful interference. See supra, para. 71.

FCC 20-51

120. AT&T also objects to CableLabs use of measured Wi-Fi activity factor data in their simulations on the grounds that the proposed rules do not limit use of the bands only to Wi-Fi or limit unlicensed devices' activity factor.³⁰⁹ However, Wi-Fi is the predominant use of the U-NII bands, and is ubiquitous in both residences and businesses. We expect that the majority of indoor unlicensed operations in the 6 GHz band will be for Wi-Fi as well. While Wi-Fi data transmission will likely increase over time as new applications are developed, we expect that this will be counteracted in the 6 GHz band by the availability of 160 MHz or wider channels which will allow more data to be transmitted in a shorter period of time. Additionally, while the adopted rules do not limit the activity factor, we are requiring devices to use a contention-based protocol which will prevent devices from transmitting at extremely high duty cycles. For these reasons, we find that the CableLabs study is the best evidence in the record of the impact that unlicensed low-power indoor devices will have on incumbent operationsand it demonstrates that such operations will not cause harmful interference.

121. In a recent filing CTIA argues that the activity factor used by CableLabs is not representative of broad Wi-Fi operations because it contains data for consumers only and not for enterprise deployments.³¹⁰ CTIA also criticizes use of this data because it was collected by one unidentified entity over a ten day period without additional details disclosed.³¹¹ CTIA compares the average activity factor of 0.4% from this data set to a spectrum needs simulation study submitted by Hewlett Packard Enterprise that was based on Wi-Fi having enough capacity to satisfy a 70% utilization rate 95 % of the time.³¹² According to CTIA, the only way the 0.4% activity factor and 70% utilization rate could be reconciled is if multiple Wi-Fi access points are transmitting in the same area, which CTIA argues would need to be included in the CableLabs computer simulation. We do not find CTIA's arguments convincing. It should be noted that the Hewlett Packard Enterprise study is purely a simulation study based on a handful of deployment scenarios described in IEEE 802.11 documents whereas the CableLabs data is from actual measurements from 500,000 deployed Wi-Fi access points resulting in 450 million data points from across the country. The 95th percentile activity factor derived from the CableLabs data is 2% (i.e., the activity factor is 2% or less, 95% of the time); this is the actual airtime utilization observed in practice. CTIA contends that the study submitted by Hewlett Packard Enterprise suggests that 6 GHz unlicensed access points would be at 70% utilization 95% of the time. Not true. As the study makes clear, the 70% utilization is a target number used to motivate the need for additional spectrum and is not in any way related to actual usage. In fact, one of the major conclusions of the study is that the more spectrum allocated to Wi-Fi, the lower the utilization factor will be since the use of wider bandwidths will lead to access points being on the air for shorter periods of time.³¹³ Thus, there is no direct way to compare Cablelabs use of activity factor to Hewlett Packard Enterprise's use of utilization to reach any meaningful conclusion as CTIA attempts to do. Further, with respect to the activity factor, CTIA cites no other study or source that examined actual Wi-Fi activity factors to support

³¹¹ Id. at 10.

³⁰⁹ AT&T Jan. 23, 2020 Ex Parte at 10-11.

³¹⁰ CTIA Apr. 14, 2020 Ex Parte at 9-10. CTIA references an Apple, Broadcom et al. Jan. 26, 2020 Ex Parte which states that, "... enterprise deployments, ... can exhibit different and higher duty cycles, depending on a variety of factors.

³¹² Id. at 11 (discussing "Wi-Fi Spectrum Needs Study" by Quotient Associates. Hewlett Packard Enterprise Reply at 41). The Wi-Fi Spectrum Needs Study defines utilization rate as the percentage of airtime that an access point observes as being utilized, both by itself and other neighboring co-channel networks. Note, that in calculating utilization, the study assumes operation over both the 5 GHz and 60 GHz bands and uses a weighted average to predict the additional amount of spectrum needed for Wi-Fi to satisfy busy hour demand in 2025.

³¹³ Figure 5-3 in the study indicates that the 95th percentile utilization, based on the study assumptions, would be around 10% if up to 1600 MHz of spectrum were available. Moreover, because the utilization rate assumed in that study is for all Wi-Fi usage across all available bands and all available channels, the actual usage of any given channel within any available band would be much less.

FCC 20-51

its argument that the data is not representative and makes no suggestion about what activity factor assumptions would be appropriate. In fact, the study submitted by Hewlett Packard Enterprise references Cisco's Visual Network Index which suggests that office traffic volume is 25% of consumer traffic volume.³¹⁴ While the data used by CableLabs was collected by one entity, it included measurements from over 500,000 access points, which indicates it is representative of consumer Wi-Fi use. All of the other submitted studies, used activity factors that were based on assumptions such as number of access points per person, the population density, and amount of data use per person rather than actual Wi-Fi measurements.315

122. CTIA also finds fault with the CableLabs Study for using a building loss randomly selected between 10 and 30 dB instead of using the full building entry loss distribution from ITU Recommendation P.2109.³¹⁶ We agree with CTIA that it would be more appropriate for CableLabs to have used the full statistical distribution from P.2109. However, our analysis suggests that the building attenuation range used in the CableLabs study was not different enough from the P.2109 statistical distribution to materially alter the likelihood of harmful interference occurring.³¹⁷

AT&T Study. AT&T offers six scenarios where an unlicensed device operates in close 123. proximity to a fixed microwave receiver or where an unlicensed device operates relatively far from the microwave receiver but the terrain causes the unlicensed device to be in or close to the main receiver beam.³¹⁸ AT&T states that these situations are not uncommon in their network as microwave links are frequently used to backhaul traffic from a rural site to more urbanized areas where fiber connectivity is available.319

124 AT&T's technical study attempts to overcome the limitation of simple deterministic interference calculations by introducing a probability distribution around building entry loss. AT&T claims that their examples properly apply building entry loss by treating it as a probabilistic quantity using the distribution from ITU-recommendation P.2109 and that prior analyses have oversimplified building entry loss into a single value.³²⁰ We conclude, however, that this step does not fully remedy the limitation of a static link budget analysis limitations. Some of the most significant elements of the AT&T link budgets are also probabilistic quantities. AT&T's link budget makes the following assumptions: (a) an EIRP of 30 dBm in an 80 MHz channel (11 dBm/MHz); (b) the maximum unlicensed device EIRP is in the direction of the microwave antenna; (c) free-space propagation for the interfering signal; (d) zero

³¹⁸ See AT&T Nov. 12, 2019 Ex Parte at 7-8.

³¹⁹ AT&T Nov. 12, 2019 *Ex Parte*, at 8.

³²⁰ AT&T Nov. 12, 2019 Ex Parte, at 5.

³¹⁴ Hewlett Packard Enterprise Reply at 49; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 12;

³¹⁵ See e.g. Edison Electric Institute Jan. 13, 2020 Ex Parte at 17; Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 12-15; AT&T Aug. 5, 2019 Ex Parte at 163 (Sharing and compatibility studies related to Wireless Access Systems including Radio Local Area Networks (WAS/RLAN) in the frequency band 5925-6425 MHz, ECC Report 302, May 29, 2019); NAB Dec. 5, 2019 Ex Parte at 23.

³¹⁶ CTIA Apr. 14, 2010 Ex Parte at 14-15.

³¹⁷ There are many probabilistic factors that must be considered when assessing the risk of harmful interference and several, if not all, of these factors must all tend towards worst case situations for an actual harmful interference event to occur. As shown by CableLabs' Monte Carlo analysis, the probability that every parameter (e.g., building entry loss, clutter loss, same channel operation, being located in the same area, etc.) is worst case at the same place and time is extremely low. Thus, even if the analysis were conducted assuming the full statistical range of ITU P.2109 or 100% traditional construction, which would skew the building entry loss curve lower by a few decibels, it is unlikely that each of the other parameters that could affect the potential for harmful interference would also all tend towards their worst case. Thus, even accounting for some variation in these factors, the likelihood of harmful interference occurring remains insignificant.

FCC 20-51

clutter loss; (e) that an unlicensed device at the specified location is capable of 6 GHz band operation and is operating co-frequency with the microwave receiver; and (f) the unlicensed device has a 100% duty cycle.³²¹ Clearly, all of these parameters except for the EIRP have an associated probability distributions that are missing from AT&T's link budgets. For example, AT&T's use of a free-space propagation model ignores clutter that often surrounds the transmitter and receiver sites (and that may significantly reduce the risk of harmful interference). Recognizing that each of these factors can take on a range of values and that it is unlikely that each will be worst case at the same time and location, AT&T overstates the potential for harmful interference.

125. Apple, Broadcom et al. claim that AT&T's assumptions, like the unlicensed device's antenna gain, bandwidth mismatch, and limited clutter and propagation losses, exaggerate interference in all of the scenarios by more than 1000%.³²² Apple, Broadcom et al. claim that AT&T assumes maximum EIRP in the direction of the microwave receiver, even though the record clearly shows that RLAN antennas do not exhibit significant gain towards the horizon.³²³ We agree with Apple, Broadcom et al. that real-world unlicensed device antenna patterns would likely result in less gain toward the horizon and that based on typical indoor enterprise and consumer access point EIRP patterns³²⁴ a 5dB gain reduction is appropriate for analysis purposes.³²⁵ Based on the differing bandwidths of the microwave signals and unlicensed devices, we also agree with Apple, Broadcom et al. that a bandwidth mismatch correction factor of -4.7 dB is appropriate.³²⁶ Apple, Broadcom et al. also argue that other correction factors would also be appropriate.32

126. Similarly, CableLabs claims that it simulated interactions over billions of possible parameter combinations, including the values used by AT&T and other values reflecting real-world conditions, and it finds that harmful interference is unlikely to occur to the microwave links in the cases presented by AT&T.³²⁸ In its simulations CableLabs, unlike AT&T, considers the co-channel probability that an unlicensed access point is using the same channel as the AT&T victim link, which it contends better reflects real-world conditions.32

We now present a detailed comparison in Table 1 for one of AT&T's examples (Example 127. 2) with explanations for why in our analysis we assume different values for some of the parameters than those assumed by either AT&T or Apple, Broadcom et al. In this discussion we treat all of the statistical quantities using a median or average value as is commonly done in link budget analysis. We do this because we find that it gives a more useful indication of unlicensed device signal levels than only treating one factor in the calculation as a probabilistic quantity as AT&T has done in their examples.³³⁰ By

³²⁴ Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 19.

³²⁵ Apple, Broadcom et al. Dec. 16, 2019 *Ex Parte*, Attach. at 3.

³²⁷ Apple, Broadcom et al. Dec. 16, 2019 Ex Parte, Attach. at 11.

³²⁹ CableLabs Dec. 23, 2019 Ex Parte, Attach. at 12.

³²¹ *Id.* at 11-29.

³²² Apple, Broadcom et al. Dec. 16, 2019 Ex Parte, attachment at 2; see also CableLabs Jan. 21, 2020 Ex Parte, Att.at 3 (claiming that AT&T's static analysis suffers from a host of unrealistic assumptions and errors, and that the interference analysis should simulate ranges of relevant parameters, including worst-case and real-world values).

³²³ Apple, Broadcom et al. Dec. 16, 2019 *Ex Parte*, Attach. at 3.

³²⁶ AT&T uses a -3dB bandwidth mismatch but based on ratio of 30/160 MHz the bandwidth mismatch is -7.27 (10*log10(30/160), ignoring adjacent channel, leading to a correction factor of -4.27 (-7.27-(-3)). See AT&T Nov. 17, 2019 Ex Parte.

³²⁸ Cable Labs Jan. 21, 2020 Ex Parte, Attach. at 4.

³³⁰ We disagree with CTIA that using the median of the building entry loss distribution from ITU-Recommendation P.2109 is improper for the discussion of the AT&T examples. CTIA Apr. 14, 2010 Ex Parte 15. Using median or

⁽continued....)

FCC 20-51

treating only the building entry loss as a probabilistic quantity while not considering all the other statistical quantities, AT&T's six examples exaggerate the likelihood of interference occurring. We recognize that an approach based on Monte Carlo simulations would give a more reliable prediction of the likelihood of interference.³³¹ We include the following examples to illustrate that even using a traditional link budget analysis the likelihood of harmful interference occurring is insignificant even for the geometries of AT&T's examples.

Table 4: AT&T Example 2, WQPJ679	Batavia, NY. Longer	distance between	RLAN and FS, but
RLAN closer to main beam.			

	AT&T	Apple, Broadcom et al.	FCC
EIRP/BW	30 dBm/ 80 MHz	30 dBm/160 MHz	24 dBm/80 MHz
PSD	11 dBm/MHz	8 dBm/MHz	5 dBm/MHz
Antenna Gain	37.9 dB	37.9 dB	37.9 dB
Antenna Discrimination	-1.5 dB	-2.538 dB	-1.5 dB
RLAN/FS Antenna Mismatch	0 dB	-5 dB	-5 dB
Clutter	0 dB	-25.00 dB	-18.4 dB (using ITU-R P.452 clutter model)
Path Loss	-118.96 dB (free space)	-118.92 dB (free space)	-120.12 dB (ITM P2P model)
Bandwidth Mismatch	- 3 dB (assuming 80 MHz channels)	-7.27 dB (assuming 160 MHz channels)	-4.26 (assuming 80 MHz channels)
Noise Figure	-3.0 dB	-3.0 dB	-3.0 dB
Polarization Loss	-3.0 dB	-3.0 dB	-3.0 dB
Feeder Loss	0 dB	0 dB	0 dB
Building Entry Loss (50%)	-17.00 dB	- 17.00 dB	-20.62 dB (70/30 mix)
Interference (I)	-78.76 dBm	-113.83 dBm	-114 dBm
Noise Floor (N)	-99 dBm	-99 dBm	-99 dBm
I/N	20.44 dB	- 14.83 dB	-15.0 dB

(Continued from previous page) -

average values is entirely proper for a link budget analysis. The alternative would be to single out building attenuation for different treatment than the other statistical quantities, which could give a misleading indication of the likelihood of harmful interference.

³³¹ AT&T argues that the record lacks adequate Monte Carlo simulations and that even if there were appropriate Monte Carlo simulations the method itself is inadequate. AT&T Apr. 16, 2020 *Ex Parte*. AT&T contends that the only appropriate analysis is a static analysis that assumes the worst-case scenarios under the worst-case assumptions, ignoring the statistical nature of access point operation. Although we clearly disagree, we find it appropriate to show that even under AT&T's preferred mode of analysis, we find the likelihood of harmful interference to be insignificant.

128. The bold rows in the above table are parameters that were adjusted as follows:

(i) EIRP/BW: Apple, Broadcom et al. assumed a bandwidth of 160 megahertz. However, our analysis assumes a nominal channel bandwidth of 80 MHz as assumed by AT&T, which results in a 5 dBm/MHz PSD limit.

(ii) RLAN/FS Antenna mismatch: We agree with Apple, Broadcom et al. that there will be an antenna pattern mismatch between the unlicensed devices and the microwave antenna and that 5 dB is a reasonable assumed loss.332

(iii) Clutter: We agree with Apple, Broadcom et al. that a clutter loss is appropriate for this scenario. However, we disagree with their assumed figure of 25 dB value and base a more realistic value on a standard clutter model (ITU-R P.452) to derive an 18.4 dB clutter loss.

(iv) Path loss: We believe that the ITM P2P path loss model is most appropriate for this scenario because the distance from unlicensed device to microwave receiver is 3.5 km.³³³

(v) Bandwidth mismatch: We base the mismatch on an 80-megahertz bandwidth unlicensed channel. However, we assume that the mismatch factor should be -4.26 dB based on the ratio of the passband of AT&T's receiver and the bandwidth of the unlicensed channel and not a flat 3 dB as proposed by AT&T.

(vi) Building Entry Loss: We find that a 70% traditional construction/30% energy efficient construction mix of building types for determining building entry loss is appropriate.³³⁴

Table 5 presents all of AT&T's six examples but substitutes more realistic technical 129 parameters we adopt in this Report and Order and presented in Table 4.

	Example	Example	Example	Example	Example	Example
	IA	IB	2	3	4	5
EIRP Power Spectral Density (dBm/MHz)	5	5	5	5	5	5
Bandwidth (MHz)	80	80	80	80	80	80
EIRP (dBm)	24	24	24	24	24	24
RLAN Antenna Discrimination (dB)	-5	-5	-5	-5	-5	-5
BW Mismatch (80 MHz Chan.) (dB)	-4.26	-4.26	-4.26	-4.26	-4.26	-4.26
Polarization Loss (dB)	-3	-3	-3	-3	-3	-3
Propagation Model	Winner II Urban LOS	Winner II Urban LOS	ITM ³³⁵ P2P	ITM P2P	Winner II Suburban LOS	Winner II Suburban LOS
Propagation Loss (dB)	-103.6	-99.5	-120.12	-122.7	-96.1	-83.6
Clutter Loss ³³⁶ (dB)	0	0	-18.4	-18.4	0	0

Table 5: FCC Analysis of the AT&T Examples

³³² See *supra* para. 125.

³³³ This is consistent with the propagation model we have adopted for the AFC systems. See *supra* para. 66.

³³⁴ See *supra* footnote 297.

³³⁵ Irregular Terrain Model, Point to Point configuration.

Federal Communications Commission					FCC 20-51	
MW Antenna Gain (dB)	43.2	43.2	37.9	38.8	41.3	38.8
MW Antenna Discrimination (dB)	-36	-38	-1.5	-0.9	-38	-40
Feeder Loss (dB)	-2	-2	0	0	-2	0
Building Entry Loss (70T/30E) 50 th Percentile (dB)	-21.4	-21.9	-20.6	-20.6	-23.1	-24.0
Noise (dBm)	-99.0	-99.0	-99.0	-99.0	-99.0	-99.0
Noise Figure (dB)	3	3	3	3	3	3
I/N (dB)	-12.06	-10.46	-15	-16.1	-10.1	-1.06

130. Table 5 shows that when more realistic technical parameters than assumed by AT&T are used, the I/N ratio in all but one case now falls below the conservative -6 dB interference protection benchmark—indicating that there is an insignificant risk of harmful interference in five of these cases, when considering a static link budget analysis.³³⁷ Significantly, because these examples represent cases where the unlicensed devices are close to the microwave receivers or have terrain features that place the unlicensed device squarely in the main beam, they are representative of the worst cases that are likely to occur. Accordingly, they do not serve to rebut the persuasive showing by CableLabs based on a reliable probabilistic assessment derived from measurements associated with hundreds of thousands of actual Wi-Fi APs.

131. In only one case does a static link budget analysis suggest a nontrivial possibility of harmful interference (Case 5), and we do not believe this one case poses a significant potential for actual harmful interference. That is in part because a -6 dB I/N interference protection criterion is a conservative approach to ensuring that the potential for harmful interference is minimized³³⁸ and in part because many statistical factors unaccounted for in this link budget analysis further make the potential for harmful interference much less likely. For example, the I/N ratios in Table 5 do not consider the probability of an access point being co-channel with the microwave receiver. An unlicensed device operating with an 80-megahertz channel bandwidth will have 6.25% probability of operating co-channel with the microwave receiver as shown in Table 6. Another important factor that is not considered in the Table 5 analysis is the activity factor or duty cycle. An interference source with a lower activity factor will have a lower impact than a continuous source.³³⁹ CableLabs presents measurements from 500,000 Wi-Fi APs that show the average weighted activity factor is 0.4% and a similar activity factor is widely used in other simulations.³⁴⁰ Combining the low probability of co-channel operation and low activity

(Continued from previous page) -

³³⁶ Based on ITU-P.452 village center clutter model.

³³⁷ As stated earlier, in using a -6 dB interference protection criterion, we are not making a determination that any signal received with an I/N greater than -6 dB would constitute "harmful interference," and instead use this criterion to ensure that the potential for harmful interference is minimized. See supra para. 71.

³³⁸ See supra para. 71.

³³⁹ For instance, the impact of a 25% duty cycle interference source is 6 dB lower than the same interference source with 100% duty cycle according to TSB 10-F. TIA/EIA, Interference Criteria for Microwave Systems, Telecommunications Systems Bulletin TSB 10-F at F-7.

factor, we conclude that based on a 5 dBm/MHz EIRP, the low power indoor operation will have an insignificant chance of causing harmful interference to the microwave links for any of these six examples (or fixed microwave links more generally).

Table 6: Co-Channel Probabilities for Different Channel Bandwidths

Channel Bandwidth	# of Channels in 6 GHz	# of Channels in 2.4 GHz, U-NII 1 and U-NII 3	Total # of Available Channels	Pr (Co- channel in 6 GHz band)	Channel Bandwidth Distribution	Pr (overlapping)
160 MHz	7	0	7	14.29%	0.3	4.287%
80 MHz	14	2	16	6.25%	0.5	3.125%
40 MHz	29	5	34	2.94%	0.1	0.294%
20 MHz	59	12	71	2.82%	0.1	0.282%

132. CableLabs, Charter, and Comcast advocate that we permit low-power unlicensed devices to operate using 8 dBm/MHz PSD EIRP, arguing that the CableLabs' Study illustrates that harmful interference will not occur to fixed microwave links at this power level.³⁴¹ If the EIRP where increased to 8 dBm/MHz, the I/N ratios for examples 1B, 4, and 5 in Table 5 would recalculate to -7.46 dB, -7.1 dB, and 1.94 dB respectively, which would create a higher risk of harmful interference (although still very low). We also recognize that while the examples analyzed represent some of the worst cases that are likely to occur, the presence of over 47,000 fixed service call signs across the U.S. would suggest that some number of each cited example would occur. As we cannot conduct an analysis for every fixed station and each of their associated link paths, we choose to adopt a conservative 5 dBm/MHz EIRP at this time to enable low-power indoor operations throughout the 6 GHz band with insignificant risk of harmful interference. To explore the potential for additional unlicensed device flexibility, we examine the possibility of higher power in the Further Notice.

CTIA Study. CTIA submitted a technical study—similar to that of AT&T—showing link budgets for five scenarios involving actual microwave links which they contend will experience harmful interference from unlicensed devices in nearby buildings.³⁴² We have conducted a similar analysis of the CTIA study as we did with AT&T's study and arrived at similar results-once one takes into account a more realistic link budget analysis and the effects of a number of probabilistic parameters, the potential of harmful interference to incumbent operations of low-power indoor operations is insignificant.

Southern Company Study. Southern Company also submitted a technical study showing 134. link budgets for multiple points along three different microwave paths.³⁴³ The study sums the power from multiple unlicensed access points at the locations of apartment buildings and businesses to create an aggregate interference level and also presents results assuming there was only one unlicensed access point

(https://www.ofcom.org.uk/ data/assets/pdf file/0038/189848/consultation-spectrum-access-wifi.pdf).

³⁴¹ CableLabs, Charter, Comcast, Cox, Mar. 20, 2020 Ex Parte at 1.

³⁴² CTIA Jan. 24, 2020 Ex Parte. CTIA later submitted five additional scenarios. CTIA Apr. 3, 2020 Ex Parte at 21-23.

³⁴³ Southern Company Jan. 31, 2020 (received Feb 6, 2020) Ex Parte. Excelon also submitted a study that includes a static link budget analysis for a number of their links. Exelon Apr. 16, 2020 Ex Parte. As pointed out throughout the report and order, other static link budget analysis ignore many statistically significant factors associated with unlicensed use of the band.

⁽Continued from previous page)

³⁴⁰ CableLabs *Ex Parte* received Dec. 20, 2019; Apple, Broadcom et al. Jan. 26, 2018 *Ex Parte*, GN Docket No. 17-183 (RKF Study); CEPT ECC Report 302 (https://www.ecodocdb.dk/download/cc03c766-35f8/ECC%20Report%20302.pdf); Ofcom Consultation

FCC 20-51

at each location. The study claims that the probability that the I/N would be greater than -6 dB is very high in many of the locations.344

We do not find the results of this study convincing for a number of reasons.³⁴⁵ The study 135. uses free space as the propagation model which is only appropriate when the access point is very close to the microwave receiver: This is not the case for any of the scenarios in this study.³⁴⁶ Furthermore, an examination of satellite photography of the area traversed by these links shows that these are mostly rural and some suburban locations with abundant tree cover and no high-rise buildings that would rise above the clutter.³⁴⁷ However, the study applies a clutter loss to only a few of the scenarios.³⁴⁸ A more appropriate methodology would have been to either use a propagation model that inherently includes clutter loss (Winner II) or to incorporate clutter loss using statistical clutter model (e.g. ITU-R P.2108). Regarding the aggregate effect of multiple unlicensed devices, this analysis assumes that all of the unlicensed devices are on the same side of the building facing the microwave receivers and transmitting at the same time.³⁴⁹ To evaluate the spectrum sharing potential, including aggregate interference impact, a technical analysis should instead take a statistical approach such as in Monte Carlo simulations so as to probabilistically account for many intertwined phenomena.

CII User Study. The Critical Infrastructure Industry (CII)³⁵⁰ submitted a statistical study 136. that analyzes the potential impact of 6 GHz unlicensed use on the incumbent CII and public safety providers that currently use the band.³⁵¹ The CII study is a Monte Carlo simulation that considers cochannel and adjacent interference from both indoor and outdoor Wi-Fi access points to microwave links in the Houston area. The study assumes that access points can transmit on any channel across the U-NII bands.³⁵² The study concludes that indoor low power (24 dBm) access point deployment would cause all microwave links in the Houston area to experience harmful interference.³⁵³

³⁴⁸ Southern Company Jan. 31, 2020 (received Feb 6, 2020) Ex Parte at 9-11.

³⁵⁰ Edison Electric Institute, the American Gas Association, the American Public Power Association, the American Water Works Association, the National Rural Electric Cooperative Association, the Nuclear Energy Institute, and the Utilities Technology Council.

³⁵¹ Edison Electric Institute Jan. 13, 2020 Ex Parte at 1.

³⁴⁴ Southern Company Jan. 31, 2020 (received Feb 6, 2020) Ex Parte at 9-11.

³⁴⁵ Southern Company argues that a Monte Carlo or other complex statistical approach is irrelevant, as it would arrive at the same result for the case when a single low-power indoor access point interferes with a microwave link. Southern Company Apr. 20, 2020 Ex Parte. We maintain that a static link budget analysis ignores many significant statistical factors associated with unlicensed use of the band, including, for example, co-frequency probability and activity factors.

³⁴⁶ The path lengths ranged from 390 m to 37 km.

³⁴⁷ This satellite photography was found at Google Maps www.google.com/maps.

³⁴⁹ CableLabs Dec. 20, 2019 Ex Parte at 4-5.

³⁵² U-NII-1, U-NII-3, U-NII-5, U-NII-6, U-NII-7, or U-NII-8 bands, for a total of 1425 MHz of bandwidth. Critical Infrastructure Industry Jan. 13, 2020 Ex Parte at 15. Based on the available bandwidth the Study defines a Power Spectral Area Density (PSAD) in the Houston metro is equal to 0.25 W * 1 RLAN / person * 260 person / km² / 1425 megahertz or 45.6 mW/MHz-km². See Edison Electric Institute Jan. 13, 2020 Ex Parte, attachment at 1. The calculated PSAD is used as a starting point in the analysis to calculate the average aggregate interference power and I/N ratio. The study includes building entry loss, Wi-Fi activity factor, and a 0 dBi antenna gain factor for indoor access points. See Id. at 12-13. The propagation model used for the metropolitan Houston analysis is a line-of-sight (LOS) Free-Space Path Loss (FSPL) model (20 dB / decade) for the first kilometer and a modified path loss model (38 dB / decade) for distances beyond 1 km. See Id. at 15

³⁵³ All point-to-point links in the Houston MSA to experience ratios more than 5.46 dB and up to 25.24 dB greater than a -6 dB. See Edison Electric Institute Jan. 13, 2020 Ex Parte Attach. at 21.

FCC 20-51

Apple, Broadcom et al. criticize the CII study contending that there were major mistakes 137. in the underlying assumptions that, once corrected, completely erase any potential for harmful interference.³⁵⁴ For example, they contend that using a more realistic path loss model eliminates any harmful interference predicted from indoor devices.355

138. We generally agree with Apple, Broadcom et al. that the CII study has several critical flaws rendering the conclusions of the study fundamentally flawed and unreliable. Even though it incorporates specific access point behavior into the simulation, including activity factor, transmit speed, and availability of other Wi-Fi bands,³⁵⁶ it also made certain assumptions that significantly detract from its value. For example, it assumes both outdoor operations and power levels that we do not allow for lowpower indoor operations. As another example, in a dense urban environment like that of the city of Houston, the CII study assumes free space propagation path loss for the first kilometer,³⁵⁷ and ignores the impact of buildings, trees, terrain, and other obstructions.³⁵⁸ This assumption ignores real life conditions in Houston. Instead, as we have specified for the AFC systems, a statistical model that considers different environments such as urban, suburban, or rural is more appropriate.³⁵⁹ Without justification,³⁶⁰ the study assumes that all buildings in the Houston areas are of traditional construction, ignoring the normal mix of traditional and thermally efficient construction expected in a 240 km² area.³⁶¹ This assumption leads to a significant underestimation of building entry loss. Among other noteworthy assumptions, the study assumes there is an access point for every man, woman, and child living in the Houston area,³⁶² each watching a 4K video streaming service.³⁶³ Naturally, such assumptions will lead to substantial errors on the order of tens of decibels.364

139. Apple, Broadcom et al. Studies. Apple, Broadcom et al. undertook two technical studies that used typical microwave link characteristics to determine whether indoor unlicensed devices were likely to cause harmful interference to microwave links. They conclude that the typical microwave link characteristics make them unlikely to experience harmful interference.³⁶⁵ One study examined all 292

³⁶¹ Id. at 7.

³⁶² Id. at 14.

³⁵⁴ Apple, Broadcom et al. Feb. 7, 2020 Ex Parte at 10 (correcting the assumptions would reduce the maximum interference from indoor devices to -39.44 dB I/N and reduce the maximum interference from outdoor devices to -35.63 dB I/N). Apple, Broadcom et al. identified several flaws in the CII User Study including oversimplification of RLAN/FS interaction, multiple error in use of pathloss models, overstating the number of access points, overstating the access point activity factor, underestimating building entry loss, failing to properly consider access point antenna patterns. Id. at 3-4, 7-9.

³⁵⁵ Apple, Broadcom et al. Feb. 7, 2020 Ex Parte at 10.

³⁵⁶ See generally Apple, Broadcom et al. Feb. 7, 2020 Ex Parte.

³⁵⁷ Edison Electric Institute Jan. 13, 2020 Ex Parte, attachment at 15.

³⁵⁸ Apple, Broadcom et al. Feb. 7, 2020 *Ex Parte* at 2.

³⁵⁹ This is consistent with the TIA TSB-10 F recommendation regarding use of a statistical propagation model that considers different environments such as medium-small city, large city, or suburban. TIA/EIA, Interference Criteria for Microwave Systems, Telecommunications Systems Bulletin TSB 10-F at F-7.

³⁶⁰ Edison Electric Institute Jan. 13, 2020 *Ex Parte* attachment at 25.

³⁶³ Id. at 13.

³⁶⁴ In response to criticisms raised by Apple, Broadcom et al., Edison Electric Institute submitted additional material that attempts to justify its assumptions and includes an entirely new propagation model. Edison Electric Institute et al. Mar. 20, 2020 Ex Parte. However, this new submission still does not substantively address our concerns or our conclusions.

³⁶⁵ Apple, Broadcom et al. July 31, 2019 Ex Parte; Apple, Broadcom et al. July 5, 2019 Ex Parte.

FCC 20-51

microwave links in the New York City area.³⁶⁶ Combining LIDAR³⁶⁷ data for every high-rise building within the 3 dB main beam of each microwave receiver antenna.³⁶⁸ With a link budget analysis, the study finds that only 2.7% of the paths would experience an I/N greater than -6 dB and the worst case I/N was only -0.47 dB.³⁶⁹ These numbers do not include the activity factor and bandwidth overlap probabilities that would reduce the actual likelihood of interference on these links. Furthermore, this study assumes that the unlicensed devices would have an EIRP of 11 dBm/MHz, which is 6 dB higher than what we are permitting and uses the free space propagation model which makes the results extremely conservative.³⁷⁰ This study largely confirms our analysis that authorizing low-power indoor operations as we do will not create any significant risk of harmful interference.

140. The second study examined the 152 link microwave network of the Los Angeles Department of Water and Power microwave network.³⁷¹ The study finds that of the 39 of these links that could potentially experience an I/N of -6 dB or greater, only four of those links would experience a C/I that indicates their performance has the potential to be degraded.³⁷² However, these studies suffer from many of the same shortcomings as the AT&T study discussed above-in particular not taking into account that the probability of the microwave link and access point are operating on the same channel and the bandwidth mismatch between the two signals.

141. Additional Considerations. We are fully convinced, that as the Monte Carlo simulations involving extensive use of unlicensed devices in the band³⁷³ and our examination of the link budget studies show, fixed microwave links will have an insignificant chance of experiencing harmful interference from indoor low-power unlicensed operations. Further, the non-continuous nature of the transmissions of the most widely used unlicensed systems today, like Wi-Fi makes the occurrence of harmful interference even less likely. And our rule requiring that low-power indoor access points employ a contention-based protocol ensures that none of these unlicensed devices will employ continuous transmissions.³⁷⁴ The data that CableLabs submitted collected from 500,000 Wi-Fi access points shows

³⁶⁹ *Id.* at 2, 12.

³⁷² Id. at 25.

³⁶⁶ Apple, Broadcom et al., July 31, 2019 *Ex Parte* at 2.

³⁶⁷ Light Detection and Ranging (LIDAR) is a technology similar to RADAR that can be used to create highresolution digital elevation models (DEMs) with vertical accuracy as good as 10 cm. LiDAR data includes terrain and clutter information for the geographic area studied. See U.S. Geological Survey at www.usgs.gov.

³⁶⁸ Apple, Broadcom et al. July 31, 2019 *Ex Parte*, at 3.

³⁷⁰ Apple, Broadcom et al. July 31, 2019 *Ex Parte*, at 12.

³⁷¹ Apple, Broadcom et al. July 5, 2019 Ex Parte.

³⁷³ We disagree with the Fixed Wireless Communications Coalition and AT&T which argue that the large number of unlicensed devices anticipated in the 6 GHz should affect this conclusion. Fixed Wireless Communications Coalition May 1, 2019 Ex Parte at 2-3 (contending that deployment of hundreds of millions of devices means that fixed microwave links will receive interference); AT&T Mar. 26, 2020 Ex Parte at 7 (contending that the potential of up to one-billion potentially interfering devices raises the probability of interference). Various Monte Carlo studies assumed a large number of devices transmitting in the 6 GHz band and conclude that there is very little risk of harmful interference occurring to fixed links. For example, ECC Report 302 assumed a population of 768 million devices across the entire EU region (Table 13 in https://www.ecodocdb.dk/download/cc03c766-35f8/ECC%20Report%20302.pdf.). The RKF report also assumed 1 billion 6 GHz capable unlicensed devices in its analysis of deployments in the US (Table 3-1). Both these studies demonstrate that, under realistic deployment scenarios (which of course will not occur immediately but over the course of several years), large numbers of 6 GHz-capable devices do not alter our conclusions regarding the risk of interference to 6 GHz links.

³⁷⁴ CTIA claims our requirement to use a contention-based protocol will not be effective in preventing interference to fixed microwave links because the unlicensed access points will not be able to detect the microwave signals.

⁽continued....)

FCC 20-51

that 95% of access points have an activity factor of less than 2% and only 1% of access points are active more than 7% of the time.³⁷⁵ This illustrates that most of the time a particular access point will not be transmitting.

142. The sporadic and bursty nature of Wi-Fi transmissions is significant for two reasons. First, it illustrates why discussions of aggregate interference from Wi-Fi devices cannot simply add the power received from the individual access points to calculate the received interference. Instead, to more accurately estimate aggregate interference a Monte Carlo simulation which accounts for the intermittent nature of the transmissions should be undertaken.

143 Second, potential degradation of a microwave link will only occur if a deep atmospheric multipath fade occurs at the same time the microwave receiver receives an excessively high powered transmission from an unlicensed device, such that natural losses due to separation distance, clutter, and terrain do not sufficiently diminish the power received from the unlicensed device. Atmospheric multipath fading is caused when stable air masses, such as warm and humid air, lead to stratification of the atmosphere³⁷⁶ and the most prevalent during the 8-hour period after midnight—which does not overlap the 7-11 PM Wi-Fi access point peak usage time.³⁷⁷ The temporal separation between when multipath fading is most likely to occur and when Wi-Fi devices are heavily used means there is low probability that Wi-Fi transmissions will overlap with multipath fading events.³⁷⁸ Thus, because the Wi-Fi access point busy hour is not between the 8-hour period after midnight, we conclude that the likelihood of harmful interference to fixed service microwave links from indoor low power Wi-Fi access points is insignificant.379

The Fixed Wireless Communications Coalition has made the argument that the 144. Commission cannot permit unlicensed devices to cause harmful interference to microwave receivers.³⁸⁰ It points to the Commission's long-standing principle of requiring unlicensed devices to protect licensed services and a 2008 court decision stating that the "the Commission may permit the use of unlicensed devices only when it finds there is not a 'significant potential' for harmful interference to licensed operations.³³⁸¹ It claims that under this standard an unlicensed device need not disrupt licensed communications to cause harmful interference-it need only present a significant potential for

³⁷⁵ CableLabs Dec. 20, 2019 Ex Parte at 4-5 (The weighted average activity factor is 0.4%).

³⁷⁶ See George Kizer, Digital Microwave Communication, 321-324 (2013).

³⁷⁷ Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 14-15; Apple, Broadcom et al. Oct. 7, 2019 Ex Parte at 7; See also TIA/EIA, Interference Criteria for Microwave Systems, Telecommunications Systems Bulletin TSB10-F at F-7.

³⁷⁸ This assertion is corroborated by TSB 10-F, which shows an example that only considers the 8-hour period after midnight of significant consequence when considering spectrum sharing between the Personal Communications Services and Private Operation-Fixed Microwave Service. TIA/EIA, Interference Criteria for Microwave Systems, Telecommunications Systems Bulletin TSB10-F at F-7.

³⁷⁹ We are cognizant of the Fixed Wireless Communications Coalition's claim that microwave links have no excess fade margin and that harmful interference will reduce the reliability of the microwave link. Because we have concluded based on the technical studies that harmful interference will not occur, permitting low-power indoor unlicensed devices will not reduce the reliability of the microwave links. Fixed Wireless Communications Coalition Nov. 21, 2019 Ex Parte at 3.

³⁸⁰ Fixed Wireless Communications Coalition Reply at 7-8.

³⁸¹ Fixed Wireless Communications Coalition May 29, 2019 Ex Parte at 3 (citing American Radio Relay League, Inc. v. FCC, 524 F.3d 227, 234-35 (D.C. Cir. 2008)).

⁽Continued from previous page)

CTIA Apr. 14, 2020 Ex Parte at 20. Although indoor unlicensed devices may not always be able to detect the presence of microwave signals, the contention-based protocol requirement will still help prevent interference by ensuring that unlicensed devices do not transmit continuously.

FCC 20-51

disruption.³⁸² It claims that the critical safety services carried by microwave links call for a stringent harmful interference standard and that if unlicensed devices do cause actual and harmful interference there will be no way to recall them.³⁸³

145. We disagree with the Fixed Wireless Communications Coalition to the extent that it implies that our obligation regarding harmful interference from unlicensed devices goes beyond what is enumerated in our rules. The requirements for unlicensed operation requirements codified in Part 15 applies to a wide variety of emissions and devices. When adopting Part 15 rules that apply to a particular band or application (e.g. level probing radars, U-NII devices, etc.), the Commission considers the particular technical and operational parameters necessary to minimize the potential for harmful interference to authorized services in that particular situation and acts accordingly. Thus, while as general matter harmful interference is defined as "[a]ny emission, radiation or induction that endangers the functioning of a radio navigation service or of other safety services or seriously degrades, obstructs or repeatedly interrupts a radiocommunications service operating in accordance with this chapter,"384 the Part 15 rules apply this criteria on a case by case basis for different bands after careful consideration of the incumbent services in each band that ensures such harmful interference is unlikely to occur. We take the same approach here: the technical and operational limits we are adopting in this proceeding ensure that unlicensed devices will not have a significant potential for causing harmful interference to the users authorized to operate in the 6 GHz band. As the Fixed Wireless Communications Coalition admits, it is the Commission and not the parties who determines what degree of interference constitutes harmful interference.385

In a similar vein, AT&T contends that the Communications Act and the Commission's 146. rules generally prohibit the Commission from authorizing a service or type of unlicensed operation that can cause harmful interference, regardless of whether the probability of such interference is low.³⁸⁶ The Commission, however, is not required to refrain from authorizing services or unlicensed operations whenever there is any possibility of harmful interference. Indeed, such a prohibition would rule out virtually all services and unlicensed operations, given that there is virtually no type of RF-emitting device that does not have the potential for causing such interference if used incorrectly. NCTA notes that the Commission may promulgate rules for unlicensed operations in bands occupied by other users so long as unlicensed devices do not "transmit[] enough energy to have a significant potential for causing harmful interference."387 In rulemakings, the Commission may authorize operations in a manner that reduces the possibility of harmful interference to the minimum that the public interest requires, and it will then authorize the service or unlicensed use to the extent that such authorization is otherwise in the public interest.³⁸⁸ We have determined that the restrictions and requirements that we are establishing for indoor use of low power access points eliminates any significant risk of causing harmful interference.

³⁸⁵ Fixed Wireless Communications Coalition Oct. 31, 2019 Ex Parte at 5.

³⁸⁶ AT&T Mar. 26, 2020 Ex Parte.

³⁸⁷ NCTA Apr. 15, 2020 Ex Parte at 2 (citing sections 301 and 302 of the Communications Act and quoting American Radio Relay League, Inc. v. FCC, 524 F.3d 227, 234-35 (D.C. Cir. 2008)).

³⁸⁸ See, e.g., Amendment of Part 15 of the Commission's Rules for Unlicensed Operations in the Television Bands, et al., and Amendment of Part 74 of the Commission's Rules for Low Power Auxiliary Stations, 30 FCC Rcd 9551, 9562-64, paras. 28-32 (2015) (authorizing expanded unlicensed operations of fixed white space devices where potential of causing harmful interference to TV reception would be minimized, while still providing increased opportunities for the provision of unlicensed service); Amendment of Part 15 regarding New Requirements and Measurement Guidelines for Access Broadband over Power Line (BPL) Systems, 26 FCC Rcd 15712, 15719-20 (2011) (despite "some potential for increased harmful interference from BPL," establishing "a regime of rules for

³⁸² Fixed Wireless Communications Coalition Oct. 31, 2019 Ex Parte at 11.

³⁸³ Id. at 12.

³⁸⁴ 47 CFR § 15.3(m).

⁽continued....)

FCC 20-51

AT&T, CTIA, and other representatives of incumbent fixed microwave services also 147. express concern that even if the Commission concludes that the probability of harmful interference from indoor low-power operations is low, harmful interference nonetheless may occur, and the Order does not go far enough to ensuring that to the extent low-power device(s) actually cause harmful interference to incumbent operations, the interfering devices can be identified and the operation cease.³⁸⁹ Both AT&T and CTIA advocate use of an AFC system to address these concerns, and reference examples of unlicensed frameworks under Part 15, such as the rules for White Spaces and for the Spectrum Access System (SAS) in the Citizen's Band Radio Service, in which database systems are used that can enable operations³⁹⁰ to be discontinued if they are causing harmful interference on particular frequencies.³⁹¹ While in certain bands the Commission has required database use, for other bands the Part 15 rules have no such requirement. Of particular relevance here, there is no spectrum management system in the 2400-2483.5 MHz band, where unlicensed devices share spectrum with the incumbent broadcast auxiliary service licensees and operate at higher powers than the indoor low-power access points we are authorizing in this Report and Order.³⁹² Nor are there such requirements in the 5 GHz band, which includes sensitive incumbent operations³⁹³ and where the unlicensed operations are similar to the kinds of low-power operations we anticipate in the 6 GHz band. Wi-Fi devices have been deployed in these bands in abundance for well over 20 years, and we expect that the deployment of 6 GHz devices-the number and type of devices—will resemble the deployment of devices in these other bands, where instances of harmful interference have been effectively identified and addressed.

We also disagree with CTIA's contention that our rules will be ineffective in keeping the 148 low-power indoor devices from being used outdoors.³⁹⁴ The Commission's Part 15 rules prohibited outdoor operation in the U-NII-1 band from 1997 until 2014 and currently prohibit outdoor operation for

Access BPL systems that will provide a robust environment for the development and deployment of this important new technology option for delivery of broadband internet/data services while at the same time minimizing the potential for interference to licensed services caused by leakage from power lines of the RF energy used by BPL transmissions operations"), remanded on other grounds, American Radio Relay League, Inc. v. FCC, 524 F.3d 227, 234-35 (D.C. Cir. 2008) (recognizing longstanding Commission interpretation of section 301 "to allow the unlicensed operation of a device that emits radio frequency energy as long as it does not 'transmit[] enough energy to have a significant potential for causing harmful interference' to licensed radio operators") (citing Revision of Part 15 of the Commission's Rules Regarding Ultra-Wideband Transmission Systems, 19 FCC Rcd 24558, 24589 & n.179 (2004)).

³⁸⁹ AT&T Mar. 26, 2020 Ex Parte at 4-6 (citing 47 C.F.R § 15.5(b)-(c)); CTIA Apr. 14, 2020 Ex Parte at 3-7 (a low probability of harmful interference without an effective mechanism to promptly track and root out such interference is not acceptable; also citing 47 C.F.R § 15.5(b)-c)).

³⁹⁰ While U-NII devices under Part 15 operate on an unlicensed basis, General Authorized Access devices under the Citizens Broadband Radio Service are authorized in a license by rule basis.

³⁹¹ AT&T Mar. 26, 2020 Ex Parte at 2, 5-6 (citing Amendment of the Commission's Rules for Unlicensed Operations in the Television Bands, Report and Order, 30 FCC Rcd 9551, 9605 (2015) (White Spaces Report and Order); Amendment of Part 15 Regarding New Requirements and Measurement Guidelines for Access Broadband over Power Line Sys., Report and Order, 19 FCC Rcd 21265, 21275-76 (2004) (Access BPL Report and Order)); CTIA Apr. 14, 2020 Ex Parte at 1, 4-6 (citing White Spaces Report and Order, 30 FCC Rcd at 9605; Amendment of the Commission's Rules with Regard to Commercial Operations in the 3550-3650 MHz Band, Report and Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959, 4028 (2015); Access BPL Report and Order, 19 FCC Rcd at 21291-96).

³⁹² 47 CFR §§ 15.247, 15.249, 74.602(a).

³⁹³ 47 CFR § 2.106. For example, the 5650-5925 MHz band is allocated to federal radiolocation services on a primary basis and is restricted to military services.

³⁹⁴ CTIA Apr. 14, 2020 Ex Parte at 14-16.

⁽Continued from previous page)

FCC 20-51

unlicensed devices in the 92-95 GHz band and many ultra-wideband devices.³⁹⁵ As outdoor operation of these indoor devices has not been a problem, the Commission's rules restricting devices to indoors cannot be categorized as ineffective. None of these existing and previous rules contain all of the restrictions we are adopting here to discourage outdoor use.³⁹⁶ As in the rules for those operations, we conclude here that the technical and operational rules we adopt will be sufficient to protect incumbent operations.

149 We disagree with AT&T's and CTIA's views about the likelihood of harmful interference, and in the unlikely event that harmful interference does occur, our Part 15 rules in section 15.5 (b)-(c) require that such operations cease, and the Commission's Enforcement Bureau has the ability to investigate reports of such interference and take appropriate enforcement action as necessary.³⁹⁷ Also, as AT&T correctly points out, once interference to a protected service crosses the relevant threshold specified in section 15.3(m) for harmful interference, it is immediately actionable for enforcement purposes.³⁹⁸ Any user causing interference may be required to cease operating the U-NII device, even if the device in use was properly certified and configured, and will not be permitted to resume operation until the condition causing the harmful interference has been corrected.³⁹⁹

Here, as always, we focus on identifying and protecting against actual-use cases; were we 150. to act on every unrealistic or contrived situation that purports to show the potential for harmful interference, our rules would allow for few or no opportunities for sharing between unlicensed devices and licensed services; sharing that has allowed Wi-Fi to prosper along with continued licensed spectrum use. We emphasize, however, that under our long-established rules, Part 15 devices are not permitted to cause harmful interference.⁴⁰⁰ This fundamental principle stands regardless of the particular band- and application-specific rules that we adopt.

h **Mobile Services**

151. The 6 GHz band Mobile service allocation is limited to the U-NII-6 and U-NII-8 bands. In these bands, the mobile service incumbents operate electronic news gathering and other Part 74 broadcast auxiliary services, as well as Part 78 Cable Television Relay Service, and Part 101 Local Television Transmission Service.⁴⁰¹ Incumbents operate portable camera relays to "jumbotron" screens

³⁹⁸ AT&T Mar. 26, 2020 Ex Parte at 3; 47 C.F.R. § 15.3(m).

400 47 CFR § 15.5(b).

³⁹⁵ Amendment of the Commission's Rules to Provide for Operation of Unlicensed NII Devices in the 5 GHz Range, 12 FCC Rcd 1576, 1595, para. 44 (1997); Revision of Part 15 of the Commission's Rules to Permit Unlicensed National Information Infrastructure (U-NII) Devices in the 5 GHz Band, 29 FCC Rcd 4127, 4237, para. 34 (2014); 47 CFR §§15.257, 15.517(a).

³⁹⁶ The ultra-wideband and 92-95 GHz devices that are restricted to indoor use must have a warning label and be capable of operating only indoors, which can be demonstrated if the transmitter must be connected to AC power lines. 47 CFR §§ 15.257(a)(1), (4); 15.517(a)(1), (f).

³⁹⁷ See, e.g., Notification of Harmful Interference, Victor Rosario, EB-FIELDNER-17-00025658 (EB Feb. 15, 2018). (EB confirmed by direction finding techniques that radio emissions emanating from an Antiminer's Bitcoin Miner in use at a residence were causing harmful interference to T-Mobile's 700 MHz LTE network). Enforcement Bureau field agents use fixed, vehicular-mounted, and portable commercial and specialized spectrum monitoring equipment to conduct investigations and carry out interference resolution and enforcement activities. The Enforcement Bureau works with entities at the federal, state, county, and local levels of government to resolve interference.

³⁹⁹ Under section 15.5(b) of the Commission's rules, operation of an intentional, unintentional, or incidental radiator is subject to the conditions that no harmful interference is caused and that interference must be accepted, and the operator of a radio frequency device shall be required to cease operating the device upon notification by a Commission representative that the device is causing harmful interference. Operation shall not resume until the condition causing the harmful interference has been corrected. 47 C.F.R. 15.5(b).

⁴⁰¹ Society of Broadcast Engineers Comments at 3.

FCC 20-51

for major sporting events at stadiums and arenas, and at musical concerts at large venues, indoors and outdoors; use the spectrum bands for video relay to production trucks at news events; and for video signal multi-hop mobile relay from newsworthy events to either a satellite news truck, a fixed receive site or a temporary relay site.⁴⁰² Low Power Auxiliary Stations, also licensed in the U-NII-8 band, operate on an itinerant basis and transmit over distances of approximately 100 meters for uses such as wireless microphones, cue and control communications, and TV camera synchronization signals.⁴⁰³ Additional terrestrial uses of the band include short range video relay for video production at automobile and sailboat racing event, political conventions and golf tournaments.⁴⁰⁴ Because of the nature of their use-breaking news, event coverage, etc.--the use of particular portions of this band by these auxiliary services is unpredictable.

152. NAB opposes allowing indoor unlicensed operations in the bands where there are broadcast auxiliary service operations (U-NII-6 and U-NII-8), unless a "robust, reliable mechanism is developed to coordinate" the unlicensed operations with the licensed uses.⁴⁰⁵ To support of its position, NAB submitted a study which evaluates the impact of indoor and outdoor⁴⁰⁶ unlicensed operations in the U-NII-6 and U-NII-8 bands in three different use scenarios: (i) an electronic news gathering truck transmitting to a central receive site; (ii) portable cameras transmitting to an outdoor electronic news gathering truck receive site; and (iii) portable cameras transmitting to an indoor receive site.⁴⁰⁷

153. NAB is the only advocate for mobile operations in U-NII-6 and U-NII-8 bands to submit a detailed technical study. NAB's study focuses on mobile electronic news gathering operations in the band but we believe the results of their study can be extrapolated to Cable Television Relay Service operations, which are similar to broadcast auxiliary service.⁴⁰⁸ Additionally, many Local Television Transmission Service are classified as mobile stations and often operate at temporary fixed locations.⁴⁰⁹ NAB uses statistical Monte Carlo simulation to determine the interference potential to the electronic news gathering uses. The NAB study uses LiDAR data⁴¹⁰ to predict line-of-sight between indoor unlicensed access points placed at a height of 1.5 meters, and electronic news gathering receive sites.⁴¹¹ The study assumes only indoor locations where line-of-sight is predicted between the electronic news gathering receiver and a point outside the building, assumes 23 dBm for unlicensed device power in the direction of the receiver,⁴¹² and uses a co-channel operation probability distribution based on low power indoor

⁴⁰² Society of Broadcast Engineers Comments at 2.

^{403 47} CFR § 74 Subpart H.

⁴⁰⁴ Society of Broadcast Engineers Feb. 18, 2020 *Ex Parte* at 3.

⁴⁰⁵ NAB Comments at 2.

⁴⁰⁶ For purposes of this Report and Order, we will not be addressing outdoor unlicensed operations in these bands since we are not considering adopting such rules.

⁴⁰⁷ NAB Dec. 5, 2019 *Ex Parte*.

⁴⁰⁸ 47 CFR § 78.5(a) Cable Television Relay Service definition: A fixed or mobile station used for the transmission of television and related audio signals, signals of standard and FM broadcast stations, signals of instructional television fixed stations, and cablecasting from the point of reception to a terminal point from the point of reception to a terminal point from which the signals are distributed to the public.

^{409 47} CFR § 101.815. A survey of ULS assignments in the LTTS service conducted on 3/24/2020 found that 104 out of 108 assignments had areas of operation rather than a fixed location.

⁴¹⁰ LiDAR data includes terrain and clutter information for the geographic area studied.

⁴¹¹ NAB Dec. 5, 2019 Ex Parte at 6.

⁴¹² 23 dBm EIRP is 1 dB lower than the maximum power level we are approving for indoor use.

FCC 20-51

devices in the 6 GHz band being restricted to operate in U-NII-6 and U-NII-8.⁴¹³ The NAB study uses the free space path loss propagation model between the building facade and the electronic news gathering receiver, building entry loss based on a mix of 70% traditional and 30% energy efficient building types,414 a conservative $I/N \le -10$ dB interference criterion, and two activity factors (0.44% and 10%).⁴¹⁵ NAB predicts interference for each use scenario, which it claims could result in degradation or complete loss of electronic news gathering video signals.416

154. Though the NAB study provides some valuable information about the potential risk of harmful interference to electronic news gathering receive sites, we disagree with certain of its assumptions. We disagree with NAB's use of free-space path loss for all paths based on a predicted percentage of area that is line-of-sight when in fact unlicensed devices will be randomly located and could very well be in areas of buildings without line-of-sight to the electronic news gathering receiver. Under more realistic conditions, we note that NAB's use of a -10 dB I/N benchmark is rarely exceeded in the electronic news gathering truck receiver case. As discussed earlier, we disagree with its use of I/N = -10 dB as a metric for evaluating probability of harmful interference—and we note that the use of a conservative but more reasonable -6 dB^{417} would show much less likelihood of any potential for harmful interference. And taking into account the power-level and contention-based protocol limitations we adopt would show even less likelihood of harmful interference.

155. Apple, Broadcom et al. also used LiDAR data to assess line of sight probability in the same scenarios as NAB's study and concludes that a clear line-of-sight is rare, even in places where NAB claimed that as much as 90 to 100% of the population would have line-of-sight.⁴¹⁸ NAB disagrees, and in response submitted a picture from the base of one of their electronic news gathering central receive locations showing a view in one direction of the surrounding area.⁴¹⁹ However, Apple, Broadcom et al. additionally points out that although free-space propagation may be appropriate in some locations, the average propagation loss is best approximated by an appropriate urban propagation model, which would result in far greater propagation loss due to clutter, multipath effects, and other sources of attenuation.⁴²⁰ We agree with Apple, Broadcom et al. that the average propagation loss from randomly placed unlicensed devices is better approximated with an urban propagation model.

NAB used two specific activity factors, 0.44% and 10%, where the higher activity factor 156. scenario shows a much higher probability of exceeding their conservative I/N threshold than the lower activity factor scenario. In contrast, CableLabs submitted a technical study of the potential for interference between indoor unlicensed devices and broadcast auxiliary service receivers⁴²¹ which uses

⁴¹³ NAB Dec. 5, 2019 Ex Parte Table 10 at 22. The Notice originally proposed restricting low power indoor use to U-NII-6 and U-NII-8 bands and sought comment on low power indoor use in U-NII-5 and U-NII-7 bands. See Notice at § C.

⁴¹⁴ NAB used ITU Recommendation P.2109 to calculate the appropriate building entry loss.

⁴¹⁵ NAB Dec. 5, 2019 *Ex Parte* at 23.

⁴¹⁶ NAB Dec. 5, 2019 *Ex Parte* at (i).

⁴¹⁷ See supra at para. 71.

⁴¹⁸ Apple, Broadcom et al. Feb. 28, 2020 Ex Parte at 5.

⁴¹⁹ NAB Mar. 23, 2020 Ex Parte at 5-6.

⁴²⁰ Apple, Broadcom et al. Jan. 14, 2020 Ex Parte at 2.

⁴²¹ CableLabs Feb. 21, 2020 Ex Parte.

two distributions of activity factors based on empirical data collected from over 500,000 Wi-Fi users with weighted airtime utilizations of 0.4 and 4%.422

NAB's study includes co-channel operation probability in its statistical study but bases 157. this probability on unlicensed devices being restricted to the U-NII-6 and U-NII-8 bands. NAB's assumption increases the probability of co-channel operations and thus, over predicts the potential for harmful interference to electronic news gathering operations.⁴²³

Finally, NAB requests that we do not authorize low power indoor operations in the U-158 NII-6 band altogether or alternatively to reserve 80 megahertz in the upper U-NII-8 band for ENG use only.⁴²⁴ As discussed below, we find that low-power indoor operations will have little potential of causing harmful interference to ENG operations and decline to take this action. Moreover, eliminating the spectrum available for 6 GHz unlicensed devices could have the unintended effect of actually increasing the potential interference to other users as more unlicensed devices would have access to fewer channels.425

159. Outdoor electronic news gathering central receive sites. At the higher activity factor, NAB's study predicts that indoor unlicensed devices will cause near continuous aggregate I/N above -10 dB at the electronic news gathering central receive sites studied.426

For the reasons outlined above, we believe NAB's study overstates the potential of 160. exceeding its chosen I/N criterion of -10 dB and therefore also overstates the likelihood of exceeding the conservative and sufficiently protective I/N value of -6 dB. Apple, Broadcom et al. submitted a statistical study of the same scenarios but based on a combination of WINNER II and Irregular Terrain Model with the P.2108 propagation models.⁴²⁷ The Apple, Broadcom et al. study considers two activity factors and a 70/30 mix of building entry loss based on ITU Recommendation P.2109.⁴²⁸ The Apple, Broadcom et al. results indicate that aggregate signal level from indoor unlicensed devices will exceed a level 6 dB below the electronic news gathering central site receiver noise floor only 0.1% of the time. Thus, concluding that there is a negligible risk of harmful interference.⁴²⁹ We find that the Apple, Broadcom et al. study uses more appropriate propagation models and therefore more accurately represents the risk of harmful interference from indoor unlicensed devices to electronic news gathering central receive sites and find that risk to be insignificant.

Interference to electronic news gathering truck receivers. Results of NAB's own study 161. show that at the lower activity factor of 0.44% indoor unlicensed devices are unlikely to cause the I/N to

⁴²⁴ NAB Apr. 10, 2020 *Ex Parte* at 2.

⁴²⁶ NAB Dec. 5, 2019 *Ex Parte* at 46.

⁴²⁷ Apple, Broadcom et al. Feb. 28, 2020 Ex Parte; Apple, Broadcom et al. Mar. 9, 2020 Ex Parte. WINNER II model at distances less than 1 kilometer and Irregular Terrain Model at distances greater than 1 kilometer.

⁴²⁸ Apple, Broadcom et al., considered one "high utilization" device with an activity factor of 0.44% and nine "low utilization" devices with an activity factor of 0.00022% per person. They also studied the impact of aggregate interference seen by the electronic news gathering receiver if the activity factor increases 10 times. The risk of exceeding I/N = -6 increased from 0.1% to approximately 1% across the electronic news gathering central receive sites studied. Apple, Broadcom et al. Mar. 9, 2020 Ex Parte.

⁴²⁹ Apple, Broadcom et al. Feb. 28, 2020 Ex Parte at 4.

⁴²² CableLabs Feb. 21, 2020 Ex Parte at 3, 22. This distribution of activity factors has weighted average of 0.4% but includes activity factors up to 100%. CableLabs also increased the distribution of activity by an order of magnitude to 4.0%.

⁴²³ NAB Dec. 5, 2019 Ex Parte Table 10 22.

⁴²⁵ For example, eliminating access to 80-megahertz would eliminate one 160-megahertz channel reducing the number of such channels available from 7 to 6 or by 14.3%.

FCC 20-51

exceed -10 dB. At the 10% activity factor, the electronic news gathering truck receiver results showed that between 0.2 and 49.8% of the time the aggregate I/N exceeds the -10 dB I/N threshold.⁴³⁰ CableLabs' empirical activity factor data show a weighted distribution of 0.4%.⁴³¹ We conclude that it is highly unrealistic to assume that every unlicensed device in an area surrounding an electronic news gathering truck will be transmitting at the high 10% activity factor.

The NAB study also concludes that the level of unwanted signal seen by the electronic 162. news gathering truck receiver is dependent on the relationship between the height of the unlicensed device, the height of the electronic news gathering antenna and the height of the surrounding environment.⁴³² The same relationship between local environment and antenna heights will exist for the desired link between the electronic news gathering transmitter and truck mounted receiver, except the electronic news gathering link can be planned and the electronic news gathering truck can be positioned to achieve the best possible signal between transmitter and receiver. Given the sensitivity of potential interference to geometry coupled with NAB's unrealistic assumption that every unlicensed device in an area surrounding an electronic news gathering truck will be transmitting at the high activity factor, we conclude that the potential for harmful interference (using a more appropriate -6 dB threshold) is again insignificant for the scenario indicated.

CableLabs and Apple, Broadcom et al. both submitted studies indicating that potential for 163. harmful interference from indoor unlicensed devices to outdoor electronic news gathering truck receivers will be unlikely. CableLabs describes two intensive operational scenarios where electronic news gathering operations and unlicensed device operation may be present; an indoor case, examining Grand Central Station's main hall and an outdoor case, involving Macy's Thanksgiving Day Parade.⁴³³ The CableLabs' study uses a 10 dB signal-to-interference-plus-noise as the relevant figure of merit.⁴³⁴ CableLabs studied paths from both indoor and outdoor camera-back transmitters to an outdoor electronic news gathering receiver and found very low probability that the signal-to-interference-plus-noise of the electronic news gathering link would ever be less than 10 dB.435 CableLabs' Broadcast Auxiliary Service study claims that throughout the millions of simulations conducted, "in nearly all cases, broadcast auxiliary service link quality was maintained at levels sufficient to deliver high-quality video."436 CableLabs also studied the sensitivity of their results to increases in activity factor, decreases in building entry loss and increases in unlicensed device EIRP and found in all cases that the probability of signal-tointerference-plus-noise falling below 10 dB was negligible.437

⁴³³ CableLabs Feb. 21, 2020 Ex Parte at 3.

⁴³⁴ CableLabs Feb. 21, 2010 Ex Parte at 3.

⁴³⁰ NAB Dec. 5, 2019 Ex Parte Table 12. For electronic news gathering truck receivers when activity factor is 0.44%, between 0.0 and 2.8% of the Monte Carlo samples showed aggregate I/N from indoor devices above -10 dB, depending on the azimuth of the electronic news gathering receive antenna. When the activity factor was increased to 10%, the percentage of time where the Monte Carlo samples showed aggregate I/N above -10 dB varied between 0.2 and 49.8%, again depending on the azimuth and height of the electronic news gathering receive antenna.

⁴³¹ CableLabs Feb. 21, 2020 Ex Parte at 3, 22. This distribution of activity factors has weighted average of 0.4% but includes activity factors up to 100%. CableLabs also increased the distribution of activity by an order of magnitude to 4.0%.

⁴³² NAB Dec. 5, 2019 *Ex Parte* at 46.

⁴³⁵ Cable Labs Feb. 21, 2020 Ex Parte 2/21/20. CableLabs assumes WINNER II LOS model and a fixed 10 dB Building Entry Loss for indoor to outdoor scenarios, otherwise it assumes a 10 to 30 dB building entry loss for outdoor camera-back to outdoor receiver.

⁴³⁶ CableLabs Feb. 21, 2020 Ex Parte at 4 (claiming that broadcast auxiliary service SINR remained above 10dB in at least 99.9991% of cases [...] including under aggressive Wi-Fi parameters with higher Wi-Fi activity and stronger propagation than typical).

⁴³⁷ Charter Communications, CableLabs Feb. 21, 2020 Ex Parte: CableLabs Mar. 9, 2020 Ex Parte.

FCC 20-51

164. Broadcom similarly finds that camera-back transmitters deliver high quality video to electronic news gathering trucks at signal-to-interference-plus-noise ratios of 10 dB or greater.⁴³⁸ Broadcom finds that for a 10% activity factor the electronic news gathering link required a signal-tointerference-plus-noise of between 2 and 9 dB to maintain a bit error rate less than 1e-8 and deliver high quality video.⁴³⁹ Apple, Broadcom et al. studied a camera-back transmitter located in the DC Metropolitan Police Department headquarters transmitting to an electronic news gathering truck receiver on the street.⁴⁴⁰ This study looked at the signal-to-interference-plus-noise at the electronic news gathering receiver based on four nearby indoor unlicensed devices.⁴⁴¹ Apple, Broadcom et al., found that the worst case signal-to-interference-plus-noise was 18 dB.442

165. NAB objects to the use of signal-to-interference-plus-noise instead of an I/N criterion for protecting against the potential for harmful interference.⁴⁴³ It states that electronic news gathering systems are opportunistic and, unlike fixed point-to-point links, are not engineered for reliability and often operate at SNRs below 10 dB.444 NAB points out that electronic news gathering signals vary in a random fashion, typically as a result of multipath propagation caused by moving objects in the environment.445

We agree with CableLabs' and Apple, Broadcom et al.'s findings, that the risk of harmful 166. interference to outdoor electronic news gathering receivers from indoor unlicensed devices is negligible. We note that the same conditions that cause signal variations in the electronic news gathering signal will also act upon a signal from an unlicensed device. CableLabs states that 10 dB signal-to-interference-plusnoise provides an accurate basis for determining the impact of unlicensed indoor devices on broadcast auxiliary service signals.⁴⁴⁶ Apple, Broadcom et al. asserts "[n]ews truck operators will be able to improve their link budgets by slightly adjusting the positions of their trucks or shooting locations."447 We also note that both Apple, Broadcom et al. and CableLabs' studies assume a maximum of 30 dBm EIRP with at least an 8 dBm/MHz PSD, and we are permitting indoor unlicensed devices to transmit with only a maximum 5 dBm/MHz PSD. This 3 dB variance further reduces the probability of harmful interference to electronic news gathering trucks from unlicensed devices.448

⁴⁴⁴ Id.

⁴⁴⁵ *Id*.

⁴⁴⁷ Apple, Broadcom et al. Feb. 28, 2020 Ex Parte at 10.

⁴³⁸ Broadcom Mar. 10, 2020 *Ex Parte*. Broadcom tested interference signals with a duty cycle of 1, 2, 10 and 93% at various electronic news gathering code rates and in 8 and 10 MHz bandwidths. At 10% duty cycle worst case SINR was 9 dB.

⁴³⁹ According to CableLabs, 10 dB is a conservative SINR value derived from receiver sensitivity in Vislink spec sheets and ETSI ES 202 239. CableLabs, Charter Feb. 21, 2020 Ex Parte at 8. This value is also supported by Broadcom. Broadcom Feb. 28, 2020 Ex Parte.

⁴⁴⁰ Apple, Broadcom et al. Feb. 28, 2020 *Ex Parte* at 9.

⁴⁴¹ Apple, Broadcom et al. Mar. 9, 2020 *Ex Parte*: Apple, Broadcom et al. Feb. 20, 2020 *Ex Parte*.

⁴⁴² Apple, Broadcom et al. Mar. 9, 2019 Ex Parte Attach. at 5.

⁴⁴³ See NAB Mar. 23, 2020 Ex Parte at 4.

⁴⁴⁶ CableLabs Feb. 21, 2020 Ex Parte at 3.

⁴⁴⁸ Although NAB agrees that contention-based protocols will likely help mitigate the potential for interference to indoor ENG users, it remains concerned that these protocols will not provide effective protection for outdoor ENG operations due to the "hidden node" problem presented by passive ENG truck receivers. NAB Apr. 10, 2020 Ex Parte at 3-4. We disagree. Based on the record, outdoor ENG operations that do not transmit would only be likely to receive harmful interference from access points in close proximity. But we cannot adduce a situation in which an indoor low-power access point would in fact be in such close proximity to a "hidden node," which by NAB's own (continued....)

USCA Case #20-1216

Federal Communications Commission

FCC 20-51

167. Interference to indoor electronic news gathering receivers. The final scenario studied by NAB is communication between indoor electronic news gathering transmitters, such as microphones and camera-back transmitters, and indoor electronic news gathering receivers. Although the Wi-Fi Alliance seeks to dismiss these concerns by pointing out that venue operators can exercise some control to manage the facility's radio frequency environment by either shielding licensed devices or disabling the 6 GHz unlicensed band in the access point settings,⁴⁴⁹ NAB disputes this, pointing out that frequency coordination for large venues is accomplished via a hired frequency coordinator and not by the venue operator.⁴⁵⁰ NAB adds that large venues do not plan for mobile phone usage with embedded wireless hotspots.451

We agree with NAB that such a scenario would present some risk of harmful interference 168. without all of the constraints that we adopt today. However, we are not permitting client devices to be used as hotspots⁴⁵² and we are requiring 6 GHz unlicensed devices to use a contention-based protocol.⁴⁵³ We conclude that such a protocol will allow unlicensed devices to sense the energy from nearby indoor licensed operations and avoid using that channel. Apple, Broadcom et al. points out that the 802.11 specification dictates that devices sense the energy in the channel and not transmit if they detect energy at a level greater than -62 dBm.⁴⁵⁴ To confirm that energy sensing could be used to mitigate interference to indoor electronic news gathering receivers, Apple, Broadcom et al. simulated the receive power level from electronic news gathering transmitters at 20 unlicensed access points operating within the US House of Representatives chamber. The results of this simulation demonstrate that, even at the lowest electronic news gathering transmit power level, all unlicensed access points would detect the electronic news gathering signal at greater than -62 dBm and therefore not transmit co-channel.⁴⁵⁵ While we are not requiring a specific technology protocol or contention method, we conclude the results of the Apple, Broadcom et al. study show the likely potential of contention-based protocols to protect indoor mobile links, including electronic news gathering and Low Power Auxiliary Stations. Thus, we conclude that the risk of harmful interference to indoor electronic news gathering receivers from indoor unlicensed devices is insignificant.456

(Continued from previous page)

⁴⁴⁹ Wi-Fi Alliance Comments at 15.

⁴⁵⁰ NAB Mar. 23, 2020 *Ex Parte* at 3.

⁴⁵¹ *Id*.

⁴⁵² See Technical Rules 15.407(d)(5).

⁴⁵³ See Technical Rules 15.407(d)(7).

⁴⁵⁴ Apple, Broadcom et al. Feb. 28, 2020, Ex Parte at 11.

⁴⁵⁵ Apple, Broadcom et al. Feb. 28, 2020, *Ex Parte* at 13.

admission are outdoor ENG truck receivers-protected both by building entry loss as well as physical distance. In other words, we have already found the likelihood of harm to ENG operations to be insignificant for most ENG operations, and the contention-based protocol we adopt is designed to address the corner case indoor operations where the risk of harmful interference is otherwise significant enough for us to recognize.

⁴⁵⁶ For this study, NAB assumes that all indoor unlicensed devices are 6 GHz capable—and using 6 GHz. NAB Dec. 5, 2019 Ex Parte at 37. Although we don't dispute the first consideration, we also expect that most, if not all, unlicensed devices that operate in the 6 GHz band will also have capabilities to operate in other unlicensed bands. To manage the RF environment, we expect that unlicensed devices will take advantage of all the available bands so that any single portion of the spectrum should not be overly concentrated with transmitters.

FCC 20-51

Fixed-Satellite Services c.

169. The entire 6 GHz band is also home to a FSS allocation (Earth-to-space), while U-NII-8 has a few space-to-Earth MSS feeder downlinks.⁴⁵⁷ In the Notice we concluded that interference to satellite stations from low power indoor operations would not be a problem due to the low power and indoor restriction which prevents a clear line of sight to the satellites.⁴⁵⁸

Sirius XM, Intelsat and SES oppose outdoor unlicensed use without the control of an 170. AFC but agree that indoor use will have negligible effect on aggregate interference at the satellite.⁴⁵⁹ Globalstar, which operates earth stations receiving in the U-NII-8 band, claims that allowing unlicensed indoor use of the U-NII-8 band would cause substantial harmful interference to its existing MSS feeder downlinks, and to any additional gateways that it may consider deploying in the future.⁴⁶⁰ Globalstar submitted a technical analysis showing aggregate interference calculations from population centers within approximately 10 kilometers of their gateway earth stations located at Sebring, FL, Waisilla, AK,⁴⁶¹ Clifton, TX, and Las Palmas, PR.⁴⁶² The study concludes that Globalstar's mobile satellite services will be detrimentally affected if unlicensed indoor low power operations are introduced in U-NII-8 band.

We agree with Sirius XM, Intelsat, and SES that there will be negligible interference to 171. satellite receivers from low-power indoor unlicensed devices. The low power levels of these devices as well as building attenuation will prevent harmful interference.⁴⁶³ With regard to earth station receivers, we disagree with Globalstar's analysis. As Apple, Broadcom et al. point out Globalstar's analysis represents an impossible worst-case scenario because it assumes that the earth station antenna is pointing at its minimum usable elevation angle in each of the interfering indoor access points resulting in the assumption that earth station antennas will simultaneously receive unlicensed device transmissions from all directions with the same antenna gain.⁴⁶⁴ Globalstar also assumes all unlicensed devices are operating at the same location where the incidence angle at the building wall is always zero, yielding the least building entry loss.⁴⁶⁵ Globalstar, uses a conservative 10% activity factor with all unlicensed activity

⁴⁵⁸ See Notice 33 FCC Rcd at 10506, para. 25.

⁴⁵⁹ Intelsat and SES Americom Reply at n.32 (contending that indoor use is not likely to cause interference); Sirius XM Radio Comments at 11-12 (explaining that Sirius XM operates Satellite Digital Audio Radio Service (SDARS) feeder links (Earth-to-space) in the U-NII-8 band, and claiming that limiting use to indoors and constraining the power levels would materially decrease the potential for harmful interference in the SDARS feeder link spectrum).

⁴⁶⁰ Globalstar Comments at 7, 9.

⁴⁶¹ The earth stations at Sebring, FL and Waisilla, AK are authorized to operate on a co-primary basis for feeder downlinks for FSS, except for 7025-7055 MHz band, where they are authorized only on an unprotected basis.

⁴⁶² Globalstar Comments Attachment, "Technical Analysis of Impact of Unlicensed Operations in U-NII-8 on Globalstar Mobile Satellite Service" by Roberson and Associates, LLC.

⁴⁶³ For this reason, we are not imposing an additional limitation on power radiated above a 30 degree elevation as we did for standard-power access points.

⁴⁶⁴ Globalstar Comments Attachment at 21; Apple, Broadcom et al. Reply at 32.

⁴⁶⁵ Globalstar Comments Attachment at 25. Globalstar applies an expected value of building entry loss based on a persistent nominal angle of incidence at the building wall. This expected value of building entry loss is derived from P.2109 for building either low energy efficiency ("traditional") building type or thermally efficient building types. We believe a mix of 70% traditional and 30% thermally efficient building type should be used when determining a statistical probability of building entry loss, which is consistent with the technical study submitted by (continued....)

⁴⁵⁷ 47 CFR § 2.106 footnotes NG172 and 5.458B. The space-to-Earth allocation is limited to use by nongeostationary mobile-satellite service feeder links and earth stations receiving in this band are limited to locations within 300 m of coordinates in Brewster, WA, Clifton, TX, and Finca Pascual, PR. Globalstar also operates earth station receive sites at Wasilla, AK and Seabring, FL. These last two locations are authorized to operate on a coprimary basis for feeder downlinks for FSS, except for 7.025-7.055 GHz band, where they are authorized only on an unprotected basis.

FCC 20-51

concentrated at a small number of sites resulting in an unrealistic assumption that unlicensed transmission will always be subject to 7 dBi of earth station gain.⁴⁶⁶ However, it is unlikely that all indoor unlicensed devices will be operating at the same location and orientation with respect to the path between the device and the earth station receiver. Instead, the elevation angle at the building façade should be considered to be variable, resulting in incidence angles greater than zero, which would increase the building entry loss value and minimize the probability of interference. Globalstar assumes line-of-sight and free-space propagation for all paths. We disagree that line of sight and free-space propagation loss is appropriate in all cases between a randomly placed unlicensed device and Globalstar's earth station.

Finally, Globalstar's analysis assumes all unlicensed devices are operating at the 172. proposed maximum permissible power with the peak antenna gain directed toward its earth stations.⁴⁶⁷ We are allowing unlicensed indoor devices to operate at a maximum 5 dBm/MHz PSD which represents at least a 3 dB/MHz reduction over the power levels assumed in the Globalstar analysis. Additionally, when considering random placement of unlicensed devices and variations in the unlicensed device antenna pattern,⁴⁶⁸ it is unlikely that the unlicensed device EIRP in the direction of the earth station will always be at maximum power, thus the risk of harmful interference is further reduced. For the reasons outlined here, we find that Globalstar's link budget analysis fails to fully consider all the probability factors that must align in order for interference to occur. We therefore find that the risk of harmful interference occurring to Globalstar's earth stations to be low.

d. **Radio Astronomy**

The National Academy of Sciences Committee on Radio Frequencies, which represents 173. the interest of users of the radio astronomy service, requests that the Commission use the AFC system to protect four radio astronomy observatories located in remote areas.⁴⁶⁹ We are not adopting any AFCbased requirements for unlicensed low-power indoor operations generally, and decline to adopt such a requirement here. The four radio observatories that receive in the 6 GHz band are in remote locations and it is unlikely that indoor low-power unlicensed devices will be operating nearby. Furthermore, these observatories can restrict installation of such devices at their facilities. We believe that indoor unlicensed devices do not pose any risk of harmful interference to radio astronomy operations.

C. **Multi-Stakeholder Group**

174. In the Notice, the Commission noted that parties suggested that a multi-stakeholder group could administer AFC system requirements and standards through interaction with AFC system operators and sought comment on this suggestion, and on the appropriate mechanism for ensuring Commission oversight of such a multi-stakeholder group.⁴⁷⁰ Although the Notice focused on the AFC system and associated issues, the record before us supports formation of a broader industry led multi-stakeholder group to study technical and operational issues for the 6 GHz band, including indoor low-power

⁽Continued from previous page) -

NAB and the report from CEPT submitted by AT&T. NAB Dec. 5, 2019 Ex Parte at 42; AT&T Aug. 5, 2019 Ex Parte at 44 (Sharing and compatibility studies related to Wireless Access Systems including Radio Local Area Networks (WAS/RLAN) in the frequency band 5925-6425 MHz, ECC Report 302, May 29, 2019). The median value of the 70/30 building entry loss curve is 20.5 dB.

⁴⁶⁶ Apple, Broadcom et al. Reply at 32.

⁴⁶⁷ Globalstar assumes a maximum conducted power of 250 mW with a peak antenna gain of 6 dBi yielding an EIRP of 30 dBm. This is as proposed in the Notice.

⁴⁶⁸ Apple, Broadcom et al. Jan. 26, 2018 Ex Parte, GN Docket No. 17-183 (RKF Study) at 19-20; ECC Report 302 at 149-150 have typical unlicensed device antenna patterns which show variations in the gain.

⁴⁶⁹ National Academy of Sciences Committee on Radio Frequencies Comments at 7.

⁴⁷⁰ Notice, 33 FCC Rcd at 10508, para. 34.

FCC 20-51

devices.⁴⁷¹ Multi-stakeholder groups have been successful in the past in providing the Commission with valuable insights and useful information regarding new spectrum uses in bands shared among different users.⁴⁷² We believe that a similar multi-stakeholder group that addresses issues concerning both standard-power operations and indoor low-power operations in the 6 GHz band could provide valuable insights into complex coexistence issues and provide a forum for the industry to work cooperatively towards efficient technical and operational solutions.

175. We note that many of the companies and organizations with interest in the 6 GHz band may not have previously participated in multi-stakeholder groups on matters related to specific Commission proceedings. Therefore, while we take no position on whether an existing organization could or should serve as host of the 6 GHz multi-stakeholder group, we believe that any such multi-stakeholder group should be newly formed (not an offshoot of an existing group) and focus solely on issues relevant to the 6 GHz band.⁴⁷³ To ensure that all viewpoints are considered, we encourage stakeholders comprising all sectors of the 6 GHz ecosystem to participate, including: wireless service providers with interest in providing service through standard-power and indoor low power devices, RLAN and network equipment manufacturers, potential AFC operators, fixed service vendors and operators, existing 6 GHz band incumbent licensees, ultrawideband equipment manufacturers, academic experts, testing organizations, and other 6 GHz band stakeholders. We do not, however, take a position on the exact makeup or organizational structure of any such stakeholder group.

176. We encourage the multi-stakeholder group to address any issues it deems appropriate regarding interference detection and mitigation in the event that an incumbent licensee believes it may be experiencing harmful interference from standard-power or indoor low-power operations. These issues would include procedures and processes that could be followed if an incumbent licensee has, or potentially has, an interference complaint. For example, network operators of standard-power or indoor low-power operations could decide to make points of contact publicly available⁴⁷⁴ or to create a website to facilitate addressing concerns or for reporting complaints.⁴⁷⁵ We also believe that the group should set a

⁴⁷³ Wi-Fi Alliance Apr. 15, 2020 *Ex Parte* ("All existing groups, like Wi-Fi Alliance, should be welcome, but none should be permitted to establish itself as a *de facto* forum for multi-stakeholder discussions.").

⁴⁷¹ Dynamic Spectrum Alliance Reply at 13 (technical implementation details can be delegated to an expert multistakeholder group); Federated Wireless Comments at 9 (the Commission should rely on cross-industry stakeholder groups to develop consensus standards for the performance of the AFC); Midcontinent Communications Comments at 14 (supports a multi-stakeholder group taking the lead on AFC system certifications with oversight from the Commission); Comsearch Comments at 23 (a neutral multi-stakeholder group will help ensure that the AFC is developed and managed more quickly and efficiently); WinnForum Comments at 2; Motorola Solutions Comments at 4; Open Technology Institute et al. Comments at 27 (protection criteria and many other technical details can be, and likely should be, delegated to a multi-stakeholder process; Nokia Reply at 2 (the Commission and/or a group of stakeholders should define the requirements of the AFC system in detail); Southern Company Apr. 9, 2020 *Ex* Parte (all sectors, including indoor low power, should be represented); Association of American Railroads Apr. 15, 2020 *Ex Parte* (suggests tasks that the multi-stakeholder group should undertake including several applicable to all 6 GHz unlicensed operations).

⁴⁷² For example, after the Commission created the Citizen's Broadband Radio Service, the Wireless Innovation Forum stood up the Spectrum Sharing Committee to serve as a common industry and government standards body to support the development and advancement of Citizen's Broadband Radio Service Standards. *See* https://cbrs.wirelessinnovation.org/about.

⁴⁷⁴ Association of American Railroads Apr. 17, 2020 *Ex Parte* (Among several suggested mandates, suggests that the multi-stakeholder group be responsible for developing a mechanism for incumbents to report interference, such as a portal where incumbents can enter the coordinates, call signs, and frequencies of links that are experiencing interference).

⁴⁷⁵ The Association of American Railroads Apr. 17, 2020 *Ex Parte* (recommending that among other things, the multi-stakeholder group should develop a publicly available website or private portal where incumbents can enter the coordinates, call signs, and frequencies of links that they believe are experiencing interference).

FCC 20-51

goal of creating a process through which the industry can effectively address and resolve interference claims without necessitating involvement of the Commission's Enforcement Bureau.

177. Several commenters suggest that the Commission should require device testing prior to any device being deployed.⁴⁷⁶ While we are not requiring general device testing as a gating criterion for devices before they begin operating in the 6 GHz band, we recognize that it will take some time before devices can be designed, manufactured and made available to consumers. During this interim period, members of the multi-stakeholder group could work cooperatively to develop and test devices to aid in the goal of developing processes for introducing and operating devices across the 6 GHz band. Southern Company suggests that the Commission provide detailed timelines for testing.⁴⁷⁷ As we will not require the multi-stakeholder group to conduct testing, we also decline to set any timelines if any testing is conducted. Because we do not expect widespread availability of 6 GHz unlicensed devices immediately, we encourage the multi-stakeholder group, if conducting any testing related to developing procedures and processes regarding interference detection and mitigation, to set a goal of implementing any agreed-upon device-related features before unlicensed 6 GHz devices reach consumers.

178. We also encourage the multi-stakeholder group to address any other issues that may be specific to standard-power operations or indoor low-power operations. In particular, we encourage the group to address, as proposed in the Notice, AFC system development for standard power access points. Related tasks are expected to include any standards that are necessary for AFC operators, such as how to implement the required propagation models or whether common communications protocols are needed between standard power unlicensed devices and the AFC(s). Additionally, we expect that the multi-stakeholder group will develop AFC system testing and certification procedures and processes for ensuring that AFC systems contain complete and up-to-date incumbent data.

179. Finally, we expect that the multi-stakeholder group will develop best practices and standards concerning standard-power operations (and use of the AFC system) and for indoor low-power operations—practices that we expect will benefit all users of the 6 GHz band, both incumbents that desire additional protection and new unlicensed users that want to use the spectrum more intensely. We expect that these best practices will include such concerns as device and communication link security. These activities should be viewed as a starting point as we encourage participants of the multi-stakeholder group tackle any issues they deem appropriate.

180. The Commission's Office of Engineering and Technology (OET) will act as a liaison for the Commission with any such multi-stakeholder group so formed. In particular, we expect the Office to observe the functioning of any such group and the technical concerns that it is considering to ensure that the group's activities are useful and pertinent. OET will provide guidance to any such group on the topics on which it would be most helpful for the Commission to receive input and a sense of the time frames in which such input would be helpful.

D. Equipment Issues

1. Antenna Requirements

181. In the Notice, the Commission sought comment on whether it should require antennas to be integrated into a device, or whether it could permit users to choose an appropriate antenna for their

⁴⁷⁶ Southern Company Apr. 16, 2020 *Ex Parte* ("Market-level testing would allow incumbent users to measure and gauge the effects of unlicensed devices in the 6 GHz band prior to a national deployment."). Southern Company also proposes a detailed test process outline; National Spectrum Management Association Apr. 14, 2020 *Ex Parte* (Suggesting that 6 GHz mission critical incumbent systems should be 'pressure tested' in a federal managed test bed.); Fixed Wireless Communications Coalition Apr. 13, 2020 *Ex Parte* (Urges a requirement that before unlicensed devices can be distributed for use under the rules, both the effectiveness of the AFC system and the potential for interference from non-AFC controlled devices must be tested.).

⁴⁷⁷ Southern Company Apr. 16, 2020 *Ex Parte*.

Federal Communications Commission FCC 20-51

application.⁴⁷⁸ The Commission also sought comment on whether an equipment authorization grantee for devices without an integrated antenna should be required to maintain a list of permissible antennas for that device.⁴⁷⁹

182. Several parties, including Fixed Wireless Communications Coalition, Sirius XM, Tucson Electric Power Company and Hewlett Packard Enterprise, support a requirement for integrated antennas for either indoor devices or all devices.⁴⁸⁰ However, other commenters oppose a requirement for integrated antennas. Cambium argues that permitting connectorized antennas would allow installers to have greater flexibility to select an antenna that is appropriate for specific deployments, and that a professional installer could enter the antenna gain information into a unit so the transmit power is properly calculated to meet the EIRP limits.⁴⁸¹ Mid Continent Communications argues that requiring integrated antennas and radios will unnecessarily limit the ecosystem and stifle healthy competition among manufacturers.⁴⁸² It supports a requirement for an equipment authorization grantee to provide a list of permissible antennas with its equipment authorization and maintain such information on its website.⁴⁸³

183. *Low power devices.* We require that all low power devices incorporate permanently attached integrated antennas. Requiring an integrated antenna makes it significantly more difficult for a party to replace a device's antenna with a higher gain antenna, which could increase a device's EIRP above the limit and therefore increase the potential for a device to cause harmful interference.

184. Standard-power devices. We will not, however, require a permanently attached antenna for standard-power access points. We find that a requirement to use a permanently attached antenna on standard power access points could be overly restrictive. These types of devices are typically used outdoors by parties such as schools, businesses and WISPs and are configured in a manner where the antenna is mounted on a mast or building and connected through a cable to a separately located transmitter. Such a requirement could be difficult to implement for these configurations. In addition, permitting such devices a choice of appropriate antennas will provide options for meeting the antenna pointing restrictions which limit outdoor devices to antenna elevation angles less than 30 degrees for devices transmitting more than 21 dBm EIRP to protect satellite operations in the band. Further, we note that devices in other U-NII bands do not have a requirement for permanently attached antennas, so adding a requirement for equipment in the 6 GHz bands could make it more difficult for manufacturers to develop devices that are capable of operating across multiple bands. Consistent with the existing Part 15 rules, applicants for standard-power access point equipment authorizations will be required to list all types of antennas that will be used with a device and demonstrate that the equipment complies with the EIRP limits with all types of antennas with which it is authorized.⁴⁸⁴.

⁴⁷⁹ Id.

⁴⁷⁸ Notice, 33 FCC Rcd at 10525, para. 81.

⁴⁸⁰ Fixed Wireless Communications Coalition Comments at 41 (the Commission should require that each unlicensed device be shipped in a factory-sealed case with integrated antennas that the end user cannot easily bypass or replace); Sirius XM Comments at 3-4 (supports the use of an integrated antenna along with other technical recommendations to ensure that certain devices stay indoors); Tucson Electric Power Company Comments at 23 (the Commission should prohibit the manufacture, import or use of unlicensed equipment with changeable antennas or external antenna connections); Hewlett Packard Enterprise Comments at 21 (recommends that the Commission prohibit the use of connectorized antennas for low power indoor devices).

⁴⁸¹ Cambium Comments at 7-8.

⁴⁸² Mid Continent Comments at 12-13.

⁴⁸³ Mid Continent Comments at 13.

⁴⁸⁴ 47 CFR § 15.204(c). This rule permits an intentional radiator to be authorized with multiple antenna types and require that compliance testing be performed using the highest gain antenna for each type of antenna to be certified (continued....)

FCC 20-51

2. Maximum channel bandwidth

185. The Commission sought comment in the Notice on how it should specify the power limits for unlicensed devices, e.g., maximum power, power spectral density, and what channel width is the appropriate basis on which to establish a maximum power limit.⁴⁸⁵ Because we are setting a power spectral density limit of 5 dBm/MHz for low power indoor devices to limit their potential for causing interference to incumbent services, we will permit these devices to operate with a maximum channel bandwidth to 320 megahertz to permit a maximum power of up to 30 dBm. For consistency we will also specify a maximum bandwidth of 320 megahertz for AFC controlled standard-power access points.⁴⁸⁶

186 We find that this bandwidth requirement is appropriate for several reasons. It will permit manufacturers to develop equipment under current standards with bandwidths of up to 160 megahertz as a number of parties suggest.⁴⁸⁷ In addition, our understanding is that industry standards under consideration such as IEEE 802.11be will specify channel bandwidths of up to 320 megahertz. Thus, the bandwidth limit we are adopting will permit future equipment development under anticipated standards without a need for additional rule changes. However, we are placing a 320-megahertz upper limit on bandwidth so as not to supplant the rules for wideband and ultrawideband operations in the 6 GHz band. These rules permit operation with bandwidths greater than 500 megahertz, but with a lower -41 dBm/MHz power spectral density.⁴⁸⁸ We note that unlicensed proponents have not requested channels bandwidths greater than 320 megahertz and that the Commission did not provide notice of any proposed changes to the wideband or ultrawideband rules.

3 **Transmitted power levels**

187. Standard power device operations in rural areas. In the Notice, the Commission sought comment on whether we should permit operation at higher power levels in rural and underserved areas.⁴⁸⁹ Several unlicensed proponents, including WISPA, the Open Technology Institute et al., the Dynamic Spectrum Alliance, and NCTA, request that we increase the maximum permitted power in rural areas or allow significantly higher antenna gains for point-to-point operations in any areas such as are permitted in the U-NII-3 band (5.725-5.85 GHz), claiming that the AFC would protect licensed operations.⁴⁹⁰ However, APCO, FWCC and Sirius XM oppose permitting higher power limits.⁴⁹¹

⁴⁸⁶ Because standard-power access points obtain a list of available frequencies from an AFC system, they have a higher spectral density limit and can achieve their maximum power of 36 dBm in a channel bandwidth of 20megahertz.

⁴⁸⁷ WISPA Comments at 27-28, Broadcom Comments at 27 (allowing low-power indoor operations throughout all four 6 GHz sub-bands would create many more 160-megahertz channels to deliver gigabit speeds over Wi-Fi); Apple, Broadcom et al. Comments at 33 (Wi-Fi standard includes channels ranging in size from 20 to 160 megahertz wide, with wider channels facilitating higher speeds).

⁴⁸⁸ 47 CFR part 15, subpart F.

⁴⁸⁹ Notice, 33 FCC Rcd at 10524, para. 79.

⁴⁹⁰ WISPA Comments at 9 (if the Commission desires to maximize rural deployment, permitting higher-power operations in the U-NII-5 and U-NII-7 bands will promote that objective); Open Technology Institute at New America, American Library Association, Consumer Federation of America, Consortium for School Networking, Public Knowledge, Access Humboldt Comments at 21 (the Commission should authorize higher power limits for outdoor operations under the control of an AFC to promote rural broadband); Facebook Comments at 8 (to promote rural broadband deployment in the 6 GHz band, the Commission should allow phased array antennas with steerable beams for outdoor unlicensed operations and devices in point-to-multipoint fixed configurations); Dynamic

(continued....)

⁽Continued from previous page) -

with the intentional radiator. The marketing or use of a system configuration that employs an antenna of a different type, or that operates at a higher gain, than the antenna authorized with the intentional radiator is not permitted unless the procedures for changes to certified devices are followed.

⁴⁸⁵ Notice, 34 FCC Rcd at 10524-25, para. 80.

FCC 20-51

188. We will not at this time permit higher power limits in rural areas, nor make any specific provisions for higher power point-to-point or point-to-multipoint operations in the U-NII-5 and U-NII-7 bands as suggested by some commenters.⁴⁹² While we recognize that establishing a single power limit of 36 dBm for standard-power access points differs from the rules for the U-NII-1 and U-NII-3 bands that permit higher power for fixed point-to-point devices, and from the white space rules that permit higher power for fixed devices in "less congested" (e.g., rural) areas, we are not adopting higher power limits for several reasons.⁴⁹³ We first note that the rules we are adopting do not place an upper limit on antenna gain; the transmit limits are based solely on EIRP, and manufacturers can use any combination of transmitter power and antenna gain to reach that limit. We interpret parties' requests for higher antenna gain limits as requests for higher EIRP limits. While allowing higher power could encourage the provision of additional services in rural and other areas, it also increases the range at which harmful interference to incumbent users in the bands could potentially occur. Therefore, we are taking a conservative approach at this time and not permitting power levels greater than 36 dBm for standardpower access points.⁴⁹⁴ In addition, permitting higher power in only certain areas would make the AFC implementation more complex because criteria for where to allow higher power operation would have to be defined and incorporated into the AFC.⁴⁹⁵ Also, taking into account the directivity of standard-power access point transmit antennas as some parties suggest would make AFC calculations more complex.⁴⁹⁶ However, in order to develop a more complete record on these issues, we are seeking comment in the Further Notice on whether to allow higher power limits for standard-power access points used in fixed point-to-point applications, and whether the AFC system should take standard-power access point antenna directivity into account when determining available frequencies and power levels at a location.

189. Client Devices. We are adopting rules that limit client devices to power levels 6 dB below the power limits for access points. We conclude that this 6 dB reduction is necessary because when the client device is operating under the control of the access point, the client device may have a slightly different propagation path and interference potential to a victim receiver.⁴⁹⁷

⁴⁹¹ APCO International Comments at 17-18 (opposes allowing higher power unlicensed operations in rural areas as public safety links in rural areas should be afforded the same protection as operations in other areas; and unlicensed point-to-point and point-to-multipoint operations would substantially complicate the unlicensed frequency coordination process by requiring the AFC database to take into account azimuth and elevation angles); Fixed Wireless Communications Coalition Comments at 33 (FS antenna sites in rural areas require the same level of protection as urban antennas); Sirius XM Comments at 20 (Commission should decline to permit unlicensed operations at higher power levels in the U-NII-5 band in rural or unserved areas).

⁴⁹² Notice, 33 FCC Rcd at 10524, para. 79. Dynamic Spectrum Alliance Comments at 15 (the Commission should align its approach in the 6 GHz band to the successful approach in existing U-NII bands by facilitating higher-gain antennas as well as steerable point-to-point and point-to-multipoint operations.); NCTA Comments at 10 (supports higher power operations on a fixed point-to-point or fixed point-to-multipoint basis in rural and underserved areas.).

493 47 CFR §§ 15.407(a)(1)(iii), 15.407(a)(3), 15.709(a)(2).

494 47 CFR § 15.407(a)(3).

⁴⁹⁵ For example, the white space databases must determine the locations where higher power operation is permitted ("less congested areas"). 47 CFR § 15.703(h).

⁴⁹⁶ APCO Comments at 18.

⁴⁹⁷ Clients to standard-power access points in the U-NII-5 and 7 bands may operate with 30 dBm maximum EIRP and 17 dBm/MHz maximum power spectral density, regardless of whether the client devices are located indoors or (continued....)

⁽Continued from previous page)

Spectrum Alliance Comments at 15 (the Commission should align its approach in the 6 GHz band to the successful approach in existing U-NII bands by facilitating higher-gain antennas as well as steerable point-to-point and pointto-multipoint operations.); NCTA Comments at 10 (supports higher power operations on a fixed point-to-point or fixed point-to-multipoint basis in rural and underserved areas, as long as those operations would not materially increase the risk of interference to C-Band uplinks or existing Wi-Fi networks).

FCC 20-51

190. We generally decline to increase client device power levels to the same power levels as access points, as suggested by some commenters. For instance, parties request that the Commission adopt higher client device power and power spectral density (PSD) limits--maximum conducted output power of 250 mW and maximum PSD to 21 dBm/MHz for devices not subject to AFC, and 27 dBm/MHz for devices that are subject to AFC.⁴⁹⁸ Cambium asserts that the proposed power limit effectively predetermines the types of services that could be offered in the bands by unduly restricting availability of efficient point-to-multipoint and point-to-point deployment options.⁴⁹⁹ Still other commenters believe that the Commission should permit fixed client devices operating at conducted power up to +18 dBm in the U-NII-5 and U-NII-7 bands to use up to 18 dB antenna gain before reducing power.⁵⁰⁰

191. We recognize commenters concerns regarding the power differential between access points and client devices. However, because a client device may be portable (e.g., a cell phone) and operate at different locations around its serving access point, the propagation path of its emissions could vary. This could, in turn, slightly change the potential for interference from any particular client device to incumbent operations within the area. Thus, we decline to adopt power limits for client devices commensurate with access points. However, we make two limited exceptions to this requirement.

192. First, as suggested by Midco and WISPA, to the extent that an access point and a client device are both permanently fixed and operate under the control of an AFC system that provides a list of available frequencies to each device, each may operate at up to the maximum 36 dBm level.⁵⁰¹ In such cases, we will treat the client device as another access point with respect to operational rules, provided it complies with all of the requirements for access points, including using an AFC to obtain a list of available channels, having a geolocation capability and complying with the limit on upward antenna radiation from outdoor devices (no greater than 21 dBm at more than 30 degrees above the horizon). To distinguish these devices from actual access points for equipment certification purposes (as they differ in not having a direct connection to the internet), we will define them as fixed client devices.

193. We also adopt an exception to accommodate devices such as Wi-Fi extenders and mesh networking equipment intended to work in conjunction with an indoor access point and share the same propagation path and thus the same power requirements. We will also permit other devices under certain conditions to operate at the full 5 dBm/MHz power spectral density.⁵⁰² We will permit such devices to operate at the same power levels as an access point provided that they comply with all the requirements we set out for low power indoor access points (i.e., the device cannot be weather resistant, must have an integrated antenna and cannot have capability of connecting other antennas, cannot be capable of operating on battery power, and must include a label regarding proper usage) and the end unit obtains its

⁴⁹⁸ NCTA Comments at 18-19, Charter Comments at 3-4, Facebook Comments at 2, Cambium Comments at 4, Netgear Comments at 2-3, Quantenna Communications Comments at 7, Wi-Fi alliance Comments at 10.

⁴⁹⁹ Cambium Comments at 4.

⁵⁰⁰ WISPA Comments at 13-16; Starry, Comments at 3.

⁵⁰¹ Midco Apr. 6, 2020 Ex Parte at 2 (requests that the Commission increase the maximum EIRP to a minimum of 36 dBm for outdoor, fixed client devices); WISPA Apr. 8, 2020 Ex Parte at 3 (definition of access point should include devices that transmit to other access points, including fixed client devices in a point-to-multipoint arrangement and both ends of a point-to-point link, provided that the device registers with the AFC as an access point and operates subject to the same limitations).

⁵⁰² CableLabs Apr. 15, 2020, Ex Parte (asking the Commission to clarify that fixed client devices, such as set-top boxes, televisions, gaming consoles, media centers, and indoor cameras can be certified to operate at the same power levels as access points).

⁽Continued from previous page) -

outdoors. Client devices that operate under the control of a low power indoor access point in the UNII-5 through U-NII-8 bands may operate with 24 dBm maximum EIRP (with a 320-megahertz bandwidth) and a -1 dBm/MHz maximum power spectral density.

FCC 20-51

own equipment certification.⁵⁰³ Under these requirements modules do not qualify for higher power. Further, such devices may only be used within a single structure and not to connect separate buildings or structures. We believe such relief is a reasonable accommodation to keep most popular consumer devices less complex and more affordable without increasing the potential of harmful interference to incumbent licensees as these devices will be installed and used in a manner analogous to an access point.

194 We do not find it necessary to restrict the power radiated upward from client devices as we are requiring for standard-power access points. We believe it is unlikely that relatively low-power unlicensed devices will cause harmful interference to receivers on geostationary satellites approximately 36,000 km above the equator. We are limiting upward power from standard-power access points merely as a precautionary measure as they are more likely to operate outdoors and with higher power. We note that client devices can operate with EIRP as high as 30 dBm, but we find that they are less likely to cause interference to satellite receivers than similarly powered outdoor access points due to the nature of their operation. We first note that client devices are limited to a power level 6 dB lower than access points, but we expect them to generally operate at much lower power levels to maximize battery life and comply with RF exposure limits. In addition, client devices communicate with access points in an asymmetric nature, in that relatively little data is transmitted in the uplink direction (i.e. from the client device) as compared to the downlink direction where any single access point may be serving many client devices. Moreover, client devices typically operate with omnidirectional antennas at low antenna heights and in a mobile or portable mode (i.e., not installed in permanent outdoor locations). Thus, we expect that upwardly directed client device emissions will often be at low power levels and shielded to some extent by buildings, foliage, or other obstructions.

4. **Emission Mask and Out-of-Band Emission Limits**

195. Limits in the U-NII-5 through U-NII-8 bands. In the Notice, the Commission sought comment on the emission mask that unlicensed devices should be required to meet to protect incumbent services operating on adjacent frequencies and whether the emission mask suggested by RKF Engineering in the technical study submitted by Apple, Broadcom et al. on January 25, 2018 is appropriate for this purpose.⁵⁰⁴ The Wireless Internet Service Providers Association supports the proposed mask and states that the mask represents a reasonable compromise between signal purity and cost and is not difficult for high-quality Wi-Fi and WISP equipment to incorporate.⁵⁰⁵ The Wi-Fi Alliance believes that there is no need to regulate U-NII devices' emission mask to protect incumbent services operating on adjacent frequencies within the 6 GHz band because lower power transmissions by U-NII devices will produce negligible out-of-band power levels, as demonstrated by RKF where the worst case analysis of OOBE resulted in 0.01 dB increase to the in-band noise.⁵⁰⁶ Tarana Wireless states that the emission mask suggested by RKF Engineering should be modified to improve radio frequency co-existence where the access system density is high.507

We conclude that the emission mask suggested by RKF Engineering, with certain 196. modifications, will protect incumbent microwave links and other services operating in the adjacent channel to unlicensed devices within the U-NII-5 through U-NII-8 bands. Accordingly, we are requiring emissions from standard power access points and low power indoor devices within the U-NII-5 through

⁵⁰³ These devices are referred to as subordinate devices in the rules.

⁵⁰⁴ Notice, 33 FCC Rcd at 10525, para. 83. A transmit emission mask in this case defines the required attenuation of an unlicensed device's signal outside its channel of operation, e.g., in adjacent channels. The transmit emission mask applies within the U-NII-5 through U-NII-8 bands, and OOBE limits apply outside of these bands.

⁵⁰⁵ WISPA Comments at 24.

⁵⁰⁶ Wi-Fi Alliance Comments at 38-39.

⁵⁰⁷ Ryan Gardner Comments at 5.

FCC 20-51

U-NII-8 bands to comply with the transmit emission mask proposed in the Notice.⁵⁰⁸ Specifically, we are requiring 20 dB suppression of power spectral density at one megahertz outside of an unlicensed device's channel edge, 28 dB suppression of power spectral density at one channel bandwidth from an unlicensed device's channel center, and 40 dB suppression of power spectral density at one and one-half times the channel bandwidth away from an unlicensed device's channel center.⁵⁰⁹ At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one-half time an unlicensed device's channel bandwidth from the center of the channel, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one and one-half times the channel bandwidth, but within the U-NII-5 and U-NII-8 bands, must be suppressed by at least 40 dB.510

Emission limits outside the U-NII-5 and U-NII-8 bands. We are adopting the -27 197. dBm/MHz limit proposed in the Notice for emissions from all 6 GHz unlicensed devices at frequencies below the bottom of the U-NII-5 band (5.925 GHz) and above the upper edge of the U-NII-8 band (7.125 GHz), but will not require it between the sub-bands, i.e. between the U-NII-5 and U-NII-6, the U-NII-6 and U-NII-7, and the U-NII-7 and U-NII-8 bands. ⁵¹¹ Several parties generally support the -27 dBm/MHz emission limit,⁵¹² although the Association of Global Automakers, Inc. suggest limiting the operation of UNII-5 devices operating near the bottom of the band to indoor locations to protect the V2X service.⁵¹³ Other parties suggest adopting the U-NII-3 OOBE limit which is -27 dBm/MHz generally, but higher in the first 75 megahertz above and below the band.⁵¹⁴ We believe that a limit of -27 dBm/MHz is necessary to protect services outside the U-NII-5 and U-NII-8 bands, including the Intelligent Transportation Service below the U-NII-5 band and federal government operations above the U-NII-8 band. We are not requiring devices to meet this emission limit between the sub-bands as suggested by Sony⁵¹⁵ because we are seeking to maximize spectrum use and it would stifle innovation by precluding the use of wide

⁵¹¹ Notice, 33 FCC Rcd at 10525, para. 82.

⁵¹² See e.g., Qualcomm Comments at 4 (recommends that the FCC adopt its proposed -27 dBm/MHz limit on 6 GHz out-of-band emissions into the licensed 5.9 GHz Intelligent Transportation Service spectrum, consistent with the rules that apply to most of the 5 GHz U-NII); Association of Global Automakers Reply at 4 (the FCC should adopt the OOBE limits proposed in the Notice). 5G Automotive Association Dec. 9, 2019 Ex Parte at 2. The Commission has proposed designating the upper frequencies of the 5.9 GHz band for cellular vehicle-to-everything ('C-V2X'), a modern vehicular communications technology. Use of the 5.850-5.925 GHz Band, Notice of Proposed Rulemaking, 34 FCC Rcd 12603(2019). The 5G Automotive Association believes that the C-V2X receivers could tolerate fixed outdoor access points operating at a -27 dBm/MHz out-of-band emissions limit, so long as such operations were limited to 36 dBm EIRP and occurred under Automated Frequency Coordination control. 5G Automotive Association Dec. 9, 2019 Ex Parte at 2. However, the 5G Automotive Association also believes that very low power unlicensed operations at 14 dBm EIRP inside vehicles in the lowermost U-NII-5 channel would cause interference to C-V2X devices even if such very low-power operations met a -27 dBm/MHZ OOBE level. Id.

⁵¹³ Qualcomm Comments at 14; 5GAA Comments at 5-6; The Association of Global Automakers, Reply at 5.

⁵¹⁴ NCTA Comments at 13; Midcontinent Communications Comments at 18. The Intelligent Transportation Service uses 5850-5925 MHz, which is between the U-NII-3 and U-NII-5 bands.

⁵¹⁵ Sony Comments at 9.

⁵⁰⁸ See Notice, 33 FCC Rcd at 10525, para. 83.

⁵⁰⁹ RKF Study at 53.

⁵¹⁰ The mask suggested by RKF Engineering contains additional breakpoints at frequencies nine times and 10.8 times the channel bandwidth (42 dB suppression and 47 dB suppression, respectively). RKF Study at 53. For wide bandwidth devices, e.g., 160-megahertz, emissions at frequencies nine or more times the channel bandwidth would fall outside the U-NII-5 through U-NII-8 bands, and for narrower bandwidth devices, e.g., 20-megahertz, the lower emission limits beyond the band edges will ensure that emissions beyond one and one-half channel bandwidths from the channel center will roll off by more than 40 dB within the U-NII-5 through U-NII-8 bands.

FCC 20-51

bandwidth channels (up to 320 megahertz) that straddle sub-bands.⁵¹⁶ Standards bodies have generally developed channeling plans for unlicensed devices based on technical characteristics, including devices' out-of-band emissions. Manufacturers will have the freedom to determine how they will meet this limit either by reducing power levels, through filtering or through other means, such as not enabling channels closest to the U-NII-5 and U-NII-8 band edges.

198. Finally, we address the measurement procedures for 6 GHz unlicensed devices. To protect Intelligent Transportation Services in the band below 6 GHz, 5GAA states that the -27 dBm/MHz standard we are adopting, when based on a root-mean-square (RMS) measurement is sufficient to protect those services from indoor device OOBE.⁵¹⁷ RLAN proponents agree that the OOBE should be verified using an RMS detector or other appropriate techniques for measuring average power.⁵¹⁸ We agree and will provide guidance to the test labs and telecommunications certification bodies which conduct equipment approval measurements and oversight that 6 GHz unlicensed device measurements may be conducted based on using an RMS detector. Because RMS measurements represent the continuous power being generated from a device as opposed to peak power which may only be reached occasionally and for short periods of time, we believe an RMS measurement is more appropriate. We note that this is a departure from the Commission's measurement guidance for similar devices in the 5 GHz band where the Commission specifies a peak measurement.⁵¹⁹ However, that procedure was instituted to mitigate a known interference issue with federal radars in the 5 GHz band. No such situation exists in the 6 GHz band. We will update our Knowledge Database guidance consistent with this decision.

5. **Client Device Restrictions**

199. As proposed in the Notice, we adopt a requirement that client devices operate either under the control of a standard-power access point or a low-power access point.⁵²⁰ The purpose of this requirement is to prevent client devices from transmitting outdoors at locations where they may cause interference to a microwave receiver or other incumbent. When client devices are under the control of a standard-power access point, they will be in close proximity to the access point and may transmit only on frequencies that the AFC system has determined will not cause interference to fixed microwave links. When a client device is under the control of a low-power indoor access point, it should also be indoors and in close proximity to the access point, and therefore avoid presenting an interference risk to licensed services. However, we also adopt an exception to this general requirement to allow a client device to transmit brief messages ("probe requests") to an access point when attempting to join its network as discussed below.

200. Several parties commented on our proposal. HP Enterprise requests that client devices be permitted to transmit brief probe requests to enable a client device to join networks.⁵²¹ HP Enterprise points out that in the U-NII-2 bands the inability to send probe requests without receiving an enabling DFS signal results in periodic client device connectivity loss.⁵²² According to HP Enterprise, these probe

⁵¹⁶ See e.g., Apple, Broadcom et al. Comments at 3 (enabling low-power indoor devices to operate across the entire 6 GHz band is fundamental to the success of the 6 GHz proceeding; a fragmented approach to spectrum access greatly reduces the potential for devices to access wider, 160-megahertz channel sizes that facilitate the higher speeds).

⁵¹⁷ 5GAA Mar. 26, 2020 Ex Parte.

⁵¹⁸ Broadcom Inc., Cisco Systems, Inc., Hewlett Packard Enterprise, Intel Corporation, Qualcomm Incorporated, and Ruckus Networks, a business segment of CommScope Mar. 26, 2020 Ex Parte.

⁵¹⁹ See KDB Publication No. 789033.

⁵²⁰ Notice 33 FCC Rcd at 10516, 10521, 10522, paras. 53, 69, 73.

⁵²¹ HP Enterprise Comments at 30.

⁵²² Id.

FCC 20-51

requests will be so brief that they will not cause harmful interference.⁵²³ The Wi-Fi Alliance adds that because there will be some client devices that will only operate in the 6 GHz band, the ability to send these probe requests is essential.⁵²⁴ FWCC objects claiming that these probe requests will be long enough as to be potentially highly interfering to microwave receivers.⁵²⁵

We recognize the utility of permitting probe requests to enable client devices to join an 201. access point's network. However, these probe requests have the potential to cause harmful interference to licensed operations. We will therefore only permit a client device to send a probe request to an access point after it has detected a transmission from the access point. The client device will be required to send the probe request on the same frequency as the access point's transmission. This is consistent with the white space rules that permit a fixed white space device establishing a network to make brief transmissions on a frequency that it detects is in use by another fixed device prior to receiving a list of available channels from a database.⁵²⁶ Under this exception, because the client device will have to detect an access point transmission, the client device will only transmit when it is close enough to an access point to be under its control and on a frequency on which the access point has permission to transmit. This will prevent harmful interference from occurring.

202. In the Notice, the Commission sought comment on whether unlicensed devices in the UNII-5 and U-NII-7 bands should be explicitly permitted to operate either as a mobile hotspot or as a transportable device and, if so, what rules could be put in place to permit such operation while still ensuring that licensed services are protected from harmful interference.⁵²⁷ While no party specifically commented on the use of client devices as mobile hotspots that could authorize the operation of other client devices, we find that we should prohibit such use. The rules we have adopted for AFC controlled operation of unlicensed access points are designed to prevent harmful interference to licensed stations by only allowing operation at locations where an access point and client devices directly communicating with it would not cause interference to licensed stations. Permitting a client device operating under the control of an access point to authorize the operation of additional client devices could potentially increase the distance between these additional client devices and the access point and increase the potential for harmful interference to fixed service receivers or electronic news gathering operations. For standardpower devices in the U-NII-5 and U-NII-7 bands hotspot operation could allow the additional client devices to transmit in locations where the AFC otherwise would prevent operation to protect incumbent service operations. With regard to low-power indoor access points, our rules are designed to prevent the low-power access points from being used outdoors which should also keep the client devices indoors. In addition, as APCO states, allowing such portable access points could make identifying and resolving interference difficult.528

E. **Other Issues**

1. Making Portions of the 6 GHz Band Available for New Licensed Services

203 We decline the request by CTIA, Ericsson, and other wireless service providers that, instead of opening the entire 6 GHz band for new unlicensed operations as proposed in the Notice, we should issue a further notice to propose repurposing significant portions of the 6 GHz band for exclusive,

⁵²³ HP Enterprise Comments at 30 and Appendix A at 1.

⁵²⁴ Wi-Fi Alliance Reply at 34-35.

⁵²⁵ Fixed Wireless Communications Coalition Reply at 36.

^{526 47} CFR § 15.711(c)(2)(iv).

⁵²⁷ Notice, 33 FCC Rcd at 10523, para. 76.

⁵²⁸ APCO International Comments at 17.

FCC 20-51

flexible use licenses and relocating affected incumbent services to other frequency bands.⁵²⁹ Such an approach would undermine our goal of creating significant new opportunities for unlicensed operations across the 6 GHz band, and would run contrary to our approach in ensuring that existing incumbent services can continue to thrive in the 6 GHz band.⁵³⁰

204. CTIA requests that the "upper portion" of the 6 GHz band be repurposed for new licensed services, while Ericsson specifically requests that both the proposed U-NII-7 band (6.525-6.875 GHz) and U-NII-8 band (6.875-7.125 GHz) be repurposed. They contend that the 1200 megahertz of spectrum proposed for unlicensed use does not constitute a "balanced" approach considering the amount of licensed mid-band spectrum the Commission has recently proposed to make available, and they suggest that other bands may be available as a new home for incumbent operations that would need to be relocated.⁵³¹ In response, Apple, Broadcom et al., the Wi-Fi Alliance, WISPA, the Dynamic Spectrum Alliance and other proponents of new unlicensed operations in the 6 GHz band contend that the proposed repurposing undermines the purpose of this proceeding to maximize the benefits of unlicensed operations.⁵³² Representatives of incumbent services that would be affected, including the Fixed Wireless Communications Coalition, the Critical Infrastructure Coalition, NPSTC, Intelsat and SES Americom, and Sirius XM, also strongly oppose repurposing that would affect their operations.⁵³³

205. We decline the requests that we repurpose substantial portions of the 6 GHz band for new licensed services in place of new unlicensed operations and existing incumbents. Most importantly, as explained in the Notice and in this Order, we believe that providing new opportunities for unlicensed operations across the entire 6 GHz band can help address the critical need for providing additional spectrum resources for unlicensed operations. Making the entire band available for these unlicensed operations enables use of wide swaths of spectrum, including several 160-megahertz channels as well as 320-megahertz channels, which promotes more efficient and productive use of the spectrum, and would also help create a larger ecosystem in the 5 GHz and 6 GHz bands for U-NII devices. Repurposing large portions of the 6 GHz band for new licensed services would diminish the benefits of such use to the American public. Accordingly, we agree with the unlicensed proponents that we should reject these requests. Similarly, repurposing substantial portions of the band, as CTIA and Ericsson request, would substantially affect existing licensed services in the band. This would be contrary to the Commission's stated goal in this proceeding to ensure that existing incumbents can continue to thrive in the 6 GHz band. Representatives of the incumbent fixed microwave services also raise concerns about the reasonableness and practicality of relocation, and question whether other appropriate spectrum can be found.⁵³⁴ The fixed

⁵³² See, e.g., Apple, Broadcom et al. Reply at 13-17; Wi-Fi Alliance Reply at 35-38; WISPA Reply at 18-20; Dynamic Spectrum Alliance Reply at 16-18.

⁵³³ See, e.g., Fixed Wireless Communications Coalition Reply at 42-44 (infeasible to relocate fixed microwave); NPSTC Reply at 11; SiriusXM Radio Feb. 22, 2020 *Ex Parte* at 2 (the 7.025-7.075 GHz band is the only spectrum available and useable by SiriusXM to uplink programming to SDARS satellites for reception by its customers).

⁵³⁴ Fixed Wireless Communications Coalition Reply at 42-44 (infeasible to relocate fixed microwave); NPSTC Reply at 11; Critical Infrastructure Coalition Reply at 7.

⁵²⁹ CTIA Comments at 9-12; Ericsson Comments at 13-16; *see also, e.g.*, Verizon Reply at 2-3 (Commission should issue a further notice to license spectrum wireless spectrum in the upper 600-megahertz of spectrum in the 6 GHz band); T-Mobile Reply at 5-9; United States Cellular Reply at 3-4.

⁵³⁰ See Notice, 33 FCC Rcd at 10497, paras. 1-2.

⁵³¹ Both CTIA and Ericsson suggest that incumbent fixed service and broadcast auxiliary service licensees be relocated using the Emerging Technologies policies the Commission has previously employed to make spectrum available for flexible use licensing. CTIA Comments at 10-11; Ericsson Comments at 16. Both suggest that the Commission work with NTIA to make the 7.125-8.4 GHz band available as a new home for fixed service licensees that are relocated. CTIA Comments at 9-12; Ericsson Comments at 13-16.

FCC 20-51

satellite service commenters also strongly reject the contention of CTIA and Ericsson that satellite services would not need to be relocated because new licensed services would not cause harmful interference to the satellite services.535 Further, there is no certain or clear path for achieving what CTIA and Ericsson propose, and it would take years. For all of these reasons, we will not take the approach suggested by CTIA and Ericsson to repurpose this band. By the actions we are taking today to open the entire 6 GHz band for new unlicensed operations, the American public will begin to see the benefits in the near term.

206. We also decline to reconsider the approach that we are taking to authorize unlicensed low-power operations in the U-NII-6 band. Ericsson also asks that we consider rules to make the U-NII-6 band available for licensed indoor use rather than permitting unlicensed indoor use as proposed in the Notice.536 According to Ericsson, this would provide assurances to incumbent licensees that they will not suffer interference while enabling industrial IoT applications with high availability, reliability, and resilience. 537 Ericsson claims that the unlicensed rules cannot provide the interference protection and guaranteed quality of service needed for industrial IoT.⁵³⁸ In this Order, we have made the entire 6 GHz band available for indoor low-power operations under rules that will protect incumbent operations across the band while also enabling use of wide channels that promote efficient use of the entire band. These unlicensed devices can provide the IoT applications envisioned by Ericsson in the entire 6 GHz band while protecting incumbent operators from harmful interference.

2. **Mobile Operations and Use in Moving Vehicles**

207. General prohibition on mobile operations. We will not at this time permit standardpower and low-power indoor access points in the 6 GHz band to operate while in motion, with one exception in the U-NII-5 band with respect to large passenger aircraft operating over 10,000 feet. 539 We decline to permit operation in vehicles because of the potential for increasing interference to incumbent services. As a result, the use of unlicensed access points shall not be permitted in moving vehicles such as cars, trains, ships, or small aircraft. Also, as proposed in the Notice we are prohibiting unlicensed devices in the 6 GHz band to be installed on unmanned aircraft systems.⁵⁴⁰

Apple, Broadcom et al. point out that portable access points are a prevalent use case 208.today and argue that restricting portable devices would undermine the overall value of the band.⁵⁴¹ They claim that an AFC system can account for portable device location and velocity variations in making channel availability calculations. They point to the whitespace device rules that allow a device to preload channel availability data for multiple locations and use the data to define a region in which the device

⁵⁴⁰ Notice, 33 FCC Rcd at 10526, para. 85.

⁵³⁵ Intelsat and SES Americom Reply at 9 (stating that the 6 GHz band is heavily used by incumbents and terrestrial use would interfere with satellite receivers); SiriusXM Radio Feb. 22, 2020 Ex Parte at 2 (the 7.025-7.075 GHz band is the only spectrum available and useable by SiriusXM to uplink programming to SDARS satellites for reception by its customers).

⁵³⁶ Ericsson Comments at 16-19.

⁵³⁷ Ericsson Comments at 17.

⁵³⁸ Ericsson Comments at 19.

⁵³⁹ Commission sought comment on whether to explicitly permit unlicensed devices in the U-NII-5 and U-NII-7 bands to operate either as a mobile hotspot or as a transportable device. Notice, 33 FCC Rcd at 10523, para. 76; See id. at 10523, para. 76 n.161 (defining "transportable devices" as devices that "are not intended to be used in motion, but rather at stationary locations" (citing 47 CFR § 30.2)). The Commission also proposed to prohibit unlicensed access points (both standard power and low power) from operating in moving vehicles, such as cars, trains, or aircraft, and to prohibit all unlicensed devices (access point and client devices) from operating with unmanned aircraft systems. See Notice, 33 FCC Rcd at 10526, paras. 84-85.

⁵⁴¹ Apple, Broadcom et al. Comments at 50-51.
FCC 20-51

may operate without conducting additional database checks.⁵⁴² Apple points out several additional ways that an AFC system could provide channel availability to an access point in motion such as predicting the likely destination and pre-loading information about incumbent systems along the expected route or obtaining channel availability from the AFC system in near real-time.⁵⁴³ Apple, Broadcom et al. also suggest that a simple geofence could be used to enable devices in motion to be used in a large facility such as a factory or railyard.544

209. As commenters note, the white space rules do provide a method that could enable personal/portable devices to operate while in motion by obtaining channel availability information for multiple locations and using this information to define a geographic area of operation.⁵⁴⁵ However, no personal/portable white space devices have yet been certified and such devices are limited to a lower power level than other white space devices.⁵⁴⁶ We are concerned that allowing standard-power access points to operate while in motion would add complexity to the AFC system as it would need to continuously update available frequency lists for such devices, and that this could add substantial congestion to links connecting devices to the AFC, potentially degrading the quality of service for the expected predominant fixed access point use. Given the lack of a record as to the power levels and operational requirements that would be needed to permit mobile operation, we will not permit mobile standard-power access point operation at this time. We seek comment in the Further Notice on the whether we could allow such operation and if so, on what requirements would be necessary so that we can develop a more complete record on the issue.

210. Similarly, we reject the Wi-Fi Alliance's position that we should consider the signal attenuation provided by the vehicle or the user's body to establish appropriate power levels to enable mobile and transportable operations.⁵⁴⁷ Unlicensed devices will have no way to determine whether they are within a car, train, or plane and therefore would not be able to adjust their output power accordingly. In addition, 5G Automobile Association explains the need to prohibit in-vehicle unlicensed operations (i.e., very low-power and mobile hotspots) in the lowest U-NII-5 channel to protect C-V2X operations, which the Commission has proposed for the upper frequencies of the 5.9 GHz band.⁵⁴⁸ However, to enable the widest potential use, we are exploring in the Further Notice whether to permit very low-power devices to operate across the 6 GHz band including within vehicles.

While we are prohibiting the use of 6 GHz access points while in motion, we are not 211. prohibiting transportable devices, which our rules define as devices that "are not intended to be used in motion, but rather at stationary locations."⁵⁴⁹ However transportable access points will have to otherwise comply with the rules we adopting. That is, they will either operate under the control of an AFC system or they will have to operate only indoors. Indoor transportable access points will have to comply with all of the restrictions we are adopting to prevent outdoor use.

545 47 CFR § 15.711(d)(4).

⁵⁴⁷ Wi-Fi Alliance Comments at 34-35; Apple, Broadcom, et al. Comments at 53.

548 5G Automotive Association Dec. 9, 2019 Ex Parte at 2; Use of the 5.850-5925 GHz Band, Notice of Proposed Rulemaking, 34 FCC Rcd 12603 (2019).

549 47 CFR § 30.2.

⁵⁴² Id. at 51.

⁵⁴³ Apple Comments at 6-7.

⁵⁴⁴ Apple, Broadcom et al. Comments at 55.

⁵⁴⁶ 47 CFR § 15.709(a)(2)(ii), (a)(3)(ii). Personal/portable white space devices are limited to a power level of 20 dBm, while fixed white space devices may operate at up to 36 dBm generally, and up to 40 dBm in "less congested" areas.

FCC 20-51

212. The National Academy of Sciences' Committee on Radio Frequencies notes that aeronautical transmissions are particularly troublesome source of interference to radio astronomy.550 It states that the 6.650-6.6752 GHz band is important to radio astronomy and is protected by an allocation table footnote that states "all practicable steps shall be taken to protect radio astronomy from harmful interference."551 To protect radio astronomy observations, it supports the Commission's proposal to prohibit airborne transmissions by unlicensed devices in the U-NII-7 band. The National Academy of Science's Committee on Radio Frequency also notes that the 6.425-7.075 GHz and 7.075-7.250 GHz bands are used for remote sensing by the earth exploration satellite service, including over oceans.⁵⁵² As already explained, we are prohibiting use of access points in cars, trains, and small aircraft because of the complications of using an AFC to control frequency access while in motion and because of the uncertain attenuation properties of these vehicles. Use of 6 GHz devices on ships raises the same issues as use in cars, trains, and aircraft regarding use of the AFC systems to protect licensees and lack of building attenuation when access points are used indoors. To address these issues and protect the earth exploration satellite service operations over oceans, we will also prohibit standard-power and low-power indoor access points aboard ships and on oil platforms.

As proposed in the Notice, we will prohibit unlicensed devices in the 6 GHz band – 213. whether standard-power or low-power devices – from operating on unmanned aircraft systems.⁵⁵³ Unmanned aircraft systems pose similar issues as other vehicles with the added complication of operating at significant height, and we have no technical bases in the record to enable us to evaluate potential harmful interference concerns posed by these systems. For the reasons we are not permitting standardpower and low-power indoor devices generally in vehicles, we are not permitting them in unmanned aircraft systems.554

214. Exception for large aircraft operating above 10,000 feet. Boeing urges that the Commission permit operation of unlicensed devices inside certain aircraft, similar to that provided to aircraft in 5 GHz band, because the signal attenuation provided by aircraft fuselage is comparable or better than that provided by buildings.⁵⁵⁵ Specifically, Boeing requests that that the Commission permit unlicensed operations aboard large aircraft when flying above 10,000 feet.⁵⁵⁶ To support its position, Boeing points to studies showing 10-45 dB of aircraft fuselage signal attenuation, the Commission's acknowledgment that fuselage attenuation is 40 dB in the 57-71 GHz range, and the fact that other countries have treated use in aircraft as indoor use. Boeing suggests that unlicensed devices use in aircraft be limited to multi-engine planes, presumably because smaller planes would have less signal attenuation.557 Apple, Broadcom et al. and other unlicensed proponents support unlicensed operations in

⁵⁵⁰ The National Academy of Sciences Committee on Radio Frequencies Comments at 5-7.

⁵⁵¹ Id. at 5; 47 CFR § 2.106 US342.

⁵⁵² The National Academy of Sciences Committee on Radio Frequencies Comments at 8-9.

⁵⁵³ Notice, 33 FCC Rcd at 10526, para. 85.

⁵⁵⁴ The Association of Unmanned Vehicle Systems International contends that exclusion of use on unmanned aircraft must be limited to those operations that have a demonstrated potential to cause harmful interference or that the rules must provide exemptions for unmanned aircraft operations with established reliability and safety data or with operations that are narrow in scope and will not present interference concerns. Association of Unmanned Vehicle Systems International Comments at 1-2. Because of the potential for harmful interference and the absence of technical analyses on the nature of potential harmful interference or the means to prevent such interference, we are not authorizing use of standard-power or low-power operations in unmanned vehicles at this time.

⁵⁵⁵ Boeing Comments at 7-11 (citing various technical studies); Boeing Reply at 2-4; Boeing Jan. 27, 2020 Ex Parte at 8.

⁵⁵⁶ See, e.g., Boeing Dec. 12, 2019 Ex Parte at 1-2; Boeing Jan. 27, 2020 Ex Parte at 1, 8.

⁵⁵⁷ Boeing Sept 17, 2019 Ex Parte, at 11.

the 6 GHz band inside commercial aircraft for purposes of airborne in-flight entertainment systems, citing certain studies by the European Telecommunications Standards Institute (ETSI) and the IEEE.⁵⁵⁸

We agree with Boeing that the fuselage of large passenger aircraft will provide 215. significant attenuation of signals from unlicensed in-flight entertainment systems. As Apple, Broadcom et al., point out, the measured average signal attenuation from the fuselage of a large aircraft at 5 gigahertz is 17 dB, which is comparable to a building of traditional construction.⁵⁵⁹ We do not expect the aircraft fuselage signal attenuation at 6 GHz to differ significantly from 5 GHz given the closeness in frequency. In addition, large passenger aircraft normally fly at high altitudes which will provide additional signal attenuation preventing signals from reaching terrestrial fixed and mobile receivers.560 The only potential area of concern would be if an aircraft flew through the main beam of a microwave link during take-off or landing. To address this concern, we will adopt Boeing's suggestion to limit the use of low-power access points for in-flight entertainment systems in aircraft to above 10,000 feet. Because the only data on the signal attenuation from aircraft fuselage submitted on the record is for large passenger aircraft, we shall also limit use to this type of aircraft. Finally, to prevent harmful interference to radio astronomy and earth exploration satellite service, we are limiting airborne use of low-power access points to the U-NII-5 band where such passive scientific operations do not occur.⁵⁶¹

3. Microwave Links in the Gulf of Mexico

216. RigNet Satcom (RigNet) operates a network of 93 fixed microwave links that connect oil platforms in the Gulf of Mexico with several points along the Gulf coast. RigNet requests that we exclude 6 GHz unlicensed operations from the Gulf of Mexico and the areas around the locations where its microwave network connects to land.⁵⁶² To support its request, RigNet submitted link budget calculations that show potential interference from outdoor standard -power unlicensed devices from 30 miles away. RigNet also submitted a technical study illustrating that the impact of potential aggregate interference from indoor access points operating at the proposed 30 dBm power to its receivers at the locations where its network connects to coast.563

⁵⁶² Rignet Satcom Reply at 1; Rignet Nov. 18, 2019 *Ex Parte* at 1-2.

⁵⁵⁸ See, e.g., Apple, Broadcom et al. Comments, Attachment at E 6 (citing ETSI, Electromagnetic compatibility and Radio spectrum Matters (ERM); System Reference Document; Technical Characteristics for Airborne In-Flight Entertainment Systems operating in the frequency range 5 150 MHz to 5 875 MHz, European Telecommunications Standards Institute, ETSI TR 102 631 V1.1.1.

https://www.etsi.org/deliver/etsi tr/102600 102699/102631/01.01.01 60/tr 102631v010101p.pdf.); Wi-Fi Alliance Comments at 35; Hewlett Packard Enterprise Comments at 26.

⁵⁵⁹ Apple, Broadcom et al. Comments, Attachment at E 6 (citing ETSI study on airborne, in-flight entertainment systems in large commercial aircraft. Electromagnetic compatibility and Radio spectrum Matters (ERM); System Reference Document; Technical Characteristics for Airborne In-Flight Entertainment Systems operating in the frequency range 5 150 MHz to 5 875 MHz, European Telecommunications Standards Institute, ETSI TR 102 631 V1.1.1, https://www.etsi.org/deliver/etsi tr/102600 102699/102631/01.01.01 60/tr 102631v010101p.pdf). 17 dB is the median building entry loss for a building with traditional construction. Predication of Building Entry Loss, International Telecommunications Union Radiocommunications Sector, ITU-R P.2109-0 at 4 (2017).

⁵⁶⁰ Boeing reported that a simulation of Wi-Fi access points in 25 aircraft operating simultaneously at 10,000 feet produced a power level on the ground 19 dB below the long-term protection criteria in ITU-R F.758. Boeing Dec. 12, 2019 Ex Parte at 3.

⁵⁶¹ The National Academy of Sciences Committee on Radio Frequencies objects to airborne use of unlicensed devices because of interference to radio astronomy and notes that the earth exploration satellite service takes measurements from 6.425-7.250 GHz. National Academy of Sciences Committee on Radio Frequencies Comments at 7-9.

⁵⁶³ Rignet Satcom Reply at 4-5; Further Analysis of Impact of Unlicensed U-NII-5 Devices on Rignet 6 GHz Backhaul Network, Rignet July 11, 2019 Ex Parte (Rignet Study).

FCC 20-51

217. Apple, Broadcom et al. claim that RigNet has made fundamental flaws in its assumptions regarding unlicensed device operation as well as operating parameters of some of RigNet's own links.⁵⁶⁴ According to Apple, Broadcom et al., the incorrect study assumptions include significantly higher radiated power for both low power indoor and very low power devices, limiting bandwidth of all unlicensed devices to 20 MHz, and locating unlicensed devices in the middle of the path. In addition, Apple, Broadcom et al. contend that RigNet's study misstated the operating parameters of some of RigNet's own links, understating their operating bandwidth and overstating the modulation used.⁵⁶⁵ With respect to AFC-controlled devices, Apple, Broadcom et al. states that there is no risk of harmful interference from AFC-controlled standard-power devices, because the AFC will prevent unlicensed devices from operating co-channel in locations where they could cause harmful interference.⁵⁶⁶

We do not find RigNet's technical study regarding aggregate interference from indoor 218. unlicensed devices convincing for several reasons. RigNet's study presents a link budget analysis of aggregate interference to each of ten microwave receivers located on land.⁵⁶⁷ In each of the link budget calculations the study assumes that a number of access points ranging from 2 to 100 are present.⁵⁶⁸ For each receiver all the access points are assumed to be at the same distance from the microwave receiver, but this distance varies from 250 m to 5 km for the different receivers. The reason for assuming these distances and number of access points is not explained. The study assumes that the access points would transmit power at a power spectral density of 23 dBm/MHz and that there would be 11 dB of building loss.⁵⁶⁹ Because we are only permitting access points to transmit at 5 dBm/MHz and, as discussed above, an appropriate assumption for building loss is 20.5 dB, the calculated signal from each access point should be 26.5 dB lower than what the study assumes.⁵⁷⁰ While the study does not discuss the propagation model used, from the pathloss shown in the link budgets it appears that free space was used for all cases. In addition, the study assumes that every access point was directly in the main beam of the microwave receiver, which is unrealistic considering the height of the microwave receivers compared to the likely height of the indoor access points.⁵⁷¹ Thus, we believe the calculated interference levels should be at least 50 dB lower than what RigNet's study finds. This is consistent with our conclusion that microwave receivers will not experience harmful interference from indoor access points. With respect to AFC-controlled devices, RigNet's microwave links will be protected by the AFC as would any other microwave link licensed in the 6 GHz band. RigNet's microwave network appears to be no different from any other microwave links, which our new unlicensed rules are designed to protect from harmful interference. Accordingly, our rules will not exclude the Gulf of Mexico from unlicensed operations.⁵⁷²

4. Ultra-Wideband and Wideband

219. We decline to adopt specific provisions in our 6 GHz band unlicensed rules that would provide special protections for ultra-wideband and wideband devices. As ultra-wideband and wideband

⁵⁶⁷ *Rignet Study* at 5-15.

568 Rignet Study at 19-30.

⁵⁶⁹ Id.

⁵⁷⁰ As stated above we believe a mix of 70% traditional and 30% thermally efficient building type should be used when determining a statistical probability of building entry loss. The median value of the 70/30 building entry loss curve is 20.5 dB. *See supra* footnote 297.

⁵⁷¹ None of these receivers are located near high-rise buildings.

⁵⁷² However, as noted above, to protect earth exploration satellite service measurements taken over the oceans we are prohibiting the operation of standard-power and low-power indoor access points on oil platforms.

⁵⁶⁴ Apple, Broadcom et al. *Ex Parte* Mar. 10, 2020 at 2-3.

⁵⁶⁵ Id.

⁵⁶⁶ Apple, Broadcom et al. *Ex Parte* Mar. 10, 2020 at 3.

FCC 20-51

devices operate under Part 15 unlicensed rules, taking such action would effectively provide those devices with a level of interference protection to which they are not entitled. Ultra-wideband and wideband devices are permitted to operate at a variety of power levels, all of which are below -41.3 dBm/MHz.⁵⁷³ These devices also operate over large bandwidths that are typically allocated to a variety of services. The Ultra-Wide Band Alliance, Decawave, and iRobot submitted analyses to support their contention that because of their low power level, ultra-wideband and wideband devices would receive crippling interference from unlicensed devices operating under the new rules.⁵⁷⁴ The Ultra-Wide Band Alliance, Decawave, NXP USA, and iRobot urge the Commission to place restrictions on the new unlicensed devices such as limiting them to only a portion of the 6 GHz band, reducing their power levels, and/or limiting their duty cycle in order to protect unlicensed wideband and ultra-wideband devices.⁵⁷⁵ The Ultra-Wide Band Alliance, Alteros, and Zebra Technologies request that the AFC system or exclusion beacons be used to protect ultra-wideband and wideband deployments.⁵⁷⁶ NXP USA also suggests that ultra-wideband and wideband devices be permitted to reserve spectrum by sending a reservation request to other unlicensed devices.577

We are not persuaded by these arguments. First, ultra-wideband and wideband devices, 220. as with all unlicensed devices operating under our Part 15 rules, are subject to the condition that they may receive interference—including interference from other unlicensed devices.⁵⁷⁸ Unlicensed Part 15 devices have no vested right in the continued use of any particular block of spectrum.⁵⁷⁹ Moreover, ultrawideband and wideband devices operate across a varied spectrum landscape with different types of licensed services (in this case, microwave links and satellite uplinks) that are governed by differing service and technical rules. Thus, by their nature, wideband and wideband devices must be designed to tolerate varying levels of interference with no assurance of an interference-free operating environment.

All of the provisions that the ultra-wideband and wideband advocates request would in 221. effect reserve spectrum in a manner that we have not previously contemplated or proposed for such devices. We decline to let the spectrum provisions applicable to ultra-wideband and wideband devices preclude the provision of other services that we have widely permitted under the unlicensed framework applicable to the U-NII bands. Our experience with the 2.4 GHz and existing U-NII bands has shown that the adoption of technology neutral rules has resulted in an explosion of innovation and the widespread adoption of unlicensed technologies by consumers and businesses. We expect a similar experience to occur in the 6 GHz band. If we were to adopt the suggested limitations on power levels, available spectrum, and duty cycle we would limit the range and data rates of the new unlicensed devices in a way that limits their utility. We find that it would not be in the public interest to restrict the use of the 6 GHz band unlicensed devices in this way. However, we note that the contention-based protocol requirement we are adopting for low power indoor devices will limit the unlicensed device duty cycle and that it could

⁵⁷⁶ Ultra-Wide Band Alliance Comments at 26; Ultra-Wide Band Alliance Reply at 6; Alteros Reply at 4; Zebra Technologies Reply at 1.

578 47 CFR § 15.5(b).

579 47 CFR § 15.5(a).

⁵⁷³ 47 CFR §§ 15.250(d)(1), 15.591(d), 15.510(c)(4) & (d)(3), 15.511(c), 15.513(d), 15.515(d), 15.517(c), 15.519(c).

⁵⁷⁴ Ultra-Wide Band Alliance Comments at 9-16; Decawave Comments at 5-6; iRobot Oct. 16, 2019 Ex Parte at 15-16. See also Zebra Technologies Comments at 3 (ultra-wideband devices could suffer interference from 1 mile away).

⁵⁷⁵ Ultra-Wide Band Alliance Comments at 24-25 (limit new unlicensed devices to 5.925-6.2 GHz, limit duty cycle to 0.5%); Ultra-Wide Band Alliance Reply at 4 (limit power to -21.3 dBm/MHz); Decawave Comments at 8 (limit to 0.5% duty cycle, limit power to 0 dBm); NXP USA Comments at 3 (limit power to -21.3 dBm/MHz in band and -41.3 dBm/MHz in adjacent channel, limit to 0.5% duty cycle); iRobot Comments at 3 (limit to 5.925-6.1 GHz, 0.5% duty cycle, require power control).

⁵⁷⁷ NXP USA Comments at 3.

FCC 20-51

also detect the presence of ultra-wideband and wideband devices. We encourage ultra-wideband and wideband interests to work with standards bodies to explore protocols that may enhance those devices coexistence with new 6 GHz unlicensed devices.

222. Additionally, the record provides compelling evidence of circumstances where unlicensed devices operating under both the existing and new rules will be able to peacefully co-exist. A study submitted by Broadcom indicates that wideband devices may be able to operate outdoors in areas immediately adjacent to locations where unlicensed devices operating indoors under the new rules are deployed and that, where devices are in close proximity, users will likely be able to promote co-existence by adjusting the positioning of UWB and RLAN devices.⁵⁸⁰ Thus, for ultra-wideband and wideband devices employed in industrial applications and other indoor locations, the facility owner will be able to exercise control over the use and placement of new unlicensed devices, and if necessary, can choose which devices to deploy to avoid unwanted interference. In addition, according to data submitted by CableLabs, the weighted average of the activity factor for Wi-Fi is 0.4%⁵⁸¹ which is below the 0.5% activity factor suggested by the ultra-wideband and wideband proponents to enable co-existence. Thus, we have reason to believe that in many cases ultra-wideband and wideband devices will be able to operate in the presence of new devices that will operate under the new 6 GHz unlicensed rules.

5. **Synchronized Unlicensed Operation**

223. Qualcomm requests that the Commission adopt a rule which it claims will permit access points that use synchronized contention windows to operate without disadvantaging other technologies.⁵⁸² Under such a framework, synchronized unlicensed devices that have information to transmit would send a request to transmit during a contention window that is synchronized among all synchronized unlicensed devices in a particular area. This will allow those unlicensed devices to reserve access to the spectrum until the beginning of the next contention window.⁵⁸³ According to Qualcomm, use of synchronized contention would result in higher spectrum efficiency and enable guaranteed spectrum access for services that require a particular quality of service.584

224. The specific rule that Qualcomm requests would establish a synchronized mode for unlicensed devices with contention windows every 6 milliseconds.⁵⁸⁵ Synchronized access points would be permitted to occupy the channel for 6 milliseconds unless the channel is occupied at the start of a contention window, in which case they could occupy the channel for up to 12 milliseconds. Nonsynchronized access points would be able to occupy the channel for up to 10 milliseconds According to Qualcomm, this approach would be technology neutral because it would enable both synchronized and non-synchronized access points to access the channel with occupancy times that are nearly the same on average.⁵⁸⁶ Qualcomm claims that adopting this rule would enable advanced spectrum sharing techniques

⁵⁸⁶ Id. at 3, 25-26.

⁵⁸⁰ Broadcom Jan. 15, 2020 Ex Parte at 4, 6 (no degradation in ultra-wideband ranging performance at distances predicted in study submitted by iRobot).

⁵⁸¹ CableLabs Dec. 23, 2019 *Ex Parte* at 16.

⁵⁸² Qualcomm, Nov. 15, 2019 Ex Parte, at 2. Qualcomm previously suggested that U-NII-7 be reserved for unlicensed systems using a synchronized contention window. Qualcomm Comments at 23.

⁵⁸³ Qualcomm Comments at 22. Qualcomm's recommended approach of enabling synchronized operations uses the concept of preferred synchronized medium reservation windows, where the synchronization reference is common among cooperating nodes. The concept of the synchronous and periodic medium reservation period allows an access node, AP, or client (UE) to reserve the medium until the beginning of the next medium reservation period. Id.

⁵⁸⁴ Id. at 20-21; Qualcomm, Nov. 15, 2019 Ex Parte, at 2. HP Enterprise argues that Qualcomm's claim of spectrum efficiency is incorrect. HP Enterprise Comments at 17-20.

⁵⁸⁵ Qualcomm, Nov. 15, 2019 Ex Parte, at 2-3, 22-23.

FCC 20-51

that are being included in the 5G NR-U standard and a next generation Wi-Fi standard, IEEE 801.11be (EHT),⁵⁸⁷ without prohibiting other technologies.⁵⁸⁸

The Commission has historically adopted rules that are technologically neutral and 225 remains committed to this policy. This is reflected by our U-NII rules which do not require the use of a particular contention method for unlicensed devices to share access to spectrum. The Commission's embrace of technology neutrality has encouraged the development of a vast variety of unlicensed devices operating under our Part 15 rules. In fact, Qualcomm has endorsed our policy stating that this "approach to both licensed and unlicensed spectrum bands has supported perpetual innovation by the entire wireless industry" and that "[t]here is no question that the FCC should continue its successful tech neutral policy to existing and future spectrum bands."589 While there may be ways to increase spectrum efficiency by synchronization as Qualcomm advocates, this would necessarily require restricting the flexibility that Part 15 has permitted to U-NII devices.⁵⁹⁰ We do not believe that this would be an acceptable tradeoff and we reject Qualcomm's request.

We also do not find convincing Qualcomm's contention that granting its request would 226. be in keeping with our technology neutral policy. Qualcomm's proposed rule would limit the length of time any non-synchronous access point could continuously transmit to 10 milliseconds. We have no information as to how this limitation will affect other technologies that could potentially be deployed in the band or whether this length of transmission would be optimal. We agree with HP Enterprise that "far from being technologically neutral, the stated purpose of [Qualcomm's] proposal is to advantage one specific type of unlicensed technology over all others."591 We also expect that technologies other than IEEE 801.11be (EHT) or 5G NR-U will be used by unlicensed devices in this band and do not see any reason to place limitations on their operation.

6. **Digital Identifying Information**

227. As a means of mitigating interference, the Commission sought comment on whether we should require standard-power access points, low-power access points, and their associated client devices to transmit digital identifying information.⁵⁹² Apple, Broadcom et al. claims that this would require the Commission to mandate a specific technology to modulate the identifier, stimulate the creation of devices to identify interference, and hope licensees purchase it.⁵⁹³ Apple argues that this requirement could interfere with the operation of applications that require low-latency.⁵⁹⁴ The Fixed Wireless Communications Coalition asserts that the requirement would not be helpful as microwave licensees do not become aware of interference until a link fails and the microwave receiver would not be able to

⁵⁹⁴ Apple Comments at 16.

^{587 5}G NR-U is a commercial wireless standard for use in unlicensed bands under development by the 3rd Generation Partnership Project (3GPP). IEEE 801.11be (EHT) is a Wi-Fi standard under development that will be capable of much higher data rates. David Lopez-Perez, Adrian Garcia-Rodriguez, Lorenzo Galati-Giordano, Mika Kasslin, Klaus Doppler, IEEE 802.11be Extremely High Throughput: The Next Generation of Wi-Fi Technology Beyond 802.11ax, IEEE Communications Magazine, 113 (Sept. 2019) https://arxiv.org/pdf/1902.04320.pdf.

⁵⁸⁸ Qualcomm Comments at 23; Qualcomm, Nov. 15, 2019 Ex Parte, at 2, 4.

⁵⁸⁹ Oualcomm Comments, ET Docket No. 15-105, at 9 (June 11, 2015).

⁵⁹⁰ Qualcomm's proposed rule would limit flexibility by restricting non-synchronized devices to 10 millisecond transmissions.

⁵⁹¹ HP Enterprise Reply at 16; see also Broadcom Reply at 26; Cisco Reply at 12; Dynamic Spectrum Alliance Reply at 18 (concerned that adopting Qualcomm's proposal would reserve U-NII-7 for a specific unlicensed product Qualcomm hopes to sell).

⁵⁹² Notice, 33 FCC Rcd 10526-27, para. 88.

⁵⁹³ Apple, Broadcom et al. Comments at 64; Broadcom Comments at 42.

FCC 20-51

decode the identifier.⁵⁹⁵ Apple, Broadcom et al. point out that this requirement would create a significant privacy issue because it would enable devices to be tracked.⁵⁹⁶ Tucson Electric Power and UNS Electric respond that a transmitted identifier would be instrumental in resolving interference and that privacy concerns have no merit as Wi-Fi devices transmit a unique media access control address that can enable world-wide tracking of users today.⁵⁹⁷ While APCO acknowledges that an identifier could be useful in the process of identifying the source of interference, they do not want microwave licensees to be required to decode the information.598

228. We decline to adopt a requirement that 6 GHz unlicensed devices transmit digital identifying information. As Apple, Broadcom et al. point out, imposing such a requirement would require us to mandate a modulation format for the transmitted information, which would necessarily impose restrictions on the development of unlicensed technology in the band. Given that the record has provided no details on how this requirement will help resolve interference, we do not believe that imposing this requirement can be justified. We also agree with those commenters who express concern that this requirement could intrude upon the privacy of device users by facilitating tracking of devices.

7. **Benefits and Costs**

229. Making available 1200 megahertz of spectrum in the 6 GHz band for new types of unlicensed use will vield important economic benefits and will allow more extensive use of technologies such as Wi-Fi and Bluetooth by American consumers. Consumers are using more and more data, on average, and this is expected to continue to grow significantly.⁵⁹⁹ As demand for data increases, making more spectrum available for two types of unlicensed use - standard-power and low-power indoor - will provide economic benefits by relieving potential congestion, allowing more users to access these new bands, and potentially making new use cases possible. As noted above, the ability of unlicensed devices to use significant portions of this band may also complement new licensed 5G services by allowing providers to offer a full range of services to consumers and will help to secure U.S. leadership in the next generation of wireless services. One report cited by several commenters estimates that in 2018, the economic benefits associated with Wi-Fi in the United States was valued at almost \$500 billion.⁶⁰⁰ A further report estimated that these new rules will produce over \$150 billion in economic value.⁶⁰¹ In some ways, unlicensed usage on the new spectrum will be more restricted than for current Wi-Fi usage due to the AFC and lower power limits. However, in the United States, Wi-Fi currently operates in different bands over nearly 700 megahertz of spectrum, none of which enables channels as large as 160 megahertz.⁶⁰² Making an additional 1200 megahertz of 6 GHz spectrum available for unlicensed use,

⁵⁹⁵ Fixed Wireless Communications Coalition Comments at 34.

⁵⁹⁶ Apple, Broadcom et al. Comments at 65; Apple Comments at 16-17.

⁵⁹⁷ Tucson Electric Power and UNS Electric Reply at 20-22.

⁵⁹⁸ APCO Comments at 19.

⁵⁹⁹ GSMA, The Mobile Economy, North America 2019 at 13. GSMA estimates that demand for data in North America will increase from 10 GB per subscriber per month in 2018 to 55.6 GB per subscriber per month in 2024.

⁶⁰⁰ Letter from Alex Roytblat, Counsel to Wi-Fi Alliance, to Marlene H. Dortch, Secretary, FCC, WT Docket No. 17-200, Attach. 2 at 33 (filed Oct. 12, 2018) (Wi-Fi Alliance Oct. 12, 2018 Ex Parte). See Wi-Fi Alliance Comments at 5, National Cable Television Association Comments at 7, RLAN Comments at 10, and Cisco Reply Comments at 6.

⁶⁰¹ Telecom Advisory Services, LLC, Assessing the Economic Value of Unlicensed Use in the 5.9 GHz & 6 GHz Bands, (Apr. 2020), http://wififorward.org/wp-content/uploads/2020/04/5.9-6.0-FINAL-for-distribution.pdf.

⁶⁰² While 689.5 megahertz represents all spectrum that Wi-Fi could operate on in the United States, in practice, most use occurs within the 2.400-2.483.5 GHz band, the 5.150-5.250 GHz U-NII-1 band and the 5.725-5.850 GHz U-NII-3 band.

FCC 20-51

including enabling the use of 160-megahertz channels that will lead to expanded throughput, capacity, and performance will have a significant economic benefit.

We note, however, that the new rules for unlicensed spectrum use could impose some economic costs if harmful interference to incumbent services occurs. As explained above, the technical and operational rules are designed to minimize the potential interference to incumbent licensed uses. While under the rules there can be interference with ultra-wideband and wideband applications, these costs will be lower than the total U.S. economic value for ultra-wideband and wideband products, which in turn, are lower than the total economic value of new unlicensed use. The CableLabs study gives us reason to believe that interference with ultra-wideband and wideband will only be intermittent, so that coexistence with new users will be possible.⁶⁰³ Further, when ultra-wideband and wideband use is specific to an indoor facility, it will be feasible for facility owners to prevent interference by regulating use of unlicensed activity within the facility.⁶⁰⁴ Thus, in most cases, the full value of ultra-wideband or wideband will be preserved, with only management costs incurred by facility owners. While we are unable to precisely estimate the value of U.S. ultra-wideband and wideband, one market research firm cited the global value of the ultra-wideband industry will be \$85.4 million in 2022.605 In addition, we note that revenues from a non-exhaustive list of U.S. firms producing ultra-wideband products, among others, imply that even if costs are incurred, they will be significantly less than the potential hundreds of billions of dollars of economic value created.⁶⁰⁶ Overall, while we identify some economic costs, we believe that they are limited and do not outweigh the substantial economic benefits of making such a large amount of spectrum available for unlicensed use.

IV. FURTHER NOTICE OF PROPOSED RULEMAKAING

231. The Report and Order adopts rules that permit devices to operate indoors throughout the 6 GHz band with a 5 dBm/MHz power spectral density EIRP and a cap on absolute EIRP that limits 320-megahertz bandwidth channels to 30 dBm. The Report and Order further requires these devices to operate using a contention-based protocol so that 6 GHz unlicensed devices must incorporate some spectrum sensing capability to ensure the spectrum is not in use prior to transmitting and do not transmit continuously. The Report and Order finds that the potential for these low power indoor unlicensed

⁶⁰³ See CableLabs Dec. 23, 2019 *Ex Parte* at 16 (the weighted average of the activity factor for Wi-Fi is 0.4%, which is below the 0.5% limit proposed by ultra-wideband and wideband).

⁶⁰⁴ See Broadcom Jan. 15, 2020 *Ex Parte* at 4 (asserting that there will be no degradation in ultra-wideband ranging performance at distances predicted in the study submitted by iRobot).

⁶⁰⁵ Markets and Market, Ultra-Wideband (UWB) Market by End-User (Healthcare, Automotive and Transportation, Manufacturing, Residential Retail), Application (RTLS/WSN, Imaging), and Geography (North America, Europe, Asia-Pacific, Rest of the World) - Global Forecast to 2022 (2017), <u>https://www.marketsandmarkets.com/Market-Reports/ultra-wideband-market-200905786.html</u>. The UWB Alliance suggests a value of \$240 billion. Letter from Timothy Harrington, Executive Director of UWB Alliance, to Marlene H. Dortch, Secretary, FCC, WT Docket No. 18-295 (filed Apr. 13, 2020) (UWB Alliance Apr. 13, 2020 *Ex Parte* Letter). We note there is no explanation of how precisely this figure is computed; the only calculation done is of the sales value of UWB-capable iPhone 11s as an example of the economic impact of UWB, but these are dependent on device sales numbers that have no citation. Moreover, the figure is based on the total device sales price, rather than what fraction of the value of the phone can be attributed to UWB capability. *Id.* at 2. Even at face value, we note that the costs the new rules impose would only be a small fraction of the UWB Alliance's suggested value because any interference would only be intermittent or could be addressed by restrictions imposed by facility owners.

⁶⁰⁶ For example, Zebra, a producer of ultra-wideband products, among others, had total 2019 revenues of \$2.2 billion. Zebra Technologies Corporation, SEC Form 10-K, at 28 (filed Feb. 13, 2020). iRobot, which has a prototype robotic lawnmower that would work with ultra-wideband, had total U.S. revenues of \$604 million. iRobot Corporation, SEC Form 10-K, at 55 (filed Feb. 12, 2020). Boeing, a user of ultra-wideband in its manufacturing and inspection processes, had a total 2019 revenue of \$77 billion, of which ultra-wideband is a very small fraction. The Boeing Company, SEC Form 10-K, at 16 (filed Jan 31, 2020).

FCC 20-51

devices to cause harmful interference to incumbent services in the bands, including Fixed Microwave Service links, the Broadcast Auxiliary Service, the Fixed Satellite Service and Radio Astronomy, is minimal.

232. In this Further Notice, we seek comment on two options for further expanding unlicensed operations without the use of an AFC. First, we propose to authorize operations that are not limited to indoor use-and, thus, must be very low power to protect incumbents. Second, we seek comment on increasing the power spectral density EIRP for low-power indoor operations from 5 dBm/MHz to 8 dBm/MHz. In addition, we seek comment on permitting mobile AFC controlled standard-power access point operation and on whether to allow higher power levels for AFC controlled standard power access points used in fixed point-to-point applications.

A. **Very Low Power Operation**

233. In the Notice in this proceeding, the Commission sought comment on whether to permit indoor "low-power" operations in the U-NII-5 and U-NII-7 bands under the same conditions as proposed for operations in the U-NII-6 and U-NII-8 bands. The Commission also sought comment on whether there were any other operational requirements, rules, or mitigation techniques that would allow lowpower access points to operate in the U-NII-5 and U-NII-7 bands without the use of an AFC system.⁶⁰⁷

In response, Apple, Broadcom et al. request that we permit very low-power unlicensed 234. devices to operate in the U-NII-5, U-NII-7, and the lower 100 megahertz of the U-NII-8 band with no requirements that the devices be kept indoors or be under the control of an AFC system.⁶⁰⁸ Other unlicensed proponents also request that the Commission adopt rules to permit very low-power operations across the 6 GHz band.⁶⁰⁹ In their latest filing Apple, Broadcom et al. request that these very low-power devices be permitted to transmit with 14 dBm EIRP and -8 dBm/MHz power spectral density EIRP.⁶¹⁰ Apple, Broadcom et al. claim that this device class will be critical for supporting indoor and outdoor portable use cases such as wearable peripherals including augmented reality/virtual reality and other personal-area-network applications as well as in-vehicle applications.⁶¹¹ To support their claims that these very low-power devices will not cause harmful interference to microwave receivers, they submitted link budgets for four cases.⁶¹²

235. The proponents for very low power unlicensed devices have made a compelling case for allowing such use. These devices can usher in new ways that Americans work, play, and live by enabling applications that can provide large quantities of information in near real-time. We therefore propose to permit very low power devices to operate across the entirety of the 6 GHz band (5.925-7.125 GHz), both indoors and outdoors, without using an AFC. This proposed action would make a contiguous 1200-megahertz spectrum block available for new and innovative high-speed, short range devices. We seek comment on this proposal. What are the benefits that these devices can bring to the American public? What use cases are envisioned for these devices? What form factors will be most useful for performing everyday activities? Will very low power functionality be built into existing devices such as cell phones or will they be standalone devices? What data rates are necessary to enable the enhanced

⁶¹¹ *Id.* at 2.

⁶⁰⁷ Notice, 33 FCC Rcd at 10522, para. 73.

⁶⁰⁸ Apple, Broadcom et al. Comments at 4-5.

⁶⁰⁹ Wi-Fi Alliance Jan. 17, 2020 Ex Parte, at 1-2.

⁶¹⁰ Tying the maximum 14 dBm EIRP to a -8 dBm/MHz PSD EIRP assumes a 160-megahertz channel. The maximum EIRP would differ as the bandwidth changes (e.g., 11 dBm, 8 dBm and 5 dBm maximum EIRP for 20, 40 and 80-megahertz channels, respectively). Apple, Broadcom et al. July 2, 2019 Ex Parte, at 5,7; Apple, Broadcom et al. Dec 9, 2019 Ex Parte, at 8.

⁶¹² Apple, Broadcom et al. Nov. 12, 2019 Ex Parte, at 5-7; Apple, Broadcom et al. Dec 9, 2019 Ex Parte, at 3.

FCC 20-51

applications envisioned for these devices? Over what distances will transmissions to very low power devices be necessary? Where are these devices most anticipated to be used and for what applications? The answers to these questions will drive additional comment and decisions on these devices as the fundamental decision that must be determined through this Further Notice is how much power can these very lower power devices be permitted so that the potential of causing harmful interference to incumbent 6 GHz band users is minimized.

236. We seek comment on the appropriate power level for very low power unlicensed devices in the 6 GHz band. In examining what power levels we should authorize, we note that there are many factors that need to be considered, including body loss (as we are envisioning most use cases will be for body worn devices), use of transmit power control, antenna type and radiation pattern, use of a contention-based protocol and projected activity factor. As a threshold matter, similar to our requirements for low power indoor devices, we propose to require that 6 GHz band very low power unlicensed devices incorporate an integrated antenna. We seek comment on these proposals. Using an integrated antenna will ensure that users are unable to swap out the antenna for a higher gain antenna that could increase the potential for interference. We assume that the antennas will be omnidirectional and have minimum gain? Is that a good assumption? Are there other antennas anticipated for these devices?

237. As the Commission finds for indoor low power devices, should we require a contentionbased protocol that requires devices to sense or listen to the spectrum prior to transmitting to ensure all unlicensed devices have an equal opportunity to transmit as well as to protect incumbent users? Commenters should address whether protocols such as Wi-Fi's current carrier sense multiple access with collision avoidance (CSMA/CA) would be used or are there other protocols that may work here too? Apple, Broadcom et al. contend that such a protocol will protect mobile Broadcast Auxiliary Service Incumbents in the U-NII-6 and U-NII-8 bands.⁶¹³ We seek comment on the viability of relying on a contention-based protocol to protect these uses. Can this protocol also be used to protect Fixed Service microwave incumbents? What sensing levels are necessary to reliably detect incumbent services to protect them?⁶¹⁴ We also note that wideband and ultrawideband unlicensed devices operate in the 6 GHz band. Can the contention-based protocol be used to enable co-existence between various unlicensed device types? Commenters should provide detailed technical information on the contention-based protocol and how it can be used to protect existing 6 GHz band users (and whether a requirement to include a contention-based protocol would materially affect the spectrum very low power devices could use as well as the relevant power levels in order to protect incumbent services).

238. In determining the proper power level for very low power unlicensed devices using 160-megahertz channels, we first note that the Commission is authorizing low power indoor devices to operate with 5 dBm/MHz PSD EIRP and a maximum 27 dBm EIRP. This decision is based on an extensive record replete with multiple studies-both Monte Carlo and static link budgets. A major contributing factor to those analyses was consideration of building entry loss and the effect such propagation loss would have on protecting incumbent licensees from harmful interference. Building attenuation is a function of building construction type (traditional or thermally efficient) and the elevation angle of the signal path at the building façade.⁶¹⁵ Because the major difference between low power indoor unlicensed devices and very low power unlicensed devices is that for the latter devices, outdoor use would not be subject to building entry loss, how should we evaluate the interference potential of these devices as many may be operating outdoors? Can the analyses performed for indoor low power devices

⁶¹³ Apple, Broadcom et al. Feb. 28, 2020 at 11-23.

⁶¹⁴ We note that the Wi-Fi 802.11 standard incorporates a -62 dBm energy detect level for its CSMA/CA protocol. Id. at 11; IEEE Standards Ass'n 802.11-2016 Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications 17.3.10.6 (2016).

⁶¹⁵ Predication of Building Entry Loss, International Telecommunications Union Radiocommunications Sector, ITU-R P.2109-0 at 2 (2017).

FCC 20-51

inform how we proceed here? We note and the record indicates that for many anticipated use cases, use will occur near the ground and in the presence of buildings and other objects further subjecting potentially interfering emissions to clutter losses.⁶¹⁶ Accounting for clutter losses would infer that more power could be permitted without increasing the potential for harmful interference. How should we account for clutter losses? What types of clutter losses would affect low power device signals? Because clutter losses, like building attenuation is statistical, we seek information on clutter loss statistical distributions that would be appropriate to use in any analyses. What information is available? What are the minimum, maximum, and mean values that can be expected for various locations? How have these distributions been validated? Commenters should provide detailed information and reference material to support their claims regarding appropriate clutter losses to consider.

239. Other factors that must be considered when evaluating very low power unlicensed devices is body loss and transmit power control. We anticipate that most of the devices contemplated for such operation will be body worn and subject to such losses. In their filings with technical analyses, Apple, Broadcom et al. assume that there will be at least 18 dB signal attenuation from body loss and transmit power control.⁶¹⁷ Is this assumption realistic? We seek comment on the correct value we should consider for body loss and transmit power control for these devices. Commenters should provide detailed technical analysis supporting the value(s) they believe we should rely on as we determine the maximum power level for very low power devices.

240. We also ask commenters to address some specific technical solutions and use situations that we believe are likely to arise through typical operation. First, we note that cell phones typically employ proximity or other sensors to determine if they are close to a body to adjust power to meet the Commission's RF exposure rules. Could such a sensor be used in conjunction with these very low power devices as a way of adjusting their power based on how much body loss might be expected? How would such a system work to both ensure the ability of devices to close their links as well as avoiding causing harmful interference to incumbent licensees? Should such sensors be required on these devices? If so, what parameters are essential and what algorithms would ensure proper power level tuning? How would interference to incumbent operations be protected when a very low power unlicensed device must use higher power when facing maximum body loss in the direction of its intended receiver, but no similar losses in other directions? For example, a cell phone in a backpack may be transmitting to a body worn device where the intended signal encounters a person's full mass in that intended direction, but no losses in other directions. Is this a reasonable scenario? What are the potential consequences of such operation?

241. Alternatively, in use cases where an unlicensed device may not encounter much body loss, how would transmit power control be implemented to protect incumbent licensees? For example, if a device is mounted on a bicycle handlebar and communicating with a body worn device, there would be no body loss and little clutter. We seek comment on other use cases and whether proximity sensors could be used and how transmit power control would provide sufficient power for the application and at the same time protect incumbent licensees. How does the expected geometry between these unlicensed devices, which presumably will generally be used close to the ground and fixed service microwave links which are generally high off the ground and employ directional antennas affect the power level we can allow? What about the interaction for Broadcast Auxiliary Services?

⁶¹⁶ Apple, Broadcom et al. Mar. 18, 2020 Ex Parte at 10.

⁶¹⁷ Apple, Broadcom et al. Nov. 12, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 2, 7-8. These link budgets rely on a combined 18 dB for body loss/transmit power control attenuation. Apple, Broadcom et al. Nov. 12, 2019 *Ex Parte*, at 7-9, 11; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 7. But their submissions also state that the body loss is assumed to be 4.5 dB and power control reduction is 14 dB, which would result in a combined loss of 18.5 dB. Apple, Broadcom et al. Nov. 12, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8; Apple, Broadcom et al. Dec 9, 2019 *Ex Parte*, at 8.

FCC 20-51

242. We seek comment on how all these factors should be considered in analyses and the various technical solutions can work together to authorize very low power unlicensed devices across the 6 GHz band. We seek comment on the appropriate factors that should be incorporated into a link budget. We also seek comment on the appropriate way to model the potential interactions between unlicensed devices and incumbent operations. Should we rely on Monte Carlo analysis, link budget analysis, link-level simulations that take into account detailed physical layer implementations of unlicensed devices as well as incumbent devices, or a combination of these methods? Regardless of which type of analysis commenters submit, all assumptions should be fully explained and supported and all methodologies explained in detail. We also seek comment on what technological measures can be incorporated into a very low-power device to support the operations at the requested power limits and mitigate the potential for harmful interference to incumbent services?

243. In contemplating the various factors discussed, we seek comment on what power level we should authorize for very low power unlicensed devices across the 6 GHz band. In this regard, we note that, similar to the rules we are adopting for indoor low power devices, we anticipate requiring devices to meet a power spectral density requirement, which inherently places a maximum on radiated power. Do commenters support this approach? Apple, Broadcom et al. contend that 14 dBm EIRP and -8 dBm/MHZ PSD EIRP is necessary to enable the applications they anticipate for these devices. We seek comment on the power level and other technical or operational rules we should consider to maximize the utility of the 6 GHz band and protect incumbent licensees. We encourage commenters to also conduct testing and measurements of protype devices to support whatever rules they advocate for. Such testing can be done under an experimental license to the extent needed. What technical measures will be effective in meeting our goals of balancing new devices against the need to protect incumbent licensees?

B. Power Spectral Density Increase for Low Power Indoor Operation

244. We seek comment in this Further Notice on whether to allow low power indoor devices to operate at a higher power spectral density of 8 dBm/MHz with a maximum permissible EIRP of 33 dBm when a device uses a bandwidth of 320 megahertz in the U-NII-5 through U-NII-8 bands. We adopt 5 dBm/MHz in the Report and Order considering the analyses in the record based on limited measurements, Monte Carlo simulations and static link budgets, none of which fully capture a future deployment scenario involving a very large number of unlicensed devices operating in a complex interference environment. Analyses that can incorporate realistic environments, including accurate linklevel and system level simulations or measurements which take into account the physical layer characteristics of both unlicensed and incumbent devices would be more convincing in determining whether a higher PSD such as 8 dBm/MHz should be adopted. For devices operating with bandwidths other than 320 megahertz, the maximum allowable total power would scale accordingly (e.g., 30 dBm with a bandwidth of 160 megahertz, 27 dBm with a bandwidth of 80 megahertz, 24 dBm with a bandwidth of 40 megahertz, and 21 dBm with a bandwidth of 20 megahertz). We believe that these rules would be useful for many indoor devices that require high data rate transmissions such as indoor access points communicating with clients like high-performance video game controllers, and wearable video augmented reality and virtual reality devices.

245. Would the proposed power levels be useful for low power indoor devices? What are the specific benefits to consumers and users of unlicensed operations of a higher power spectral density limit? Are the proposed power limits appropriate for preventing interference to authorized users in the U-NII-5 through U-NII-8 bands? Do the mobile uses of these bands present challenges to adjusting the power limits? Should we adopt any other requirements in addition to power density and total EIRP limits to protect services in these bands? We seek specific comment on how a higher power spectral density limit would impact our analysis of Examples 1B, 4, and 5 from the AT&T study, as well as how common those scenarios are. Proponents of low-power indoor operations have convincingly shown that even in these examples the likelihood of harmful interference to fixed microwave services will be insignificant with a power spectral density limit of 5 dBm/MHz. Is the risk materially higher at 8 dBm/MHz? Is so, is such risk still low (or even insignificant)? And how common are such scenarios? We seek specific comment from fixed service incumbents on what fraction of their operations do each of these scenarios represent.

FCC 20-51

And are we correct to surmise that these are worst case scenarios (as would be suggested by the incentives of those introducing these scenarios into the record) or do they actually represent a significant number of operations? Finally, we seek comment on the benefits and costs of our proposal. How should we quantify the potential economic benefits of authorizing higher power spectral density for low power indoor devices and the potential cost to incumbent operations should interference occur?

С. **Mobile Standard-Power Access Point Operation**

246. We seek comment on whether to allow standard-power access points, under AFC control, to be used in mobile applications under rules similar to those for personal/portable white space devices. Such usage would expand the area over which unlicensed 6 GHz devices can operate to deliver additional benefits to the American public. Mobile use at higher power levels than what we are proposing, or very low power unlicensed devices could also enable new innovative applications. We seek comment on what benefits such usage could provide. What new applications are envisioned for higher power mobile operation?

247. The white space device rules limit personal/portable devices to a lower power level than fixed white space devices.⁶¹⁸ Under the rules a personal/portable white space device must determine its geographic coordinates using an incorporated geo-location capability prior to its initial service transmission, each time the device is activated from a power-off condition, and at least once every 60 seconds while in operation.⁶¹⁹ In addition it must access a database to obtain a list of available channels for its location and must access the database for an updated channel list if it changes location by more than 100 meters from the location at which it last obtained its channel list.⁶²⁰ Also, a personal/portable white space device must re-check its location and access the database daily to verify that the operating channel(s) continue to be available.⁶²¹ Further, it may load channel availability information for multiple locations, (i.e., in the vicinity of its current location) and use that information to define a geographic area within which it can operate on the same available channels at all locations.⁶²²

We seek comment on whether we should allow mobile standard-power access point 248. operation in the 6 GHz band, and if so, what technical requirements should apply? Are the personal/portable white space device rules an appropriate model to follow in developing rules for mobile standard-power access points? Which of those rules could be adopted for 6 GHz standard-power devices? Which of the white space rules would need to be modified for devices operating in the 6 GHz band? What other changes or requirements would be needed? Should we define a separate device category for mobile standard-power devices? If so, how should these differ from fixed standard-power access points? For example, we believe such devices would need an integrated geolocation capability and have an integrated connectorized antenna. We seek comment on these requirements and any others that need to be placed on these devices.

249. What power limit would be appropriate for mobile standard-power access points? Could mobile standard-power access points operate at the same power as fixed devices or should they have a lower maximum power? How should the protection distances be calculated for mobile devices? What factors need to be considered to ensure that incumbent operations are protected from harmful interference? How often would mobile devices need to update their position? Should it be the same requirement as for white space devices which require updates every 60 seconds or when the location

^{618 47} CFR § 15.709(a)(2). Fixed white space devices are permitted to transmit with (36 dBm EIRP generally and 40 dBm in "less congested" areas while personal/portable devices are limited to 20 dBm EIRP.

^{619 47} CFR § 15.711(d)(1).

^{620 47} CFR § 15.711(d)(2).

^{621 47} CFR § 15.711(d)(4).

^{622 47} CFR § 15.711(d)(5).

FCC 20-51

changes by more than 100 meters? Or, are other requirements more appropriate? Should we allow devices to preload a list of cleared channels over an area (e.g., create a geo-fenced area) and operate without updating location with the AFC system so long as they stay within the cleared area? Should mobile operation be permitted in both the U-NII-5 and U-NII-7 bands?

250. What effect would permitting mobile standard-power access point operation have on the AFC? Would allowing standard-power access points to operate while in motion make the AFC system overly complicated as it would need to continuously update available frequency lists for such devices? Would mobile applications add substantial congestion to links connecting devices to the AFC system as a moving device may need to be in near constant contact with the database, potentially degrading the quality of service for the expected predominant fixed access point use? Would the added complexity of mobile operation delay the AFC system development and prevent the American public from reaping the benefits of expanded unlicensed use soon? What costs would be involved with adding this capability? And, what additional requirements would be needed for 6 GHz unlicensed devices? Would additional information need to be communicated to the AFC system to identify whether a device is fixed or mobile? Would fixed devices need to be updated to send additional data too? How would this impact development of devices and the timeline for getting them into the marketplace? Are there additional security concerns associated with mobile operation? What are the costs that might be involved with permitting mobile standard-power device operation?

251 We seek comment on all technical and operational aspects associated with mobile standard-power device operation. Commenters should provide detailed technical analysis to support comments advocating technical limits and methods of protecting incumbent users from harmful interference. In addition, commenters should provide detailed support for any operational rules they believe could be adopted to expand 6 GHz unlicensed use to mobile standard-power operations while protecting incumbent operations from harmful interference.

D. Higher Power Limits and Antenna Directivity for Standard-Power Access Points

252. We also seek comment on whether to allow standard-power access points used in fixed point-to-point applications to operate at power levels greater than 36 dBm EIRP. In the Report and Order, we limit standard power access points to a maximum 36 dBm EIRP power level to limit the range at which harmful interference could potentially occur. That approach deviates from the U-NII-1 and U-NII-3 band rules which permit higher power point-to-point operations⁶²³ because of the different incumbent licensee environment in the 6 GHz band as compared to 5 GHz. To explore whether similar flexibility can be permitted in the 6 GHz band, we seek comment on whether to allow power levels greater than 36 dBm EIRP for standard-power access points operating in the U-NII-5 and U-NII-7 bands when configured as point-to-point links. As a threshold matter, we believe that any flexibility provided for higher power should be used for targeted applications that would benefit from point-to-point operations, such as backhaul, and not for point-to-multipoint use or as a scheme for providing more wide area service through multiple antennas aimed to cover larger areas. Thus, if we allow higher power for point-to-point links, we seek comment on replicating the U-NII-1 and U-NII-3 band requirement on such links that would exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information.624

We seek comment on the appropriate technical parameters and limits that would be associated with 6 GHz point-to-point operation. How would we ensure that incumbent operations will be protected from unlicensed devices operating at higher power levels? For example, should there be a limit on the maximum conducted transmitter power as is done in other U-NII bands to encourage parties to use

^{623 47} CFR §§ 15.407(a)(1)(iii), 15.407(a)(3).

⁶²⁴ 47 CFR §§ 15.407(a)(1)(iii), 15.407(a)(3).

FCC 20-51

higher gain, highly directional antennas?⁶²⁵ If so, what is the appropriate power limit? Should there be specific antenna requirements for standard-power access points operating at power levels above 36 dBm EIRP, such as a minimum gain or maximum beamwidth requirement? To limit the maximum EIRP and thus the distance over which stations could be potentially affected, the U-NII-1 band requires a 1 dB reduction in maximum conducted output power and maximum power spectral density for each 1 dB of antenna gain in excess of 23 dBi. Would a similar requirement be needed for the 6 GHz band? If so, what should be the antenna gain threshold for triggering the power reduction? Are any other requirements necessary to protect incumbent services? What modifications to the AFC system would be required to accommodate higher power point-to-point operations? Would any corresponding changes be needed for standard-power access points related to the information they exchange with the AFC? If so, how quickly could changes be made to the AFC and equipment? What costs are involved?

Regarding unlicensed point-to-point applications in the 6 GHz band, we also seek 254. comment on whether the AFC system should be permitted to take the directivity of a standard-power access point's antenna into account when determining the available frequencies and power levels at a location, rather than assuming an omnidirectional antenna. The directional pattern of an access point's antenna could affect the identification of available frequencies at a location, because when the transmit antenna points away from a microwave receiver, the effect would be that the access point has a lower EIRP in the direction of the receiver. Under such situations, the required separation distance between the access point and microwave receiver would be shorter, which could increase the number of locations where a device could operate. Would taking access point transmit antenna directivity into account result in any significant increase in the amount of spectrum available to unlicensed devices?

If the AFC system considers access point transmit antenna directivity, how would we 255. assure the accuracy of antenna pattern and orientation information? Would we need to rely on a professional installer requirement as the Commission does for certain stations in the Citizens Broadband Radio Service?⁶²⁶ If so, how would such a requirement be implemented? Are there other ways to ensure reporting accuracy of this information? How could this information be supplied to the AFC system? Should there be an automated system, or could we allow for a manual system or both? Should we require the AFC system to store detailed information, such as the antenna gain at one-degree intervals, or could we define several simpler generic antenna patterns that approximate commonly used antennas? What other criteria would we need to specify to ensure that incumbent services are protected? Would the benefits of such an approach outweigh the increased costs and complexity of the AFC system and the risk that inaccurate antenna pattern information might result in harmful interference to incumbent services? If we were to permit a change, what specific changes are needed to the AFC system? Are corresponding changes needed to the standard access points' software or hardware? How long would it take to make such changes? What costs would be associated with such changes?

V. **PROCEDURAL MATTERS**

256. Final Regulatory Flexibility Analysis. - As required by the Regulatory Flexibility Act of 1980 (RFA),⁶²⁷ as amended, the Commission has prepared a Final Regulatory Flexibility Analysis (FRFA) regarding the possible significant economic impact on small entities of the policies and rules adopted in this Report and Order, which is found in Appendix C. The Commission's Consumer and

⁶²⁵ 47 CFR §§ 15.407(a)(1)(iii), 15.407(a)(3). Both of these sections limit the maximum conducted transmitter power to one watt.

^{626 47} CFR § 96.45 requires Category B Citizens Band Radio Service Device to be professionally installed. These devices are limited to outdoor locations and permitted to operate with more power than Category A devices.

⁶²⁷ See 5 U.S.C. § 603.

FCC 20-51

Governmental Affairs Bureau, Reference Information Center, will send a copy of the Report and Order, including the FRFA, to the Chief Counsel for Advocacy of the Small Business Administration.⁶²⁸

257. Initial Regulatory Flexibility Analysis. — As required by the RFA, the Commission has prepared an Initial Regulatory Flexibility Analysis (IRFA) of the possible significant economic impact on a substantial number of small entities of the proposals addressed in this FNPRM. The IRFA is set forth in Appendix D. Written public comments are requested on the IRFA. These comments must be filed in accordance with the same filing deadlines for comments on the FNPRM, and they should have a separate and distinct heading designating them as responses to the IRFA. The Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, will send a copy of this FNPRM, including the IRFA, to the Chief Counsel for Advocacy of the Small Business Administration, in accordance with the RFA.

258. *Paperwork Reduction Act Analysis.* — This document does not contain new or modified information collection requirements subject to the Paperwork Reduction Act of 1995 (PRA), Public Law 104-13. In addition, therefore, it does not contain any new or modified information collection burden for small business concerns with fewer than 25 employees, pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107-198, *see* 44 U.S.C. 3506(c)(4).

259. *Congressional Review Act.* — The Commission has determined, and the Administrator of the Office of Information and Regulatory Affairs, Office of Management and Budget, concurs that this rule is major under the Congressional Review Act, 5 U.S.C. § 804(2). The Commission will send a copy of this Report & Order to Congress and the Government Accountability Office pursuant to 5 U.S.C. § 801(a)(1)(A).

260. *Further Information.* — For further information, contact Nicholas Oros of the Office of Engineering and Technology, Policy and Rules Division, at 202-418-0636 or <u>Nicholas.Oros@fcc.gov</u>.

Ex Parte Presentations. — This proceeding will be treated as a "permit-but-disclose" 261. proceeding in accordance with the Commission's ex parte rules.⁶³⁰ Persons making ex parte presentations must file a copy of any written presentation or a memorandum summarizing any oral presentation within two business days after the presentation (unless a different deadline applicable to the Sunshine period applies). Persons making oral *ex parte* presentations are reminded that memoranda summarizing the presentation must (1) list all persons attending or otherwise participating in the meeting at which the ex parte presentation was made, and (2) summarize all data presented and arguments made during the presentation. If the presentation consisted in whole or in part of the presentation of data or arguments already reflected in the presenter's written comments, memoranda or other filings in the proceeding, the presenter may provide citations to such data or arguments in his or her prior comments, memoranda, or other filings (specifying the relevant page and/or paragraph numbers where such data or arguments can be found) in lieu of summarizing them in the memorandum. Documents shown or given to Commission staff during *ex parte* meetings are deemed to be written *ex parte* presentations and must be filed consistent with rule 1.1206(b). In proceedings governed by rule 1.49(f) or for which the Commission has made available a method of electronic filing, written ex parte presentations and memoranda summarizing oral ex parte presentations, and all attachments thereto, must be filed through the electronic comment filing system available for that proceeding, and must be filed in their native format (e.g., .doc, .xml, .ppt, searchable .pdf). Participants in this proceeding should familiarize themselves with the Commission's ex parte rules.

⁶²⁸ See 5 U.S.C. § 603(a). In addition, the *Notice* and RFA (or summaries thereof) will be published in the Federal Register.

⁶²⁹ See 5 U.S.C. § 603(a).

^{630 47} CFR §§ 1.1200 et seq.

FCC 20-51

Filing Comments and Replies. Pursuant to sections 1.415 and 1.419 of the Commission's 262. rules, 47 CFR §§ 1.415, 1.419, interested parties may file comments and reply comments on or before the dates indicated on the first page of this document. Comments may be filed using the Commission's Electronic Comment Filing System (ECFS). See Electronic Filing of Documents in Rulemaking Proceedings, 63 FR 24121 (1998).

- Electronic Filers: Comments may be filed electronically using the Internet by accessing the ECFS: http://apps.fcc.gov/ecfs/.
- Paper Filers: Parties who choose to file by paper must file an original and one copy of each filing.
- Filings can be sent by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.
- Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9050 Junction Drive, Annapolis Junction, MD 20701.U.S.
- Postal Service first-class, Express, and Priority mail must be addressed to 445 12th Street, SW, Washington DC 20554
- Effective March 19, 2020, and until further notice, the Commission no longer accepts any hand or messenger delivered filings. This is a temporary measure taken to help protect the health and safety of individuals, and to mitigate the transmission of COVID-19. See FCC Announces Closure of FCC Headquarters Open Window and Change in Hand-Delivery Policy, Public Notice, DA 20-304 (March 19, 2020). https://www.fcc.gov/document/fcc-closes-headquarters-open-window-and-changeshand-delivery-policy.
- During the time the Commission's building is closed to the general public and until further notice, if more than one docket or rulemaking number appears in the caption of a proceeding, paper filers need not submit two additional copies for each additional docket or rulemaking number; an original and one copy are sufficient.

Availability of Documents. Comments, reply comments, and ex parte submissions will 263. be available for public inspection during regular business hours in the FCC Reference Center, Federal Communications Commission, 445 12th Street, SW, CY-A257, Washington, DC 20554. These documents will also be available via ECFS. Documents will be available electronically in ASCII, Microsoft Word, and/or Adobe Acrobat.

VI. **ORDERING CLAUSES**

264. Accordingly, IT IS ORDERED, pursuant to Sections 4(i), 201, 302, and 303 of the Communications Act of 1934, as amended, 47 U.S.C. §§ 154(i), 201, 302a, 303, and Section 1.411 of the Commission's Rules, 47 C.F.R § 1.411; that this Report and Order and Further Notice of Proposed Rulemaking, is hereby ADOPTED.

265. IT IS FURTHER ORDERED that the amendments of the Commission's rules as set forth in Appendix A ARE ADOPTED, effective sixty days from the date of publication in the Federal Register.

266. IT IS FURTHER ORDERED that the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, SHALL SEND a copy of this Report and Order and Further Notice of Proposed Rulemaking, including the Initial and Final Regulatory Flexibility Analyses, to the Chief Counsel for Advocacy of the Small Business Administration.

267 IT IS FURTHER ORDERED that the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, SHALL SEND a copy of this Report and Order and Further Notice of Proposed Rulemaking, including the Initial and Final Regulatory Flexibility Analysis,

FCC 20-51

to Congress and the Government Accountability Office pursuant to the Congressional Review Act, *see* 5 U.S.C. § 801(a)(1)(A).

FEDERAL COMMUNICATIONS COMMISSION

Marlene H. Dortch Secretary

FCC 20-51

APPENDIX A

Final Rules

Parts 0 and 15 of Title 47 of the Code of Federal Regulations is proposed to be amended as follows:

PART 0 - COMMISSION ORGANIZATION

1. The authority citation for Part 0 continues to read as follows:

AUTHORITY: Secs. 5, 48 Stat. 1068, as amended; 47 U.S.C. 155.

2. Section 0.241 is amended by adding new paragraph (k) to read as follows:

§ 0.241 Authority delegated.

* * * * *

(k) The Chief of the Office of Engineering and Technology is delegated authority to administer the Automated Frequency Coordination (AFC) system and AFC system operator functions set forth in subpart E of part 15 of this chapter. The Chief is delegated authority to develop specific methods that will be used to designate AFC system operators; to designate AFC system operators; to develop procedures that these AFC system operators will use to ensure compliance with the requirements for AFC system operations; to make determinations regarding the continued acceptability of individual AFC system operators; and to perform other functions as needed for the administration of the AFC systems.

PART 15 - RADIO FREQUENCY DEVICES

3. The authority citation for Part 15 continues to read as follows:

AUTHORITY: 47 U.S.C. 154, 302a, 303, 304, 307, 336, 544a, and 549.

4. Section 15.401 is amended to read as follows:

§ 15.401 Scope.

This subpart sets out the regulations for unlicensed National Information Infrastructure (U-NII) devices operating in the 5.15-5.35 GHz, 5.47-5.725 GHz, 5.725-5.85 GHz, and 5.925-7.125 GHz bands.

5. Section 15.403 is amended to read as follows:

§ 15.403 Definitions.

Access Point (AP). A U-NII transceiver that operates either as a bridge in a peer-to-peer connection or as a connector between the wired and wireless segments of the network or as a relay between wireless network segments.

Automated Frequency Coordination (AFC) System. A system that automatically determines and provides lists of which frequencies are available for use by standard power access points operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands.

Federal Communications Commission FCC 20-51

Available Channel. A radio channel on which a Channel Availability Check has not identified the presence of a radar.

Average Symbol Envelope Power. The average symbol envelope power is the average, taken over all symbols in the signaling alphabet, of the envelope power for each symbol.

Channel Availability Check. A check during which the U-NII device listens on a particular radio channel to identify whether there is a radar operating on that radio channel.

Channel Move Time. The time needed by a U-NII device to cease all transmissions on the current channel upon detection of a radar signal above the DFS detection threshold.

Client Device. A U-NII device whose transmissions are generally under the control of an access point and is not capable of initiating a network

Contention-based protocol. A protocol that allows multiple users to share the same spectrum by defining the events that must occur when two or more transmitters attempt to simultaneously access the same channel and establishing rules by which a transmitter provides reasonable opportunities for other transmitters to operate. Such a protocol may consist of procedures for initiating new transmissions, procedures for determining the state of the channel (available or unavailable), and procedures for managing retransmissions in the event of a busy channel.

Digital modulation. The process by which the characteristics of a carrier wave are varied among a set of predetermined discrete values in accordance with a digital modulating function as specified in document ANSI C63.17-1998.

Dynamic Frequency Selection (DFS) is a mechanism that dynamically detects signals from other systems and avoids co-channel operation with these systems, notably radar systems.

DFS Detection Threshold. The required detection level defined by detecting a received signal strength (RSS) that is greater than a threshold specified, within the U-NII device channel bandwidth.

Emission bandwidth. For purposes of this subpart the emission bandwidth is determined by measuring the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, that are 26 dB down relative to the maximum level of the modulated carrier.

Fixed client device. For the purpose of this subpart, a client device intended as customer premise equipment that is permanently attached to a structure, operates only on channels provided by an AFC, has a geolocation capability, and complies with antenna pointing angle requirements.

Indoor Access Point. For the purpose of this subpart, an access point that operates in the 5.925-7.125 GHz band, is supplied power from a wired connection, has an integrated antenna, is not battery powered, and does not have a weatherized enclosure.

In-Service Monitoring. A mechanism to check a channel in use by the U-NII device for the presence of a radar.

Non-Occupancy Period. The required period in which, once a channel has been recognized as containing a radar signal by a U-NII device, the channel will not be selected as an available channel.

FCC 20-51

Operating Channel. Once a U-NII device starts to operate on an Available Channel then that channel becomes the Operating Channel.

Maximum Power Spectral Density. The maximum power spectral density is the maximum power spectral density, within the specified measurement bandwidth, within the U-NII device operating band.

Maximum Conducted Output Power. The total transmit power delivered to all antennas and antenna elements averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or is transmitting at a reduced power level. If multiple modes of operation are possible (e.g., alternative modulation methods), the *maximum conducted output power* is the highest total transmit power occurring in any mode.

Power Spectral Density. The power spectral density is the total energy output per unit bandwidth from a pulse or sequence of pulses for which the transmit power is at its maximum level, divided by the total duration of the pulses. This total time does not include the time between pulses during which the transmit power is off or below its maximum level.

Pulse. A pulse is a continuous transmission of a sequence of modulation symbols, during which the average symbol envelope power is constant.

RLAN. Radio Local Area Network.

Standard Power Access Point. An access point that operates in the 5.925-6.425 GHz and 6.525-6.875 GHz bands pursuant to direction from an Automated Frequency Coordination System.

Subordinate Device. For the purpose of this subpart, a device that operates in the 5.925-7.125 GHz band under the control of an Indoor Access Point, is supplied power from a wired connection, has an integrated antenna, is not battery powered, does not have a weatherized enclosure, and does not have a direct connection to the internet. Subordinate devices must not be used to connect devices between separate buildings or structures. Subordinate devices must be authorized under certification procedures in part 2 of this chapter. Modules may not be certified as subordinate devices.

Transmit Power Control (TPC). A feature that enables a U-NII device to dynamically switch between several transmission power levels in the data transmission process.

U-NII devices. Intentional radiators operating in the frequency bands 5.15-5.35 GHz, 5.470-5.85 GHz, 5.925-7125 GHz that use wideband digital modulation techniques and provide a wide array of high data rate mobile and fixed communications for individuals, businesses, and institutions.

6. Section 15.407 is amended by redesignating paragraph (a)(4) as (a)(11) and revising paragraph (a)(5) and redesignating it as paragraph (a)(12), adding new paragraphs (a)(4), through (10), redesignating paragraphs (b)(5) through (8) as (b)(7) through (10), adding new paragraphs (b)(5) and (b)(6), revising paragraph (d) and adding new paragraphs (k) through (n) to read as follows.

§ 15.407 General technical requirements.

(a) * * *

(4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz

(Page 130 of Total)

FCC 20-51

and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 23 dBm e.i.r.p in any 1-megahertz band. In addition, the maximum e.i.r.p. over the frequency band of operation must not exceed 36 dBm. For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p. in any 1-megahertz band. In addition, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.

(6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p in any 1-megahertz band, and the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.

(7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 17 dBm e.i.r.p. in any 1-megahertz band, and the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.

(8) For client devices operating under the control of an indoor access point in the 5.925 -7.125 GHz bands, the maximum power spectral density must not exceed -1 dBm e.i.r.p. in any 1-megahertz band, and the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

(9) Access points operating under the provisions of paragraphs (a)(5) and (a)(6) of this section must employ a permanently attached integrated antenna.

(10) The maximum transmitter channel bandwidth for U-NII devices in the 5.925 - 7.125 GHz band is 320 megahertz

* * *

(12) Power spectral density measurement. The maximum power spectral density is measured as either a conducted emission by direct connection of a calibrated test instrument to the equipment under test or a radiated measurement. Measurements in the 5.725-5.85 GHz band are made over a reference bandwidth of 500 kHz or the 26 dB emission bandwidth of the device, whichever is less. Measurements in all other bands are made over a bandwidth of 1 MHz or the 26 dB emission bandwidth of the device, whichever is less. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full reference bandwidth.

(b) * * *

(5) For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

(6) For transmitters operating within the 5.925-7.125 GHz bands: power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression.

Federal Communications Commission FCC 20-51

Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

* * * * *

(d) Operational restrictions for 6 GHz U-NII devices.

(1) Operation of standard access points, fixed client devices and indoor access points in the 5.925-7.125 GHz band is prohibited on oil platforms, cars, trains, boats, and aircraft, except that indoor access points are permitted to operate in the 5.925-6.425 GHz bands in large aircraft while flying above 10,000 feet.

(2) Operation of transmitters in the 5.925-7.125 GHz band is prohibited for control of or communications with unmanned aircraft systems.

(3) Transmitters operating under the provisions of paragraphs (a)(5), (a)(6), and (a)(8) of this section are limited to indoor locations.

(4) In the 5.925-7.125 GHz band, indoor access points and subordinate devices must bear the following statement in a conspicuous location on the device and in the user's manual: FCC regulations restrict operation of this device to indoor use only. The operation of this device is prohibited on oil platforms, cars, trains, boats, and aircraft, except that operation of this device is permitted in large aircraft while flying above 10,000 feet.

(5) In the 5.925-7.125 GHz band, client devices, except fixed client devices, must operate under the control of a standard power access point, indoor access point or subordinate devices; Subordinate devices must operate under the control of an indoor access point. In all cases, an exception exists for transmitting brief messages to an access point when attempting to join its network after detecting a signal that confirms that an access point is operating on a particular channel. Access points and subordinate devices may connect to other access points or subordinate devices. Client devices are prohibited from connecting directly to another client device.

(6) Indoor access points, subordinate devices and client devices operating in the 5.925-7.125 GHz band must employ a contention-based protocol.

(7) Fixed client devices may only connect to a standard power access point.

* * * * *

(k) Automated frequency coordination (AFC) system.

(1) Standard power access points and fixed client devices operating under paragraph (a)(4) of this section must access an AFC system to determine the available frequencies and the maximum permissible power in each frequency range at their geographic coordinates prior to transmitting. Standard power access points and fixed client devices may transmit only on frequencies and at power levels that an AFC system indicates as available.

(2) An AFC system must be capable of determining the available frequencies in steps of no greater than 3 dB below the maximum permissible e.i.r.p of 36 dBm, and down to at least a minimum level of 21 dBm.

Federal Communications Commission FCC 20-51

(3) An AFC system must obtain information on protected services within the 5.925-6.425 GHz and 6.525-6.875 GHz bands from Commission databases and use that information to determine frequency availability for standard power access points and fixed client devices based on protection criteria specified in paragraph (l)(2) of this section.

(4) An AFC system must use the information supplied by standard power access points and fixed client devices during registration, as set forth in this section, to determine available frequencies and the maximum permissible power in each frequency range for a standard power access point at any given location. All such determinations and assignments must be made in a non-discriminatory manner, consistent with this part.

(5) An AFC system must store registered information in a secure database until a standard power access point or fixed client device ceases operation at a location. For the purpose of this paragraph, a standard power access point or fixed client device is considered to have ceased operation when that device has not contacted the AFC system for more than three months to verify frequency availability information.

(6) An AFC system must verify the validity of the FCC identifier (FCC ID) of any standard power access point and fixed client device seeking access to its services prior to authorizing the access point to begin operation. A list of standard power access points with valid FCC IDs and the FCC IDs of those devices must be obtained from the Commission's Equipment Authorization System.

(7) The general purposes of AFC system include:

(i) Enacting all policies and procedures developed by the AFC system operators pursuant to this section.

(ii) Registering, authenticating, and authorizing standard power access point and fixed client device operations, individually or through a network element device representing multiple standard power access points from the same operating network.

(iii) Providing standard power access points and fixed client devices with the permissible frequencies and the maximum permissible power in each frequency range at their locations using propagation models and interference protection criteria defined in paragraph (l) of this section.

(iv) Obtaining updated protected sites information from Commission databases.

(8) Standard power access points and fixed client devices:

(i) Must register with and be authorized by an AFC system prior to the standard power access point and fixed client device's initial service transmission, or after a standard power access point or fixed client device changes location, and must obtain a list of available frequencies and the maximum permissible power in each frequency range at the standard power access point and fixed client device's location.

(ii) Must register with the AFC system by providing the following parameters: geographic coordinates (latitude and longitude referenced to North American Datum 1983 (NAD 83)), antenna height above ground level, FCC identification number, and unique manufacturer's serial number. If any of these parameters change, the standard power access point or fixed client device must provide updated parameters to the AFC system. All information provided by the standard power access point and the fixed client device to the AFC system must be true, complete, correct, and made in good faith.

FCC 20-51

(iii) Must provide the registration information to the AFC system either directly and individually or by a network element representing multiple standard power access points or fixed client devices from the same operating network. The standard power access point, fixed client device or its network element must register with the AFC system via any communication link, wired or wireless, outside 5.925-6.425 GHz and 6.525-6.875 GHz bands.

(iv) Must contact an AFC system at least once per day to obtain the latest list of available frequencies and the maximum permissible power the standard power access point or fixed client device may operate with on each frequency at the standard power access point and fixed client device's location. If the standard power access point or fixed client device fails to successfully contact the AFC system during any given day, the standard power access point or fixed client device may continue to operate until 11:59 p.m. of the following day at which time it must cease operations until it re-establishes contact with the AFC system and re-verifies its list of available frequencies and associated power levels.

(v) Must incorporate adequate security measures to prevent it from accessing AFC systems not approved by the FCC and to ensure that unauthorized parties cannot modify the device to operate in a manner inconsistent with the rules and protection criteria set forth in this section and to ensure that communications between standard power access points, fixed client devices and AFC systems are secure to prevent corruption or unauthorized interception of data. Additionally, the AFC system must incorporate security measures to protect against unauthorized data input or alteration of stored data, including establishing communications authentication procedures between client devices and standard power access points.

(9) Standard power access point and fixed client device geo-location capability:

(i) A standard power access point and a fixed client device must include either an internal geolocation capability or an integrated capability to securely connect to an external geolocation devices or service, to automatically determine the standard power access point's geographic coordinates and location uncertainty (in meters), with a confidence level of 95%. The standard power access point and fixed client device must report such coordinates and location uncertainty to an AFC system at the time of activation from a power-off condition.

(ii) An external geo-location source may be connected to a standard power access point or fixed client device through either a wired or a wireless connection. A single geo-location source may provide location information to multiple standard power access points or fixed client devices.

(iii) An external geo-location source must be connected to a standard power access point or fixed client device using a secure connection that ensures that only an external geo-location source approved for use with a standard power access point or fixed client device provides geographic coordinates to that standard power access point or fixed client device. Alternatively, an extender cable may be used to connect a remote receive antenna to a geo-location receiver within a standard power access point or fixed client device.

(iv) The applicant for certification of a standard power access point or fixed client device must demonstrate the accuracy of the geo-location method used and the location uncertainty. For standard power access points and fixed client devices that may not use an internal geo-location capability, this uncertainty must account for the accuracy of the geo-location source and the separation distance between such source and the standard power access point or fixed client device.

(10) An AFC system operator will be designated for a five-year term which can be renewed by the Commission based on the operator's performance during the term. If an AFC system ceases operation, it must provide at least 30-days' notice to the Commission and transfer any registration data to another AFC system operator.

(11) The Commission will designate one or more AFC system operators to provide service in the 5.925-6.425 GHz and 6.525-6.875 GHz bands.

(12) The Commission may permit the functions of an AFC system, such as a data repository, registration, and query services, to be divided among multiple entities; however, entities designated as AFC system operators will be held accountable for the overall functioning and system administration of the AFC system.

(13) The AFC system must ensure that all communications and interactions between the AFC system and standard power access points and fixed client devices are accurate and secure and that unauthorized parties cannot access or alter the database, or the list of available frequencies and associated powers sent to a standard power access point.

(14) An AFC system must implement the terms of international agreements with Mexico and Canada.

(15) Each AFC system operator designated by the Commission must:

(i) Maintain a regularly updated AFC system database that contains the information described in this section, including incumbent's information and standard power access points and fixed client devices registration parameters.

(ii) Establish and follow protocols and procedures to ensure compliance with the rules set forth in this part.

(iii) Establish and follow protocols and procedures sufficient to ensure that all communications and interactions between the AFC system and standard power access points and fixed client devices are accurate and secure and that unauthorized parties cannot access or alter the AFC system, or the information transmitted from the AFC system to standard power access points or fixed client devices.

(iv) Provide service for a five-year term. This term may be renewed at the Commission's discretion.

(v) Respond in a timely manner to verify, correct, or remove, as appropriate, data in the event that the Commission or a party presents to the AFC system Operator a claim of inaccuracies in the AFC system. This requirement applies only to information that the Commission requires to be stored in the AFC system.

(vi) Establish and follow protocols to comply with enforcement instructions from the Commission, including discontinuance of standard power access point operations in designated geographic areas.

(16) An AFC system operator may charge fees for providing service in registration and channel availability functions. The Commission may, upon request, review the fees and can require changes to those fees if the Commission finds them unreasonable.

(1) Incumbent Protection by AFC system: Fixed Microwave Services:

A standard power access point or fixed client device must not cause harmful interference to fixed microwave services authorized to operate in the 5.925-6.425 GHz and 6.525-6.875 GHz bands. Based on the criteria set forth below, an AFC system must establish location and frequency-based exclusion zones (both co-channel and adjacent channel) around fixed microwave receivers operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands. Individual standard power access points and fixed client devices must

Federal Communications Commission FCC 20-51

not operate co-channel to fixed microwave system frequencies within co-channel exclusion zones, or on adjacent channel frequencies within adjacent channel exclusion zones.

(1) Propagation Models: Propagation models to determine the appropriate separation distance between a standard power access point or a fixed client device and an incumbent fixed microwave service receiver. For a separation distance:

(i) Up to 30 meters, the AFC system must use the free space path-loss model.

(ii) More than 30 meters and up to and including one kilometer, the AFC system must use the Wireless World Initiative New Radio phase II (WINNER II) model. The AFC system must use site-specific information, including buildings and terrain data, for determining the line-of-sight/non-line-of-sight path component in the WINNER II model, where such data is available. For evaluating paths where such data is not available, the AFC system must use a probabilistic model combining the line-of-sight path and non-line-of-sight path into a single path-loss as follows:

Path-loss (L) = $\Sigma_i P(i) * L_i = P_{LOS} * L_{LOS} + P_{NLOS} * L_{NLOS}$, where P_{LOS} is the probability of line-of-sight, L_{LOS} is the line-of-sight path loss, P_{NLOS} is the probability of non-line-of sight, L_{NLOS} is the non-line-of-sight path loss, and L is the combined path loss. The WINNER II path loss models include a formula to determine P_{LOS} as a function of antenna heights and distance. P_{NLOS} is equal to (1- P_{LOS}).

In all cases, the AFC system will use the correct WINNER II parameters to match the morphology of the path between a standard power access point and a fixed microwave receiver (i.e., Urban, Suburban, or Rural).

(iii) More than one kilometer, the AFC system must use Irregular Terrain Model (ITM) combined with the appropriate clutter model. To account for the effects of clutter, such as buildings and foliage, that the AFC system must combine the ITM with the ITU-R P.2108-0 (06/2017) clutter model for urban and suburban environments and the ITU-R P.452-16 (07/2015) clutter model for rural environments. The AFC system should use the most appropriate clutter category for the local morphology when using ITU-R P.452-16. However, if detailed local information is not available, the "Village Centre" clutter category should be used. The AFC system must use 1 arc-second digital elevation terrain data and, for locations where such data is not available, the most granular available digital elevation terrain data.

(2) Interference Protection Criteria:

(i) The AFC system must use -6 dB I/N as the interference protection criteria in determining the size of the co-channel exclusion zone where I (interference) is the co-channel signal from the standard power access point or fixed client device at the fixed microwave service receiver, and N (noise) is background noise level at the fixed microwave service receiver.

(ii) The AFC system must use -6 dB I/N as the interference protection criteria in determining the size of the adjacent channel exclusion zone, where I (interference) is the signal from the standard power access point or fixed client device's out of channel emissions at the fixed microwave service receiver and N (noise) is background noise level at the fixed microwave service receiver. The adjacent channel exclusion zone must be calculated based on the emissions requirements of paragraph (b)(6) of this section.

(m) Incumbent Protection by AFC system: Radio Astronomy Services.

The AFC system must enforce an exclusion zones to the following radio observatories that observe between 6650-6675.2 MHz: Arecibo Observatory, the Green Bank Observatory, the Very Large Array (VLA), the 10 Stations of the Very Long Baseline Array (VLBA), the Owens Valley Radio

(Page 136 of Total)

FCC 20-51

Observatory, and the Allen Telescope Array. The exclusion zone sizes are based on the radio line-ofsight and determined using 4/3 earth curvature and the following formula: $dkm_los = 4.12*(sqrt(Htx) + sqrt(Hrx))$, where Htx is the height of the unlicensed standard power access point or fixed client device and Hrx is the height of the radio astronomy antenna in meters above ground level. Coordinate locations of the radio observatories are listed in section 2.106, notes US 131 and US 385 of this part.

(n) Incumbent Protection by AFC system: Fixed-Satellite Services.

Standard power access points and fixed client devices located outdoors must limit their maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon to 21 dBm (125 mW) to protect fixed satellite services.

FCC 20-51

APPENDIX B

FINAL REGULATORY FLEXIBLE ANALYSIS

As required by the Regulatory Flexibility Act (RFA),¹ a Supplemental Initial Regulatory Flexibility Analysis (Supplemental IRFA) was incorporated in the Report & Order and Further Notice of Proposed Rulemaking (FNPRM) in ET Docket No. 18-295.² The Commission sought written public comment on the proposals in the NPRM, including comment on the supplemental IRFA.³ This present Final Regulatory Flexibility Analysis (FRFA) conforms to the RFA.

Need for, and Objectives of, the Proposed Rules A.

1. This Report & Order (Order) continues the Commission efforts to expand unlicensed use of the 5.925-7.125 GHz (6 GHz) band under our Part 15 rules. In the Unlicensed Use of the 6 GHz Band, *Report and Order*, the Commission focused on unlicensed use of this band due to the band's proximity to the Unlicensed National Information Infrastructure (U-NII) bands, which have hosted extensive unlicensed device innovation and deployment. The adopted rules are intended to provide an opportunity for devices such as smartphones, Wi-Fi routers, and IoT devices to be economically designed to operate across both the 6 GHz and the U-NII bands. We are encouraged by the fact that the 6 GHz band shares virtually identical propagation properties to the U-NII bands, which have proven suitable for many unlicensed applications.

B. Summary of Significant Issues Raised by Public Comments in Response to the Supplemental IRFA

2 In the Supplemental IRFA, we stated that any rule changes would impose minimum burdens on small entities, including the rules the Commission proposed in the NPRM were designed to protect important incumbent licensed services that operate (and continue to grow) in various sub-bands of this spectrum. Under the adopted rules, the Commission believes that unlicensed use of the band would be compatible with these incumbent licensed services. To do this, the Commission will divide the 6 GHz band into four sub-bands based on the prevalence and characteristics of the incumbent services that operate in that spectrum. Unlicensed access points under the proposed rules would fall into two categories depending on the sub-bands in which they would operate:

- 5.925-6.425 GHz sub-band and 6.525-6.875 GHz sub-band (totaling 850 megahertz) unlicensed operations at the power levels permitted for unlicensed use in the U-NII-1 & -3 bands⁴—referenced herein as "standard-power access points"—with the operating frequencies determined by an automated frequency control (AFC) mechanism that protects the incumbent services in this spectrum from harmful interference; and.
- 6.425-6.525 GHz sub-band and 6.875-7.125 GHz sub-band (totaling 350 megahertz) unlicensed operations at the lower more restricted power levels applicable to operations in the U-NII-2 bands 5-referenced herein as "low-power access points"- limited to

¹ See 5 U.S.C. § 603. The RFA, see 5 U.S.C. §§ 601-612, has been amended by the Small Business Regulatory Enforcement Fairness Act of 1996, (SBREFA) Pub. L. No. 104-121, Title II, 110 Stat. 857 (1996).

² Notice of Proposed Rulemaking, 33 FCC Rcd 10496, Appendix C, Paras. 1-24.

³ See 5 U.S.C. § 603(a).

⁴ The U-NII-1 band is the 5.15-5.25 GHz band, while the U-NII-3 band is the 5.725-5.85 GHz band. Revision of Part 15 of the Commission's Rules to Permit Unlicensed National Information Infrastructure (U-NII) Devices in the 5 GHz Band, First Report and Order, 29 FCC Rcd 4127, 4128-4129, para. 4 (2014).

⁵ The U-NII-2 bands include the 5.25-5.35 GHz (U-NII-2A) and 5.47-5.725 GHz (U-NII-2C) bands. Id.

FCC 20-51

indoor operation (with no AFC requirement) to prevent harmful interference to the incumbent services in this spectrum.

In addition, the adopted rules would permit client devices to operate across the entire 6 GHz band while under the control of either a standard-power access point or a low-power access point. This two-class approach can expand unlicensed use of the spectrum without causing harmful interference to the incumbent services that will continue to be authorized to use this spectrum.

C. Description and Estimate of the Number of Small Entities To Which Rules Will Apply

3. The RFA directs agencies to provide a description of, and where feasible, an estimate of the number of small entities that may be affected by adopted rules.⁶ The RFA generally defines the term "small entity" as having the same meaning as the terms "small business," "small organization," and "small governmental jurisdiction."⁷ In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act.⁸ A "small business concern" is one which: (1) is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the Small Business Administration (SBA).⁹

4. The 5.925-6.425 GHz and 6.525-6.875 GHz sub-bands are predominantly used by fixed microwave links and by the fixed-satellite service (FSS) for Earth-to-space transmissions. To protect incumbent fixed microwave operations from harmful interference, unlicensed access to these bands will only be permitted on frequencies and locations determined by an AFC system based on the exclusion zones that it establishes. The AFC system will also be used to protect certain radio astronomy observatories. The AFC system will use a centralized model where each standard-power access point remotely accesses an AFC system to obtain a list of available frequency ranges in which it is permitted to operate and the maximum permissible power in each frequency range. To protect incumbent fixed satellite service operations, the rules also adopt a restriction on unlicensed standard-power access points to prevent them from pointing toward space station receivers.

5. The 6.425-6.525 GHz and 6.875-7.125 GHz sub-bands are used for mobile stations in the Broadcast Auxiliary Service and the Cable Television Relay Service as well as fixed microwave links. Because these sub-bands have mobile operations, an AFC system would not be able to determine exclusion zones to protect all of these services. Instead, the proposed rules would allow the unlicensed operations at a lower power level and restrict their operations to indoors to prevent harmful interference to the services operating in these sub-bands.

6. Under the adopted rules the client devices would only be allowed to transmit under the control of a standard-power access point or low-power access point, depending on which sub-band they operate in, and would be restricted to operation at an even lower power than the low-power access point.

7. The RFA directs agencies to provide a description of, and, where feasible, an estimate of the number of small entities that may be affected by the proposed rules and policies, if adopted.¹⁰ The RFA generally defines the term "small entity" as having the same meaning as the terms "small business,"

⁹ 15 U.S.C. § 632.

¹⁰ 5 U.S.C. § 603(b)(3).

⁶ See 5 U.S.C. § 603(b)(3).

⁷ 5 U.S.C. § 601(6).

⁸ 5 U.S.C. § 601(3) (incorporating by reference the definition of "small-business concern" in the Small Business Act, 15 U.S.C. § 632). Pursuant to 5 U.S.C. § 601(3), the statutory definition of a small business applies "unless an agency, after consultation with the Office of Advocacy of the Small Business Administration and after opportunity for public comment, establishes one or more definitions of such term which are appropriate to the activities of the agency and publishes such definition(s) in the Federal Register."

FCC 20-51

"small organization," and "small governmental jurisdiction."¹¹ In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act.¹² A "small business concern" is one which: (1) is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the SBA.¹³

8. Small Businesses, Small Organizations, Small Governmental Jurisdictions. Our actions, over time, may affect small entities that are not easily categorized at present. We therefore describe here, at the outset, three broad groups of small entities that could be directly affected herein.¹⁴ First, while there are industry specific size standards for small businesses that are used in the regulatory flexibility analysis, according to data from the SBA's Office of Advocacy, in general a small business is an independent business having fewer than 500 employees.¹⁵ These types of small businesses represent 99.9% of all businesses in the United States which translates to 28.8 million businesses.¹⁶

9 Next, the type of small entity described as a "small organization" is generally "any notfor-profit enterprise which is independently owned and operated and is not dominant in its field."¹⁷ Nationwide, as of August 2016, there were approximately 356,494 small organizations based on registration and tax data filed by nonprofits with the Internal Revenue Service (IRS).¹⁸

Finally, the small entity described as a "small governmental jurisdiction" is defined 10. generally as "governments of cities, counties, towns, townships, villages, school districts, or special districts, with a population of less than fifty thousand."¹⁹ U.S. Census Bureau data from the 2012 Census of Governments²⁰ indicate that there were 90,056 local governmental jurisdictions consisting of general

¹³ 15 U.S.C. § 632.

¹⁴ See 5 U.S.C. § 601(3)-(6).

¹⁵ See SBA, Office of Advocacy, "Frequently Asked Questions, Question 1 – What is a small business?" https://www.sba.gov/sites/default/files/advocacy/SB-FAQ-2016 WEB.pdf (June 2016).

¹⁶ See SBA, Office of Advocacy, "Frequently Asked Questions, Question 2- How many small businesses are there in the U.S.?" https://www.sba.gov/sites/default/files/advocacy/SB-FAQ-2016 WEB.pdf (June 2016).

¹⁷ 5 U.S.C. § 601(4).

¹⁸ Data from the Urban Institute, National Center for Charitable Statistics (NCCS) reporting on nonprofit organizations registered with the IRS was used to estimate the number of small organizations. Reports generated using the NCCS online database indicated that as of August 2016 there were 356,494 registered nonprofits with total revenues of less than \$100,000. Of this number, 326,897 entities filed tax returns with 65,113 registered nonprofits reporting total revenues of \$50,000 or less on the IRS Form 990-N for Small Exempt Organizations and 261,784 nonprofits reporting total revenues of \$100,000 or less on some other version of the IRS Form 990 within 24 months of the August 2016 data release date. See http://nccs.urban.org/sites/all/nccs-archive/html//tablewiz/tw.php where the report showing this data can be generated by selecting the following data fields: Report: "The Number and Finances of All Registered 501(c) Nonprofits"; Show: "Registered Nonprofits"; By: "Total Revenue Level (years 1995, Aug to 2016, Aug)"; and For: "2016, Aug" then selecting "Show Results".

¹⁹ 5 U.S.C. § 601(5).

²⁰ See 13 U.S.C. § 161. The Census of Government is conducted every five (5) years compiling data for years ending with "2" and "7." See also Program Description Census of Government https://factfinder.census.gov/faces/affhelp/jsf/pages/metadata.xhtml?lang=en&type=program&id=program.en.CO <u>G#</u>.

¹¹ 5 U.S.C. § 601(6).

¹² 5 U.S.C. § 601(3) (incorporating by reference the definition of "small-business concern" in the Small Business Act, 15 U.S.C. § 632). Pursuant to 5 U.S.C. § 601(3), the statutory definition of a small business applies "unless an agency, after consultation with the Office of Advocacy of the Small Business Administration and after opportunity for public comment, establishes one or more definitions of such term which are appropriate to the activities of the agency and publishes such definition(s) in the Federal Register."

FCC 20-51

purpose governments and special purpose governments in the United States.²¹ Of this number there were 37,132 General purpose governments (county,²² municipal and town or township²³) with populations of less than 50,000 and 12,184 Special purpose governments (independent school districts²⁴ and special districts²⁵) with populations of less than 50,000. The 2012 U.S. Census Bureau data for most types of governments in the local government category show that the majority of these governments have populations of less than 50,000.²⁶ Based on this data we estimate that at least 49,316 local government jurisdictions fall in the category of "small governmental jurisdictions."27

Fixed Microwave Services. Microwave services include common carrier,28 private-11. operational fixed,²⁹ and broadcast auxiliary radio services.³⁰ They also include the Upper Microwave Flexible Use Service,³¹ Millimeter Wave Service,³² Local Multipoint Distribution Service (LMDS),³³ the

²² See U.S. Census Bureau, 2012 Census of Governments, County Governments by Population-Size Group and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG06.US01. There were 2,114 county governments with populations less than 50,000.

²³ See U.S. Census Bureau, 2012 Census of Governments, Subcounty General-Purpose Governments by Population-Size Group and State: 2012 - United States - States.

https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG07.US01. There were 18,811 municipal and 16,207 town and township governments with populations less than 50,000.

²⁴ See U.S. Census Bureau, 2012 Census of Governments, Elementary and Secondary School Systems by Enrollment-Size Group and State: 2012 - United States-States.

https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG11.US01. There were 12,184 independent school districts with enrollment populations less than 50,000.

²⁵ See U.S. Census Bureau, 2012 Census of Governments, Special District Governments by Function and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG09.US01. The U.S. Census Bureau data did not provide a population breakout for special district governments.

²⁶ See U.S. Census Bureau, 2012 Census of Governments, County Governments by Population-Size Group and State: 2012 - United States-States - https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG06.US01; Subcounty General-Purpose Governments by Population-Size Group and State: 2012 - United States-States https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG07.US01; and Elementary and Secondary School Systems by Enrollment-Size Group and State: 2012 - United States-States.

https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG11.US01. While U.S. Census Bureau data did not provide a population breakout for special district governments, if the population of less than 50,000 for this category of local government is consistent with the other types of local governments the majority of the 38, 266 special district governments have populations of less than 50,000.

 27 Id.

²⁸ See 47 CFR Part 101, Subparts C and I.

²⁹ See 47 CFR Part 101, Subparts C and H.

³⁰ Auxiliary Microwave Service is governed by Part 74 of Title 47 of the Commission's Rules. See 47 CFR Part 74. Available to licensees of broadcast stations and to broadcast and cable network entities, broadcast auxiliary microwave stations are used for relaying broadcast television signals from the studio to the transmitter, or between two points such as a main studio and an auxiliary studio. The service also includes mobile TV pickups, which relay signals from a remote location back to the studio.

³¹ See 47 CFR Part 30.

³² See 47 CFR Part 101, Subpart Q.

³³ See 47 CFR Part 101, Subpart L.

²¹ See U.S. Census Bureau, 2012 Census of Governments, Local Governments by Type and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG02.US01. Local governmental jurisdictions are classified in two categories - General purpose governments (county, municipal and town or township) and Special purpose governments (special districts and independent school districts).

FCC 20-51

Digital Electronic Message Service (DEMS),³⁴ and the 24 GHz Service,³⁵ where licensees can choose between common carrier and non-common carrier status.³⁶ At present, there are approximately 66,680 common carrier fixed licensees, 69,360 private and public safety operational-fixed licensees, 20,150 broadcast auxiliary radio licensees, 411 LMDS licenses, 33 24 GHz DEMS licenses, 777 39 GHz licenses, and five 24 GHz licenses, and 467 Millimeter Wave licenses in the microwave services.³⁷ The Commission has not yet defined a small business with respect to microwave services. The closest applicable SBA category is Wireless Telecommunications Carriers (except Satellite) and the appropriate size standard for this category under SBA rules is that such a business is small if it has 1,500 or fewer employees.³⁸ For this industry, U.S. Census data for 2012 show that there were 967 firms that operated for the entire year.³⁹ Of this total, 955 firms had employment of 999 or fewer employees and 12 had employment of 1000 employees or more.⁴⁰ Thus, under this SBA category and the associated size standard, the Commission estimates that a majority of fixed microwave service licensees can be considered small.

Public Safety Radio Licensees. As a general matter, Public Safety Radio Pool licensees 12 include police, fire, local government, forestry conservation, highway maintenance, and emergency medical services.⁴¹ Because of the vast array of public safety licensees, the Commission has not developed a small business size standard specifically applicable to public safety licensees. The closest applicable SBA category is Wireless Telecommunications Carriers (except Satellite) which encompasses business entities engaged in radiotelephone communications. The appropriate size standard for this category under SBA rules is that such a business is small if it has 1,500 or fewer employees.⁴² For this industry, U.S. Census data for 2012 show that there were 967 firms that operated for the entire year.⁴³ Of this total, 955 firms had employment of 999 or fewer employees and 12 had employment of 1000

³⁵See id.

³⁶ See 47 CFR §§ 101.533, 101.1017.

³⁷ These statistics are based on a review of the Universal Licensing System on September 22, 2015.

³⁸ See 13 CFR § 121.201, NAICS code 517312.

³⁹ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ5, Information: Subject Series, "Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210" (rel. Jan. 8, 2016). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012 US/51SSSZ5//naics~517210.

⁴⁰ Id. Available census data do not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

⁴¹ See subparts A and B of Part 90 of the Commission's Rules, 47 C.F.R. §§ 90.1-90.22. Police licensees serve state, county, and municipal enforcement through telephony (voice), telegraphy (code), and teletype and facsimile (printed material). Fire licensees are comprised of private volunteer or professional fire companies, as well as units under governmental control. Public Safety Radio Pool licensees also include state, county, or municipal entities that use radio for official purposes. State departments of conservation and private forest organizations comprise forestry service licensees that set up communications networks among fire lookout towers and ground crews. State and local governments are highway maintenance licensees that provide emergency and routine communications to aid other public safety services to keep main roads safe for vehicular traffic. Emergency medical licensees use these channels for emergency medical service communications related to the delivery of emergency medical treatment. Additional licensees include medical services, rescue organizations, veterinarians, persons with disabilities, disaster relief organizations, school buses, beach patrols, establishments in isolated areas, communications standby facilities, and emergency repair of public communications facilities.

⁴² See 13 CFR § 121.201, NAICS code 517312.

⁴³ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ5, Information: Subject Series: Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210 (rel. Jan. 8, 2016). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012 US/51SSSZ5//naics~517210.

³⁴ See 47 CFR Part 101. Subpart G.

FCC 20-51

employees or more.⁴⁴ Thus, under this category and the associated size standard, the Commission estimates that the majority of firms can be considered small. With respect to local governments, in particular, since many governmental entities comprise the licensees for these services, we include under public safety services the number of government entities affected. According to Commission records, there are a total of approximately 133,870 licenses within these services.⁴⁵ There are 3,548 licenses in the 4.9 GHz band, based on an FCC Universal Licensing System search as of March 29, 2017.⁴⁶ We estimate that fewer than 2,442 public safety radio licensees hold these licenses because certain entities may have multiple licenses.

13. Satellite Telecommunications. This category comprises firms "primarily engaged in providing telecommunications services to other establishments in the telecommunications and broadcasting industries by forwarding and receiving communications signals via a system of satellites or reselling satellite telecommunications."⁴⁷ Satellite telecommunications service providers include satellite and earth station operators. The category has a small business size standard of \$32.5 million or less in average annual receipts, under SBA rules.⁴⁸ For this category, U.S. Census Bureau data for 2012 show that there were a total of 333 firms that operated for the entire year.⁴⁹ Of this total, 299 firms had annual receipts of less than \$25 million.⁵⁰ Consequently, we estimate that the majority of satellite telecommunications providers are small entities.

14. Wireless Telecommunications Carriers (except Satellite). This industry comprises establishments engaged in operating and maintaining switching and transmission facilities to provide communications via the airwaves. Establishments in this industry have spectrum licenses and provide services using that spectrum, such as cellular services, paging services, wireless Internet access, and wireless video services.⁵¹ The appropriate size standard under SBA rules is that such a business is small if it has 1,500 or fewer employees.⁵² For this industry, U.S. Census Bureau data for 2012 show that there were 967 firms that operated for the entire year.⁵³ Of this total, 955 firms had employment of 999 or

⁴⁶ Based on an FCC Universal Licensing System search of March 29, 2017. Search parameters: Radio Service = PA – Public Safety 4940-4990 MHz Band; Authorization Type = Regular; Status = Active.

⁴⁸ 13 CFR § 121.201, NAICS code 517410.

⁵⁰ Id.

⁵² 13 CFR § 121.201, NAICS code 517312.

⁴⁴ *Id.* Available census data do not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

⁴⁵ This figure was derived from Commission licensing records as of June 27, 2008. Licensing numbers change on a daily basis. We do not expect this number to be significantly smaller today. This does not indicate the number of licensees, as licensees may hold multiple licenses. There is no information currently available about the number of public safety licensees that have less than 1,500 employees.

⁴⁷ U.S. Census Bureau, 2017 NAICS Definitions, "517410 Satellite Telecommunications"; <u>https://www.census.gov/cgi-bin/sssd/naics/naicsrch?input=517410&search=2017+NAICS+Search&search=2017</u>.

⁴⁹ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ4, Information: Subject Series - Estab and Firm Size: Receipts Size of Firms for the United States: 2012, NAICS code 517410 <u>https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~517410</u>.

⁵¹ U.S. Census Bureau, 2012 NAICS Definitions, "517210 Wireless Telecommunications Carriers (Except Satellite)," *See* <u>https://factfinder.census.gov/faces/affhelp/jsf/pages/metadata.xhtml?lang=en&type=ib&id=ib.en./ECN.NAICS2012.517210.</u>

⁵³ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ5, Information: Subject Series: Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210. https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ5//naics~517210.

FCC 20-51

fewer employees and 12 had employment of 1000 employees or more.⁵⁴ Thus, under this category and the associated size standard, the Commission estimates that the majority of wireless telecommunications carriers (except satellite) are small entities.

15. The Commission's own data—available in its Universal Licensing System—indicate that, as of May 17, 2018, there are 264 Cellular licensees.⁵⁵ The Commission does not know how many of these licensees are small, as the Commission does not collect that information for these types of entities. Similarly, according to internally developed Commission data, 413 carriers reported that they were engaged in the provision of wireless telephony, including cellular service, Personal Communications Service (PCS), and Specialized Mobile Radio (SMR) Telephony services.⁵⁶ Of this total, an estimated 261 have 1,500 or fewer employees, and 152 have more than 1,500 employees.⁵⁷ Thus, using available data, we estimate that the majority of wireless firms can be considered small.

16. Auxiliary, Special Broadcast and Other Program Distribution Services. This service involves a variety of transmitters, generally used to relay broadcast programming to the public (through translator and booster stations) or within the program distribution chain (from a remote news gathering unit back to the station). Neither the SBA nor the Commission has developed a size standard applicable to broadcast auxiliary licensees. The closest applicable SBA category and small business size standard falls under Radio Stations and Television Broadcasting.⁵⁸ U.S. Census Bureau data for 2012 show that 2,849 radio station firms operated during that year.⁵⁹ Of that number, 2,806 firms operated with annual receipts of less than \$25 million per year, 17 with annual receipts between \$25 million and \$49,999,999 million and 26 with annual receipts of \$50 million or more.⁶⁰ For Television Broadcasting the SBA small business size standard is such businesses having \$38.5 million or less in annual receipts.⁶¹ U.S. Census Bureau data show that 751 firms in this category operated in that year.⁶² Of that number, 656 had annual receipts of \$25,000,000 or less, 25 had annual receipts between \$25,000,000 and \$49,999,999 and 70 had annual receipts of \$50,000,000 or more.⁶³ Accordingly, based on the U.S. Census Bureau data for Radio Stations and Television Broadcasting, the Commission estimates that the majority of Auxiliary, Special Broadcast and Other Program Distribution Services firms are small.

⁵⁷ See id.

⁶⁰ Id.

⁶¹ 13 C.F.R. § 121.201; 2012 NAICS code 515120.

⁵⁴ *Id.* Available census data does not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

⁵⁵ See http://wireless.fcc.gov/uls. For the purposes of this IRFA, consistent with Commission practice for wireless services, the Commission estimates the number of licensees based on the number of unique FCC Registration Numbers.

⁵⁶ See Federal Communications Commission, Wireline Competition Bureau, Industry Analysis and Technology Division, Trends in Telephone Service at Table 5.3 (Sept. 2010) (*Trends in Telephone Service*), https://apps.fcc.gov/edocs_public/attachmatch/DOC-301823A1.pdf.

⁵⁸ 13 C.F.R. 121.201, NAICS codes 515112 and 515120.

⁵⁹ U.S. Census Bureau, Table No. EC1251SSSZ4, *Information: Subject Series – Establishment and Firm Size: Receipts Size of Firms for the United States:* 2012 NAICS Code 515112, https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~515112.

⁶² U.S. Census Bureau, Table No. EC1251SSSZ4, Information: Subject Series - Establishment and Firm Size: Receipts Size of Firms for the United States: 2012 (515120 Television Broadcasting). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~515120.

⁶³ Id.
FCC 20-51

17. *Fixed Satellite Transmit/Receive Earth Stations.* Neither the SBA nor the Commission has developed a size standard specifically applicable to Fixed Satellite Transmit/Receive Earth Stations. The closest applicable category and SBA size standard is for Satellite Telecommunications which has a small business size standard of \$32.5 million or less in average annual receipts.⁶⁴ For this category, U.S. Census Bureau data for 2012 show that there were a total of 333 firms that operated for the entire year.⁶⁵ Of this total, 299 firms had annual receipts of less than \$25 million.⁶⁶ Thus, under this category and the associated size standard, the Commission estimates that the majority of Fixed Satellite Transmit/Receive Earth Station licensees are small entities. There are approximately 4,303 earth station authorizations, a portion of which are Fixed Satellite Transmit/Receive Earth Stations. We do not request nor collect annual revenue information and are therefore unable to estimate the number of earth stations that would constitute a small business under the SBA definition. However, the majority of these stations could be impacted by our actions.

D. Description of Projected Reporting, Recordkeeping, and other Compliance Requirements for Small Entities

18. In this Report and Order the Commission expects that all the filing, recordkeeping and reporting requirements associated with the adopted rules would be the same for large and small businesses; however, we sought comment on any steps that could be taken to minimize any significant economic impact on small businesses. The adopted rules would require that standard-power access points use an AFC system to obtain a list of frequencies upon which they may operate. However, we believe that this rulemaking, by expanding the availability of unlicensed devices in the 6 GHz band, would provide an advantage to small entities, as these entities would benefit from being able to access this spectrum without the complication or cost of needing to obtain a license. On balance, this would constitute a significant benefit for small businesses.

E. Steps Taken to Minimize the Significant Economic Impact on Small Entities, and Significant Alternatives Considered

19. The RFA requires an agency to describe any significant, specifically small business, alternatives that it has considered in reaching its approach, which may include the following four alternatives (among others): "(1) the establishment of differing compliance or reporting requirements or timetables that take into account the resources available to small entities; (2) the clarification, consolidation, or simplification of compliance or reporting requirements under the rule for small entities; (3) the use of performance, rather than design, standards; and (4) an exemption from coverage of the rule, or any part thereof, for small entities."⁶⁷

20. The reporting, recordkeeping, and other compliance requirements of the rules adopted in the Report & Order would apply to all entities in the same manner. The Commission believes that applying the same rules equally to all entities in this context promotes fairness. The Commission does not believe that the costs and/or administrative burdens associated with the adopted rules would unduly burden small entities. The rules the Commission adopts should benefit small entities by giving them more options for gaining access to valuable wireless spectrum. We seek comment on whether any of burdens of the proposed rules can be further minimized for small businesses.

⁶⁴ 13 CFR § 121.201, NAICS code 517410.

⁶⁵ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ4, Information: Subject Series - Estab and Firm Size: Receipts Size of Firms for the United States: 2012, NAICS code 517410 <u>https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~517410</u>.

⁶⁶ Id.

⁶⁷ 5 U.S.C. § 604(a)(6).

FCC 20-51

21. Many of the entities holding licenses for use of the 6 GHz band qualify as small entities. The adopted rules for unlicensed operation in this band are designed to prevent the unlicensed devices from causing harmful interference to the licensed services operating in the band. Consequently, we do not expect that the current and future licensees in the band, including small entities, would experience a significant economic impact from additional unlicensed use of the spectrum that would be permitted under the adopted rules.

22. Because users of devices operating under our Part 15 rules do not need to obtain a Commission license, we expect that small entities would find the unlicensed use of the 6 GHz bands under the adopted rules convenient and economical. In adopting these rules, we have sought to minimize the compliance burden to both small and large entities. For example, the adopted rules would allow for the deployment of low-power access point that do not require use of an AFC system in two sub-bands to provide an opportunity for deployment of unlicensed devices at lower cost in those portions of the spectrum where the current licensed uses make this practical.

F. Report to Congress

23. The Commission will send a copy of the *Report and Order*, including this FRFA, in a report to Congress pursuant to the Congressional Review Act.⁶⁸ In addition, the Commission will send a copy of the *Report and Order*, including this FRFA, to the Chief Counsel for Advocacy of the SBA. A copy of the *Report and Order*, and FRFA (or summaries thereof) will also be published in the Federal Register.⁶⁹

⁶⁸ See 5 U.S.C. § 801(a)(1)(A).

⁶⁹ See 5 U.S.C. § 604(b).

FCC 20-51

APPENDIX C

Initial Regulatory Flexibility Analysis

As required by the Regulatory Flexibility Act (RFA) of 1980, as amended, the Commission has prepared this present Initial Regulatory Flexibility Analysis (IRFA) of the possible significant economic impact on a substantial number of small entities by the policies and rules proposed in this Further Notice of Proposed Rulemaking (Further Notice).¹ Written public comments are requested on this IRFA. Comments must be identified as responses to the IRFA and must be filed by the deadlines for comments as specified in the FNPRM. The Commission will send a copy of the FNPRM, including this IRFA, to the Chief Counsel for Advocacy of the Small Business Administration (SBA).² In addition, the FNPRM and IRFA (or summaries thereof) will be published in the Federal Register.³

A. Need for, and Objectives of, the Proposed Rules

1. In this Further Notice of Proposed Rulemaking (*Further Notice*) we propose to permit very low power devices to operate in the U-NII-5, through the U-NII-8 bands at any location – indoors or outdoors – without using an AFC. This proposed action would make a contiguous 1200-megahertz spectrum block available, which would enable the use of very wide bandwidths and thus high data rates for new and innovative high-speed, short range devices. We believe that these rules would be particularly useful for applications that require high data rate transmissions over short distances such as connections between smartphones and computers, high-performance video game controllers, and wearable video augmented reality and virtual reality devices.

2. In proposing to permit very low power devices to operate across the entirety of the 6 GHz band (5.925-7.125 GHz) without using an AFC, the Further Notice seeks comment on the design and use cases anticipated for such devices, as well as the power limits that have been proposed by their proponents. The Commission is generally considering power levels in the range of 4 dBm up to 14 dBm (for a 160-megahertz channel). This record will be used to determine how much power very lower power devices will be permitted so that the potential of causing harmful interference to incumbent 6 GHz band users can be minimized. The Further Notice also seeks comment on technical rules that will govern the use of very low power devices and proposes to require that very low power unlicensed devices in the 6 GHz band incorporate an integrated antenna and be required to use a contention-based protocol.

3. The Further Notice of the Commission also proposes to increase the power spectral density of low power indoor devices in the U-NII-5 through U-NII-8 bands from 5 dBm/MHz to 8 dBm/MHz. It also proposes to limit the maximum total power to 33 dBm EIRP, which would occur when the operating bandwidth is 320 megahertz. For devices operating with bandwidths other than 320 megahertz, the maximum allowable total power would scale accordingly (e.g., 30 dBm with a bandwidth of 160 megahertz, 27 dBm with a bandwidth of 80 megahertz, 24 dBm with a bandwidth of 40 megahertz, and 21 dBm with a bandwidth of 20 megahertz). We believe that these rules would be useful for many indoor devices that require high data rate transmissions such as indoor access points communicating with clients for the development of new and innovative high-speed indoor devices.

4. To do this, the Commission seek comment on these proposals. Would the proposed power levels be useful for low-power short-range devices? What types of devices could operate under these proposed rules? Are the proposed power limits appropriate for preventing interference to authorized users in the U-NII-6 and U-NII-8 bands? Should we adopt any requirements in addition to power density

¹ See 5 U.S.C. § 603. The RFA, see 5 U.S.C. §§ 601-612, has been amended by the Small Business Regulatory Enforcement Fairness Act of 1996, (SBREFA) Pub. L. No. 104-121, Title II, 110 Stat. 857 (1996).

² See 5 U.S.C. § 603(a).

³ See 5 U.S.C. § 603(a).

FCC 20-51

and total EIRP limits to protect services in these bands? For example, would a listen-before-talk mechanism help prevent interference? If so, what technical requirements would we need to specify, such as detection threshold and bandwidth, monitoring time, re-check interval, etc.? Are any other protection requirements necessary?

B. Legal Basis

5. The proposed action is authorized pursuant to Sections 4(i), 201, 302, and 303 of the Communications Act of 1934, as amended, 47 U.S.C. §§ 154(i), 201, 302a, 303.

C. Description and Estimate of the Number of Small Entities to Which the Proposed Rules Will Apply

6. The RFA directs agencies to provide a description of, and, where feasible, an estimate of the number of small entities that may be affected by the proposed rules and policies, if adopted.⁴ The RFA generally defines the term "small entity" as having the same meaning as the terms "small business," "small organization," and "small governmental jurisdiction."⁵ In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act.⁶ A "small business concern" is one which: (1) is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the SBA.⁷

7. Small Businesses, Small Organizations, Small Governmental Jurisdictions. Our actions, over time, may affect small entities that are not easily categorized at present. We therefore describe here, at the outset, three broad groups of small entities that could be directly affected herein.⁸ First, while there are industry specific size standards for small businesses that are used in the regulatory flexibility analysis, according to data from the SBA's Office of Advocacy, in general a small businesses is an independent business having fewer than 500 employees.⁹ These types of small businesses represent 99.9% of all businesses in the United States which translates to 28.8 million businesses.¹⁰

8. Next, the type of small entity described as a "small organization" is generally "any notfor-profit enterprise which is independently owned and operated and is not dominant in its field."¹¹ Nationwide, as of August 2016, there were approximately 356,494 small organizations based on registration and tax data filed by nonprofits with the Internal Revenue Service (IRS).¹²

⁷ 15 U.S.C. § 632.

⁸ See 5 U.S.C. § 601(3)-(6).

⁹ See SBA, Office of Advocacy, "Frequently Asked Questions, Question 1 – What is a small business?" <u>https://www.sba.gov/sites/default/files/advocacy/SB-FAQ-2016_WEB.pdf</u> (June 2016).

¹⁰ See SBA, Office of Advocacy, "Frequently Asked Questions, Question 2- How many small businesses are there in the U.S.?" <u>https://www.sba.gov/sites/default/files/advocacy/SB-FAQ-2016_WEB.pdf</u> (June 2016).

¹¹ 5 U.S.C. § 601(4).

⁴ 5 U.S.C. § 603(b)(3).

⁵ 5 U.S.C. § 601(6).

⁶ 5 U.S.C. § 601(3) (incorporating by reference the definition of "small-business concern" in the Small Business Act, 15 U.S.C. § 632). Pursuant to 5 U.S.C. § 601(3), the statutory definition of a small business applies "unless an agency, after consultation with the Office of Advocacy of the Small Business Administration and after opportunity for public comment, establishes one or more definitions of such term which are appropriate to the activities of the agency and publishes such definition(s) in the Federal Register."

¹² Data from the Urban Institute, National Center for Charitable Statistics (NCCS) reporting on nonprofit organizations registered with the IRS was used to estimate the number of small organizations. Reports generated using the NCCS online database indicated that as of August 2016 there were 356,494 registered nonprofits with total revenues of less than \$100,000. Of this number, 326,897 entities filed tax returns with 65,113 registered nonprofits (continued....)

FCC 20-51

9. Finally, the small entity described as a "small governmental jurisdiction" is defined generally as "governments of cities, counties, towns, townships, villages, school districts, or special districts, with a population of less than fifty thousand."¹³ U.S. Census Bureau data from the 2012 Census of Governments¹⁴ indicate that there were 90,056 local governmental jurisdictions consisting of general purpose governments and special purpose governments in the United States.¹⁵ Of this number there were 37,132 General purpose governments (county,¹⁶ municipal and town or township¹⁷) with populations of less than 50,000 and 12,184 Special purpose governments (independent school districts¹⁸ and special districts¹⁹) with populations of less than 50,000. The 2012 U.S. Census Bureau data for most types of governments in the local government category show that the majority of these governments have

(Continued from previous page)

reporting total revenues of \$50,000 or less on the IRS Form 990-N for Small Exempt Organizations and 261,784 nonprofits reporting total revenues of \$100,000 or less on some other version of the IRS Form 990 within 24 months of the August 2016 data release date. See http://nccs.urban.org/sites/all/nccs-archive/html//tablewiz/tw.php where the report showing this data can be generated by selecting the following data fields: Report: "The Number and Finances of All Registered 501(c) Nonprofits"; Show: "Registered Nonprofits"; By: "Total Revenue Level (years 1995, Aug to 2016, Aug)"; and For: "2016, Aug" then selecting "Show Results".

¹³ 5 U.S.C. § 601(5).

¹⁴ See 13 U.S.C. § 161. The Census of Government is conducted every five (5) years compiling data for years ending with "2" and "7." See also Program Description Census of Government https://factfinder.census.gov/faces/affhelp/jsf/pages/metadata.xhtml?lang=en&type=program&id=program.en.CO *G*#.

¹⁵ See U.S. Census Bureau, 2012 Census of Governments, Local Governments by Type and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG02.US01. Local governmental jurisdictions are classified in two categories - General purpose governments (county, municipal and town or township) and Special purpose governments (special districts and independent school districts).

¹⁶ See U.S. Census Bureau, 2012 Census of Governments, County Governments by Population-Size Group and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG06.US01. There were 2,114 county governments with populations less than 50,000.

¹⁷ See U.S. Census Bureau, 2012 Census of Governments, Subcounty General-Purpose Governments by Population-Size Group and State: 2012 - United States - States.

https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG07.US01. There were 18,811 municipal and 16,207 town and township governments with populations less than 50,000.

¹⁸ See U.S. Census Bureau, 2012 Census of Governments, Elementary and Secondary School Systems by Enrollment-Size Group and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG11.US01. There were 12,184 independent school districts with enrollment populations less than 50,000.

¹⁹ See U.S. Census Bureau, 2012 Census of Governments, Special District Governments by Function and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG09.US01. The U.S. Census Bureau data did not provide a population breakout for special district governments.

FCC 20-51

populations of less than 50,000.²⁰ Based on this data we estimate that at least 49,316 local government jurisdictions fall in the category of "small governmental jurisdictions."21

10. Fixed Microwave Services. Microwave services include common carrier,²² privateoperational fixed,²³ and broadcast auxiliary radio services.²⁴ They also include the Upper Microwave Flexible Use Service,²⁵ Millimeter Wave Service,²⁶ Local Multipoint Distribution Service (LMDS),²⁷ the Digital Electronic Message Service (DEMS),²⁸ and the 24 GHz Service,²⁹ where licensees can choose between common carrier and non-common carrier status.³⁰ At present, there are approximately 66,680 common carrier fixed licensees, 69,360 private and public safety operational-fixed licensees, 20,150 broadcast auxiliary radio licensees, 411 LMDS licenses, 33 24 GHz DEMS licenses, 777 39 GHz licenses, and five 24 GHz licenses, and 467 Millimeter Wave licenses in the microwave services.³¹ The Commission has not yet defined a small business with respect to microwave services. The closest applicable SBA category is Wireless Telecommunications Carriers (except Satellite) and the appropriate size standard for this category under SBA rules is that such a business is small if it has 1,500 or fewer employees.³² For this industry, U.S. Census data for 2012 show that there were 967 firms that operated for the entire year.³³ Of this total, 955 firms had employment of 999 or fewer employees and 12 had employment of 1000 employees or more.³⁴ Thus, under this SBA category and the associated size

 21 *Id*.

²² See 47 CFR Part 101, Subparts C and I.

²³ See 47 CFR Part 101, Subparts C and H.

²⁴ Auxiliary Microwave Service is governed by Part 74 of Title 47 of the Commission's Rules. See 47 CFR Part 74. Available to licensees of broadcast stations and to broadcast and cable network entities, broadcast auxiliary microwave stations are used for relaying broadcast television signals from the studio to the transmitter, or between two points such as a main studio and an auxiliary studio. The service also includes mobile TV pickups, which relay signals from a remote location back to the studio.

²⁵ See 47 CFR Part 30.

²⁶ See 47 CFR Part 101, Subpart Q.

³¹ These statistics are based on a review of the Universal Licensing System on September 22, 2015.

³² See 13 CFR § 121.201, NAICS code 517312.

³³ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ5, Information: Subject Series, "Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210" (rel. Jan. 8, 2016). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012 US/51SSSZ5//naics~517210.

³⁴ Id. Available census data do not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

²⁰ See U.S. Census Bureau, 2012 Census of Governments, County Governments by Population-Size Group and State: 2012 - United States-States - https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG06.US01; Subcounty General-Purpose Governments by Population-Size Group and State: 2012 - United States-States https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG07.US01; and Elementary and Secondary School Systems by Enrollment-Size Group and State: 2012 - United States-States. https://factfinder.census.gov/bkmk/table/1.0/en/COG/2012/ORG11.US01. While U.S. Census Bureau data did not provide a population breakout for special district governments, if the population of less than 50,000 for this category of local government is consistent with the other types of local governments the majority of the 38, 266 special district governments have populations of less than 50,000.

²⁷ See 47 CFR Part 101, Subpart L.

²⁸ See 47 CFR Part 101, Subpart G.

²⁹See id.

³⁰ See 47 CFR §§ 101.533, 101.1017.

FCC 20-51

standard, the Commission estimates that a majority of fixed microwave service licensees can be considered small.

Public Safety Radio Licensees. As a general matter, Public Safety Radio Pool licensees 11 include police, fire, local government, forestry conservation, highway maintenance, and emergency medical services.³⁵ Because of the vast array of public safety licensees, the Commission has not developed a small business size standard specifically applicable to public safety licensees. The closest applicable SBA category is Wireless Telecommunications Carriers (except Satellite) which encompasses business entities engaged in radiotelephone communications. The appropriate size standard for this category under SBA rules is that such a business is small if it has 1,500 or fewer employees.³⁶ For this industry, U.S. Census data for 2012 show that there were 967 firms that operated for the entire year.³⁷ Of this total, 955 firms had employment of 999 or fewer employees and 12 had employment of 1000 employees or more.³⁸ Thus, under this category and the associated size standard, the Commission estimates that the majority of firms can be considered small. With respect to local governments, in particular, since many governmental entities comprise the licensees for these services, we include under public safety services the number of government entities affected. According to Commission records, there are a total of approximately 133,870 licenses within these services.³⁹ There are 3.121 licenses in the 4.9 GHz band, based on an FCC Universal Licensing System search of March 29, 2017.⁴⁰ We estimate that fewer than 2,442 public safety radio licensees hold these licenses because certain entities may have multiple licenses.

12. *Satellite Telecommunications*. This category comprises firms "primarily engaged in providing telecommunications services to other establishments in the telecommunications and broadcasting industries by forwarding and receiving communications signals via a system of satellites or reselling satellite telecommunications."⁴¹ Satellite telecommunications service providers include satellite

³⁶ See 13 CFR § 121.201, NAICS code 517312.

³⁷ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ5, Information: Subject Series: Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210 (rel. Jan. 8, 2016). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012 US/51SSSZ5//naics~517210.

 38 *Id.* Available census data do not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

³⁹ This figure was derived from Commission licensing records as of June 27, 2008. Licensing numbers change on a daily basis. We do not expect this number to be significantly smaller today. This does not indicate the number of licensees, as licensees may hold multiple licenses. There is no information currently available about the number of public safety licensees that have less than 1,500 employees.

⁴⁰ Based on an FCC Universal Licensing System search of March 29, 2017. Search parameters: Radio Service = PA – Public Safety 4940-4990 MHz Band; Authorization Type = Regular; Status = Active.

⁴¹ U.S. Census Bureau, 2017 NAICS Definitions, "517410 Satellite Telecommunications"; https://www.census.gov/cgi-bin/sssd/naics/naicsrch?input=517410&search=2017+NAICS+Search&search=2017.

³⁵ See subparts A and B of Part 90 of the Commission's Rules, 47 C.F.R. §§ 90.1-90.22. Police licensees serve state, county, and municipal enforcement through telephony (voice), telegraphy (code), and teletype and facsimile (printed material). Fire licensees are comprised of private volunteer or professional fire companies, as well as units under governmental control. Public Safety Radio Pool licensees also include state, county, or municipal entities that use radio for official purposes. State departments of conservation and private forest organizations comprise forestry service licensees that set up communications networks among fire lookout towers and ground crews. State and local governments are highway maintenance licensees that provide emergency and routine communications to aid other public safety services to keep main roads safe for vehicular traffic. Emergency medical licensees use these channels for emergency medical services, rescue organizations, veterinarians, persons with disabilities, disaster relief organizations, school buses, beach patrols, establishments in isolated areas, communications standby facilities, and emergency repair of public communications facilities.

FCC 20-51

and earth station operators. The category has a small business size standard of \$32.5 million or less in average annual receipts, under SBA rules.⁴² For this category, U.S. Census Bureau data for 2012 show that there were a total of 333 firms that operated for the entire year.⁴³ Of this total, 299 firms had annual receipts of less than \$25 million.⁴⁴ Consequently, we estimate that the majority of satellite telecommunications providers are small entities.

13. Wireless Telecommunications Carriers (except Satellite). This industry comprises establishments engaged in operating and maintaining switching and transmission facilities to provide communications via the airwaves. Establishments in this industry have spectrum licenses and provide services using that spectrum, such as cellular services, paging services, wireless Internet access, and wireless video services.⁴⁵ The appropriate size standard under SBA rules is that such a business is small if it has 1,500 or fewer employees.⁴⁶ For this industry, U.S. Census Bureau data for 2012 show that there were 967 firms that operated for the entire year.⁴⁷ Of this total, 955 firms had employment of 999 or fewer employees and 12 had employment of 1000 employees or more.⁴⁸ Thus, under this category and the associated size standard, the Commission estimates that the majority of wireless telecommunications carriers (except satellite) are small entities.

14. The Commission's own data—available in its Universal Licensing System—indicate that, as of May 17, 2018, there are 264 Cellular licensees.⁴⁹ The Commission does not know how many of these licensees are small, as the Commission does not collect that information for these types of entities. Similarly, according to internally developed Commission data, 413 carriers reported that they were engaged in the provision of wireless telephony, including cellular service, Personal Communications Service (PCS), and Specialized Mobile Radio (SMR) Telephony services.⁵⁰ Of this total, an estimated 261 have 1,500 or fewer employees, and 152 have more than 1,500 employees.⁵¹ Thus, using available data, we estimate that the majority of wireless firms can be considered small.

15. *Auxiliary, Special Broadcast and Other Program Distribution Services.* This service involves a variety of transmitters, generally used to relay broadcast programming to the public (through

42 13 CFR § 121.201, NAICS code 517410.

⁴⁶ 13 CFR § 121.201, NAICS code 517312.

⁴⁷ U.S. Census Bureau, *2012 Economic Census of the United States*, Table EC1251SSSZ5, Information: Subject Series: Estab and Firm Size: Employment Size of Firms for the U.S.: 2012 NAICS Code 517210. https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ5//naics~517210.

⁴⁸ *Id.* Available census data does not provide a more precise estimate of the number of firms that have employment of 1,500 or fewer employees; the largest category provided is for firms with "1000 employees or more."

⁴⁹ *See* http://wireless.fcc.gov/uls. For the purposes of this IRFA, consistent with Commission practice for wireless services, the Commission estimates the number of licensees based on the number of unique FCC Registration Numbers.

⁵⁰ See Federal Communications Commission, Wireline Competition Bureau, Industry Analysis and Technology Division, Trends in Telephone Service at Table 5.3 (Sept. 2010) (*Trends in Telephone Service*), <u>https://apps.fcc.gov/edocs_public/attachmatch/DOC-301823A1.pdf</u>.

⁵¹ See id.

⁴³ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ4, Information: Subject Series - Estab and Firm Size: Receipts Size of Firms for the United States: 2012, NAICS code 517410 <u>https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~517410</u>.

⁴⁴ Id.

⁴⁵ U.S. Census Bureau, 2012 NAICS Definitions, "517210 Wireless Telecommunications Carriers (Except Satellite)," *See* <u>https://factfinder.census.gov/faces/affhelp/jsf/pages/metadata.xhtml?lang=en&type=ib&id=ib.en./ECN.NAICS2012.517210.</u>

FCC 20-51

translator and booster stations) or within the program distribution chain (from a remote news gathering unit back to the station). Neither the SBA nor the Commission has developed a size standard applicable to broadcast auxiliary licensees. The closest applicable SBA category and small business size standard falls under Radio Stations and Television Broadcasting.⁵² U.S. Census Bureau data for 2012 show that 2,849 radio station firms operated during that year.⁵³ Of that number, 2,806 firms operated with annual receipts of less than \$25 million per year, 17 with annual receipts between \$25 million and \$49,999,999 million and 26 with annual receipts of \$50 million or more.⁵⁴ For Television Broadcasting the SBA small business size standard is such businesses having \$38.5 million or less in annual receipts.⁵⁵ U.S. Census Bureau data show that 751 firms in this category operated in that year.⁵⁶ Of that number, 656 had annual receipts of \$50,000,000 or less, 25 had annual receipts between \$25,000,000 and \$49,999,999 and 70 had annual receipts of \$50,000,000 or more.⁵⁷ Accordingly, based on the U.S. Census Bureau data for Radio Stations and Television Broadcasting, the Commission estimates that the majority of Auxiliary, Special Broadcast and Other Program Distribution Services firms are small.

16. *Fixed Satellite Transmit/Receive Earth Stations.* Neither the SBA nor the Commission has developed a size standard specifically applicable to Fixed Satellite Transmit/Receive Earth Stations. The closest applicable category and SBA size standard is for Satellite Telecommunications which has a small business size standard of \$32.5 million or less in average annual receipts.⁵⁸ For this category, U.S. Census Bureau data for 2012 show that there were a total of 333 firms that operated for the entire year.⁵⁹ Of this total, 299 firms had annual receipts of less than \$25 million.⁶⁰ Thus, under this category and the associated size standard, the Commission estimates that the majority of Fixed Satellite Transmit/Receive Earth Station licensees are small entities. There are approximately 4,303 earth station authorizations, a portion of which are Fixed Satellite Transmit/Receive Earth Stations. We do not request nor collect annual revenue information and are therefore unable to estimate the number of earth stations that would constitute a small business under the SBA definition. However, the majority of these stations could be impacted by our actions.

D. Description of Projected Reporting, Recordkeeping, and other Compliance Requirements for Small Entities

17. Under the proposal set forth in the Further Notice, and consistent with the Commission's general approach expects that all the filing, recordkeeping and reporting requirements associated with the proposed rules would be the same for large and small businesses; however, we seek comment on any steps that could be taken to minimize any significant economic impact on small businesses. The proposed

⁵⁴ Id.

⁵⁷ Id.

⁵⁸ 13 CFR § 121.201, NAICS code 517410.

⁶⁰ Id.

⁵² 13 C.F.R. 121.201, NAICS codes 515112 and 515120.

⁵³ U.S. Census Bureau, Table No. EC1251SSSZ4, *Information: Subject Series – Establishment and Firm Size: Receipts Size of Firms for the United States: 2012* NAICS Code 515112, <u>https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~515112</u>.

⁵⁵ 13 C.F.R. § 121.201; 2012 NAICS code 515120.

⁵⁶ U.S. Census Bureau, Table No. EC1251SSSZ4, Information: Subject Series - Establishment and Firm Size: Receipts Size of Firms for the United States: 2012 (515120 Television Broadcasting). https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012 US/51SSSZ4//naics~515120.

⁵⁹ U.S. Census Bureau, 2012 Economic Census of the United States, Table EC1251SSSZ4, Information: Subject Series - Estab and Firm Size: Receipts Size of Firms for the United States: 2012, NAICS code 517410 https://factfinder.census.gov/bkmk/table/1.0/en/ECN/2012_US/51SSSZ4//naics~517410.

FCC 20-51

rules would require that standard-power access points use an AFC system to obtain a list of frequencies upon which they may operate. However, we believe that this rulemaking, by expanding the availability of unlicensed devices in the 6 GHz band, would provide an advantage to small entities, as these entities would benefit from being able to access this spectrum without the complication or cost of needing to obtain a license. On balance, this would constitute a significant benefit for small businesses.

E. Steps Taken to Minimize the Significant Economic Impact on Small Entities, and Significant Alternatives Considered

18. The RFA requires an agency to describe any significant, specifically small business, alternatives that it has considered in reaching its approach, which may include the following four alternatives (among others): "(1) the establishment of differing compliance or reporting requirements or timetables that take into account the resources available to small entities; (2) the clarification, consolidation, or simplification of compliance or reporting requirements under the rule for small entities; (3) the use of performance, rather than design, standards; and (4) an exemption from coverage of the rule, or any part thereof, for small entities."⁶¹

19. The Commission does not believe that its proposed changes will have a significant economic impact on small entities. The reporting, recordkeeping, and other compliance requirements of the rules proposed in the Further Notice would apply to all entities in the same manner. We believe that applying the same rules equally to all entities in this context promotes fairness. The Commission does not believe that the costs and/or administrative burdens associated with the proposed rules would unduly burden small entities. The rules the Commission adopts should benefit small entities by giving them more options for gaining access to valuable wireless spectrum. The Commission expects to more fully consider the economic impact and alternatives for small entities following the review of comments filed in response to the Further Notice.

F. Federal Rules that May Duplicate, Overlap, or Conflict with the Proposed Rules

20. None.

⁶¹ 5 U.S.C. § 604(a)(6).

FCC 20-51

APPENDIX D

List of Commenters

Comments 5G Automotive Association Alteros, Inc. American Electric Power (AEP) APCO International (APCO) Apple Inc. (Apple) Apple Inc., Broadcom Inc., Cisco Systems, Inc., Facebook, Inc., Google LLC, Hewlett Packard Enterprise, Intel Corporation, Marvell Semiconductor, Inc., Microsoft Corporation, Qualcomm Incorporated, Ruckus Networks, and ARRIS Company (Apple, Broadcom et al.) Association of Federal Communications Consulting Engineers AT&T Services, Inc. (AT&T) Austin Scheib - City of Madison Wisconsin **B.J.** Battig Bastrop County, Texas Broadcom Inc. Cambium Networks, Ltd. Charter Communications, Inc. Chelan County Public Utility District Cisco Systems, Inc. City of Austin, Texas City of Clearwater, Florida City of Los Angeles, California City of Portland, Oregon CompTIA (The Computing Technology Industry Association) Comsearch County of Baltimore County of Sheboygan Wisconsin Sheriff's Office CTIA Decawave Don Cameron Dynamic Spectrum Alliance EcliptixNet Broadband Inc. Engineers for the Integrity of Broadcast Auxiliary Services Spectrum (EIBASS) El Paso Electric Company Electro Systems Engineers, Inc. (d.b.a. ESEI) Encina Communications Corporation (Encina) Ericsson Facebook, Inc. Federated Wireless, Inc. Fixed Wireless Communications Coalition Friday Institute for Educational Innovation GCI Communication Corp. **GE** Healthcare Globalstar, Inc. Government Wireless Technology & Communications Association, Los Angeles County, California, City and County of Denver, Colorado, San Bernardino County, California, Ozaukee County, Wisconsin, The Regional Wireless Cooperative, City of Kansas City, Missouri Hewlett Packard Enterprise Company HP Inc.

USCA Case #20-1216

Federal Communications Commission

FCC 20-51

Idaho Power Company IEEE 802 LAN/MAN Standards Committee Imperial Irrigation District Intelsat License LLC and SES Americom, Inc. (Intelsat and SES Americom) iRobot Corp. Joseph H. Leikhim III, Leikhim and Associates LLC Joshua Marvel Lincoln County Lucas County Emergency Medical Service Lucas County Sheriff's Office Mark Atkins Marquardt GmbH Microsoft Corporation Midcontinent Communications Modesto Irrigation District Motorola Solutions, Inc. Nassau Country Police Department National Academy of Sciences Committee on Radio Frequencies National Association of Broadcasters (NAB) National Public Safety Telecommunications Council (NPSTC) National Spectrum Management Association NCTA - The Internet & Television Association (NCTA) NE Colorado Cellular, Inc. dba Viaero Wireless NETGEAR, Inc. Nokia Novelda US, Inc. NXP USA, Inc. Peter Stallone Public Interest Organizations Qualcomm Incorporated (Qualcomm) Quantenna Communications, Inc. (Quantenna) **R** Street Institute RigNet Satcom, Inc. (RigNet) Riverbend Communications LLC Ryan Gardner Singer Executive Development Sirius XM Radio Inc. (Sirius XM) Small UAV Coalition Society of Broadcast Engineers, Incorporated Sony Electronics Inc. Southern California Public Power Authority Southern Company Services, Inc. St. Croix County, Wisconsin Starry, Inc. State of Florida Department of Management Services, Division of Telecommunications, Bureau of Public Safetv Teradek LLC, Amimon, Inc. (Teradek) Texas New Mexico Power Company Thanh K. Nguyen The Association for Unmanned Vehicle Systems International The Association of American Railroads The Boeing Company (Boeing) The City of New York

FCC 20-51

The Critical Infrastructure Coalition The Leading Builders of America The Wireless Innovation Forum The Wireless Internet Service Providers Association (WISPA) Toyota Motor Corporation Tucson Electric Power Company, UNS Electric, Inc. Ubiquiti Networks, Inc. Ultra-Wide Band (UWB) Alliance Utilities Technology Council, Edison Electric Institute, National Rural Cooperative Association, American Public Power Association, American Petroleum Institute and American Water Works Association Valerie West on behalf of Sania Radcliffe Verizon Volkswagen Group of America Inc. Walter J. Klinger County Police Director, Cook County Sheriff's Police Department Washington County Sheriff's Office in Minnesota Wi-Fi Alliance Xcel Energy Services Inc. Zebra Technologies **Reply Comments** Alliance of Automobile Manufacturers

Alteros. Inc. American Association of State Highway and Transportation Officials Apple Inc. Apple Inc., Broadcom Inc., Cisco Systems, Inc., Facebook, Inc., Google LLC, Hewlett Packard Enterprise, Intel Corporation, Marvell Semiconductor, Inc., Microsoft Corporation, Qualcomm Incorporated, Ruckus Networks, an ARRIS Company (Apple, Broadcom et al.) AT&T Services, Inc. (AT&T) Broadcom Inc. CenturyLink Charter Communications, Inc. Cisco Systems, Inc. City of Los Angeles, California Comsearch County of Riverside CTIA Decawave Dr. Doug Roberts Dynamic Spectrum Alliance **EIBASS** Encina Communications Corporation (Encina) Enterprise Wireless Alliance Federated Wireless, Inc. Fixed Wireless Communications Coalition Frontier Communications, Windstream GCI Communication Corp. GeoLinks GridWise Alliance Hewlett Packard Enterprise Intelligent Transportation Society of America Intelsat License LLC and SES Americom, Inc. (Intelsat and SES Americom)

(Page 157 of Total)

20-51

Federal Communications Commission	FCC
react at Communications Commission	ree

Marquardt GmbH Microchip Technology, Inc Microsoft Corporation (Microsoft) Midco National Association of Broadcasters (NAB) National Football League National Public Safety Telecommunications Council (NPSTC) National Spectrum Management Association NCTA - The Internet & Television Association Nokia NXP USA, Inc. P & R Communications Service, Inc. Pacific Gas & Electric Panasonic Corporation of North America Public Interest Organizations **RKF Engineering Solutions LLC** SHLB Coalition Sirius XM Radio Inc. Sony Electronics Inc. Southern Company Services, Inc. Steffen Lehr The Association of American Railroads The Association of Global Automakers, Inc. The BMW Group The Boeing Company The Critical Infrastructure Coalition The Wireless Internet Service Providers Association T-Mobile USA, Inc. Tucson Electric Power Company, UNS Electric, Inc. Ultra-Wide Band Alliance United States Cellular Corporation Utilities Technology Council, Edison Electric Institute, American Public Power Association, National Rural Electric Cooperative Association, American Petroleum Institute and the American Water Works Association Verizon Wi-Fi Alliance Zebra Technologies

FCC 20-51

APPENDIX E

Technical Studies Submitted

Proponents of Unlicensed Operations

Apple Inc., Broadcom Inc., et al

- Analysis of CTIA's Specific Examples Reveals Extensive Errors (Appendix A of Ex Parte Comments Received March 10, 2020)
- VLP Summary (Attachment to March 9, 2020 Ex Parte Comments)
- NAB Response (Attachment to Ex Parte Comments Received March 9, 2020)
- Ex Parte Comments Received Feb. 28, 2020 (RLAN NAB Study) •
- VLP Use Cases (Attachment to Ex Parte Comments Received Jan. 31, 2020) •
- Correcting the Record on RLAN-FS Interactions (Attachment to Ex Parte Comments Received Dec. 16, 2019 (RLAN Group Comments))
- VLP Coexistence Analysis; Duty Cycle Data by Broadcom (Attachments to Ex Parte Comments Received Dec. 9, 2019)
- VLP Coexistence Analysis (Attachment to Ex Parte Comments Received Nov. 12, 2019)
- Multipath Fading (Attachment to Ex Parte Comments Received Oct. 7, 2019)
- 6 GHz FS/WiFi coexistence testing; FS outdoor testing in progress (Attachments to Ex Parte Comments Received Aug. 23, 2019)
- Lidar Study of High-Rise Buildings in Fixed Service 3dB Beams in New York Metropolitan Area (Attachment to Ex Parte Comments Received July 31, 2019)
- 6 GHz Spectrum Sharing: Los Angeles Dep't of Water & Power Interference Protection Case Study (Attachment to Ex Parte Comments Received July 5, 2019)
- The FCC can Accelerate 5G Services while Protecting Incumbent Operations by Enabling Very Low Power Portable Class Devices in 6 GHz (Attachment to Ex Parte Comments Received July 2, 2019)
- 6 USC Presentation to the Office of Engineering and Technology RLAN-FS Interactions (Attachment to *Ex Parte* Comments Received June 24, 2019)
- The FCC's 6 GHz proceeding: Enabling the next wave of unlicensed innovation (Attachment to Ex Parte Comments Received April 26, 2019)
- Measured Attenuation from a Large Building Wall at 6.0, 6.5 and 7 GHz by Brian R. Jones, QRC 720E. brjones@qti.qualcomm.com (Appendix A of Reply Comments Received March 18, 2019)
- Declaration of Dr. Vinko Erceg (Appendix A of Comments Received Feb. 15, 2019)
- Declaration of Fred Goldstein Regarding Fixed Service Operations (Appendix B of Comments Received Feb. 15, 2019)
- Declaration of Fred Goldstein Regarding Automatic Frequency Coordination and the Universal Licensing System Database (Appendix C of Comments Received Feb. 15, 2019)
- Characteristics of Enterprise Deployments Using IEEE 802.11 Equipment: Joint Declaration of Matt McPherson, Chuck Lucaszewski, and Sundar Sankarn (Appendix of D Comments Received Feb. 15, 2019)
- Building and Vehicle Attenuation (Appendix E of Comments Received Feb. 15, 2019)
- Frequency Sharing for Radio Local Area Networks in the 6 GHz Band prepared by RKF Engineering Services, LLC (RKF Report) (Attachment to Comments in GN Docket No. 17-183 Received Jan. 26, 2018)
- Coexistence Study for Radio Local Area Networks in the 6 GHz Band in the Continental United States (Attachment to Comments in GN Docket No. 17-183 Received Jan. 26, 2018)

The Boeing Company

6 GHz Unlicensed Devices in Aircraft (Attachment to Ex Parte Comments Received Jan. 27, 2020)

FCC 20-51

Broadcom Inc.

- ENG Blocker Performance (March 6, 2020) (Attachment to *Ex Parte* Comments Received March 10.2020
- 6 GHz EU Update (Attachment to Ex Parte Comments Received Aug. 14, 2019)

CableLabs, Broadcom Inc.

 6 GHz Low Power Indoor (LPI) Wi-Fi / Fixed Service Coexistence Study (Attachment to Ex Parte Comments Received Dec. 20, 2019)

CableLabs, Charter Communications, Inc., Comcast Corporation

Low Power Indoor (LPI) Wi-Fi Will Not Cause Harmful Interference or Impact Availability of 6 GHz Fixed Service (FS) Incumbents (Attachment to Ex Parte Comments Received Jan. 17, 2020)

CableLabs, Charter Communications, Comcast Corporation, Cox Communications

Wi-Fi Power Sensitivity Analysis Shows No Harmful Interference from Low-Power Indoor Wi-Fi to FS and BAS in 6 GHz (Attachment to Ex Parte Comments Received March 9, 2020)

Charter Communications, Inc. and CableLabs

30 dBm Low Power Indoor (LPI) Wi-Fi Will Not Cause Harmful Interference to Broadcast Auxiliary Systems (BAS) in 6 GHz (Attachment to *Ex Parte* Comments Received Feb. 21, 2020)

Comcast Corporation

• FS Protection Concerns Have Been Addressed (Attachment to Ex Parte Comments Received March 5, 2020)

Comsearch

Sharing in the 6 GHz Band by Unlicensed Low-power Indoor Devices (Attachment to Comments Received Feb. 15, 2019)

Dynamic Spectrum Alliance

AUTOMATED FREQUENCY COORDINATION An Established Tool for Modern Spectrum Management (Appendix A of Reply Comments Received March 18, 2019)

Encina Communications Corporation

An Immediate Need for a Report and Order to Allow the Safe Flexible Use of Mid-Band 6 GHz ٠ Spectrum (Exhibit A of *Ex Parte* Comments Received Feb. 26, 2020)

Federated Wireless, Inc.

6 GHz Spectrum Availability Study Results (Attachment to Ex Parte Comments Received Feb. 10, 2020)

5GAA

- Technical Response to FCC 6 GHz NPRM (Appendix B of Comments Received Feb 15., 2019)
- 6 GHz Out-of-Band Emissions (OOBE) Limits Testing of Impact of Proposed U-NII-5 Unlicensed Devices on C-V2X Receiver Sensitivity (Attachment to Ex Parte Comments Received Dec. 9, 2019)

iPosi, Inc.

• iPosi Loss Measurements applied to 6 GHz Fixed Microwave (and more) protection from LTE/5G (Attachment to Ex Parte Comments Received Aug. 12, 2019)

Federal Communications Commission FCC 20-51

Microsoft Corporation

• Overview of Internet service provider technology considerations for rural broadband deployments (Attachment to *Ex Parte* Comments Received Dec. 23, 2019)

MidContinent Communications

- C-Band, 6 GHz, and RDOF (Attachment to *Ex Parte* Comments Received Dec. 9, 2019, Nov. 21, 2019, Nov. 20, 2019)
- Closing the Digital Divide Fiber and Fixed Wireless (Attachment to *Ex Parte* Comments Received Sept. 19, 2019)

Qualcomm Incorporated

- 5G NR-Unlicensed in the new 6 GHz unlicensed band (Attachment to *Ex Parte* Comments Received Nov. 15, 2019)
- 5G NR in unlicensed and shared spectrum (Attachment to *Ex Parte* Comments Received March 8, 2019)

Wi-Fi Alliance

- Analysis of U-NII Interference to Geostationary Fixed Satellite Service Receivers in the 6 GHz Band (Annex to Wi-Fi Alliance Comments Received Feb. 15, 2020)
- 6 GHz Update (Attachment to *Ex Parte* Comments Received Aug. 12, 2019)
- Unlicensed Use of the 6 GHz Band (Attachment to *Ex Parte* Comments Received May 2, 2019, April 18, 2019)

WISPA

• Technical Analysis (Attachment to *Ex Parte* Comments Received Feb. 4, 2020)

Representatives of Incumbent Services

AT&T Services, Inc.

- Theoretical Near Field/Far Field Pattern Comparisons (Exhibit A of *Ex Parte* Comments Received Jan. 23, 2020)
- Antenna Near Field Power Density (Exhibit B of *Ex Parte* Comments Received Jan. 23, 2020)
- Radio Local Area Network (RLAN) to Fixed Service (FS) Microwave Interference in the 6 GHz Band Analysis of Select Real World Scenarios (Attachment to *Ex Parte* Comments Received Nov. 21, 2019)
- Radio Local Area Network (RLAN) to Fixed Service (FS) Microwave Interference in the 6 GHz Band Analysis of Select Real World Scenarios (Exhibit A of *Ex Parte* Comments Received Nov. 12, 2019)
- CEPT ECC Report 302 Sharing and compatibility studies related to Wireless Access Systems including Radio Local Area Networks (WAS/RLAN) in the frequency band 5925-6425 MHz (Attachment to *Ex Parte* Comments Received Aug. 5, 2019)

CTIA

- 6 GHz Interference Analysis (Attachment to *Ex Parte* Comments Received March 5, 2020)
- International Comparison: Licensed, Unlicensed, and Shared Spectrum, 2017-2020 (Attachment to *Ex Parte* Comments Received Feb. 3, 2020)

Decawave

• Sharing Study Results (Annex to Comments Received Feb. 15, 2019)

Edison Electric Institute, et al

FCC 20-51

- Impact of Proposed Wi-Fi Operations on 6 GHz Microwave Links by Roberson and Associates, LLC (Attachment to *Ex Parte* Comments Received Jan. 24, 2020)
- Impact of Proposed Wi-Fi Operations on Microwave Links at 6 GHz by Roberson and Associates, LLC (Critical Infrastructure Industry (CII) User Study) (Attachment to *Ex Parte* Comments Received Jan. 13, 2020)

Engineers for the Integrity of Broadcast Auxiliary Services Spectrum (EIBASS) (Attachments to Comments Received Feb. 15, 2019)

- Maps showing operational areas of 6.5 and 7 GHz Part 74, Subpart F, TV Pickup stations.
- eBay add for 8-watt 2.4 GHz Wi-Fi power amplifier.
- Map showing Phoenix-area electronic news gathering-RO sites.
- Comparison of noise floors at 2 vs. 2.5 GHz for the South Mountain electronic news gathering-RO site.

Ericsson

• Balanced Approach to 6 GHz (Attachment to *Ex Parte* Comments Received April 23, 2019, June 14, 2019, Oct. 16, 2019)

Fixed Wireless Communications Coalition

- Harmful Interference from Uncontrolled RLANs into Fixed Service (Attachment A of *Ex Parte* Comments Received Dec. 20, 2019)
- Question: how does a 10 dB change in path fade margin affect the multipath fading outage time? (Attachment B of *Ex Parte* Comments Received Dec. 20, 2019)
- Response to RLAN Group Filing on Multipath Fading in ET Docket No. 18-295, dated October 3, 2019 (Attachment A of *Ex Parte* Comments Received Nov. 21, 2019)
- What future for the unlicensed and licensed services in the 6 GHz band? (Attachment to *Ex Parte* Comments Received Sept. 26, 2019)
- Overview of ECC Report 302 Sharing and Compatibility Studies Related to Wireless Access Systems including Radio Local Area Networks (WAS/RLAN) in the Frequency Band 5925-6425 MHz by George Kizer (Attachment to *Ex Parte* Comments Received Sept. 3, 2019)
- RLAN Interference Estimator by George Kizer (Attachment A of *Ex Parte* Comments Received Aug. 22, 2019)
- Deploying 6 GHz RLANs While Protecting the Fixed Service (Attachment to *Ex Parte* Comments Received June 28, 2019 and June 19, 2019)
- Authorizing RLANs While Protecting the Fixed Service (Attachment to *Ex Pate* Comments Received May 3, 2019)
- Calculating Interference from an RLAN in the Main beam of a Category A or B1 FS Antenna by George Kizer (Appendix A of Reply Comments Received March 18, 2019)
- Determining the Impact of Non-Coordinated Indoor 6 GHz RLAN Interference on Fixed Service Radars by George Kizer (Attachment A of Comments Received Feg. 15, 2019)
- Need for Adjacent Channel Interference Protection by George Kizer (Attachment B of Comments Received Feb. 15, 2019)
- RLAN/FS Guard Band Analysis by George Kizer (Attachment C of Comments Received Feb. 15, 2019)
- Indoor 6 GHz RLAN Interference into Fixed Service Receivers Based on Wi-Fi Alliance Assumptions by George Kizer (Attachment to *Ex Parte* Comments Received Oct. 2, 2018)

Globalstar, Inc.

• Technical Analysis of Impact in U-NII-8 on Globalstar Mobile Satellite Service by Roberson and Associates, LLC (Attachment to Comments Received Feb. 15, 2019)

FCC 20-51

iRobot Corp.

- iRobot Technical Appendix (Appendix A of *Ex Parte* Comments Received Feb. 7, 2020)
- iRobot Protecting Innovation Terra UWB and Wi-Fi Coexistence Analysis (Attachment to *Ex Parte* Comments Received Nov. 1, 2019)
- Impact of Proposed High-Power Wi-Fi Operations on iRobot Ultra-Wide Band Devices at 6 GHz by Roberson and Associates, LLC (Attachment to *Ex Parte* Comments Received Oct. 17, 2019)

National Association of Broadcasters

- Broadcast Use of 6 GHz (Attachment to *Ex Parte* Comments Received Feb. 7, 2020)
- Analysis of Interference to Electronic News Gathering Receivers from Proposed 6 GHz RLAN Transmitters prepared by Mark Gowans and Martin Macrae, Alion Science and Technology (NAB Study) (Attachment to *Ex Parte* Comments Received Dec. 5, 2019)

Nokia

- Automated Frequency Co-Coordinator (AFC) for N-NII-5 and U-NII-7 Band by Milind M. Buddhikot, Prakash Moorut (Attachment to *Ex Parte* Comments Received April 10, 2019)
- Automated Frequency Coordination (AFC) System by Milind M. Buddhikot, Prakash Moorut, Nokia Bell Labs & CTO (Technical Appendix to Reply Comments Received March 18, 2019)
- Coexistence of Unlicensed National Information Infrastructure (U-NII) Devices with Fixed Links at 6 GHz, Authors: Lauri Sormunen, Antti Piipponen, Prakash Moorut, Nokia Bell Labs & CTO (Technical Appendix to Comments Received Feb. 15, 2019)

RigNet Inc.

- RigNet Revised Detailed Exclusion Zone Gulf of Mexico; RigNet Revised Exclusion Zone Overview (Attachments to *Ex Parte* Comments Received Feb. 7, 2020, Nov. 18, 2019)
- Further Analysis of Impact of Unlicensed U-NII-5 Devices on RigNet 6 GHz Backhaul Network v1.0 by Roberson and Associates, LLC (Attachment to *Ex Parte* Comments Received July 11, 2019)
- Chart of Gulf of Mexico 6 GHz Network (Exhibit A of *Ex Parte* Comments Received May 15, 2019)
- Chart of WiMAX Coverage (Exhibit B of *Ex Parte* Comments Received May 15, 2019)

Southern Company Services, Inc.

- Methodology Used to Predict Impact of Radio Local Area Networks (RLANS) on Southern Microwave Network (Revised) (Attachment A of *Ex Parte* Comments Received Feb. 27, 2020)
- Study of the Impact of Unlicensed use of 6 GHz Spectrum on Southern Licensed Columbus site (Attachment B of *Ex Parte* Comments Received Feb. 27, 2020)
- Lockard & White: 6 GHz Analysis for Southern Company Services (Attachment A of *Ex Parte* Comments Received Feb. 14, 2020)
- Lockard & White Unlicensed 6 GHz Impact Study Methodology (Attachment B of *Ex Parte* Comments Received Feb. 14, 2020)
- Prediction Models for Interference with Point to Point (Fixed Station) Microwave (Attachment C of *Ex Parte* Comments Received Feb. 14, 2020)
- FCC 6 GHz NPRM Analysis for Southern Company Services Inc. (Attachment to *Ex Parte* Comments Received Feb. 6, 2

Utilities Technology Council

• Potential Interference to Utility and CII 6 GHz Systems from Unlicensed Operations (Attachment to *Ex Parte* Comments Received June 28, 2019, May 31, 2019, May 28, 2019, May 24, 2019)

Ultra-Wide Band (UWB) Alliance

- Supporting Coexistence in the 6 GHz Band (Attachment to *Ex Parte* Comments Received May 8, 2019, April 10, 2019)
- Details on Coexistence Suggestions (Attachment to Comments Received Feb. 19, 2019, Feb. 15, 2019)

Zebra Technologies

• Unlicensed use of the 6 GHz Band (Attachment to *Ex Parte* Comments Received Feb. 18, 2020, Dec. 18, 2019, April 4, 2019)

FCC 20-51

STATEMENT OF CHAIRMAN AJIT PAI

Re: Unlicensed Use of the 6 GHz Band, Expanding Flexible Use in Mid-Band Spectrum Between 3.7 GHz and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183.

The coronavirus pandemic has temporarily changed nearly every aspect of our lives. Most notably, of course, millions of American adults and children are staying at home. Many of those households have multiple connected devices; parents and kids may be using laptops, tablets, and smartphones, all at the same time. That might generate friction, but for the magic of the unlicensed airwaves—better known to most as Wi-Fi. For many of us, Wi-Fi has helped keep us connected to our families and friends, as well as the outside world. It enables children to take part in distance learning while their parents participate in video conferences for work. It allows Americans with medical issues to have virtual doctor's appointments while those they live with stream *Tiger King* on Netflix.¹ In short, sheltering in place would be a lot more difficult without Wi-Fi.

Of course, even before anyone had heard of COVID-19, Wi-Fi already carried more than half of the Internet's traffic, and offloading mobile data traffic to Wi-Fi was vital to keeping our cellular networks from being overwhelmed. In a very real sense, Wi-Fi is the fabric that binds together all our digital devices.

And Wi-Fi will be even more important in the years to come. By one estimate, the economic value created by Wi-Fi in the United States is projected to double by 2023—reaching nearly \$1 trillion.

To realize that potential, we need faster, stronger Wi-Fi networks. The good news is that the next generation of Wi-Fi, commonly called Wi-Fi 6, has already started rolling out. Wi-Fi 6 will be over twoand-a-half times faster than the current standard, and it will offer better performance for connected devices. But in order to fully take advantage of the benefits of Wi-Fi 6, we need to make more mid-band spectrum available for unlicensed use. It's been a long, long time since we did that—and consumers deserve it.

So today, we take a bold step to increase the supply of unlicensed spectrum: we're making the entire 6 GHz band—a massive 1,200 megahertz test bed for innovators and innovation—available for unlicensed use. By doing this, we are effectively increasing the amount of mid-band spectrum available for Wi-Fi by almost a factor of five. This will be a huge benefit to consumers and innovators across the nation. Wi-Fi NOW's Claus Hetting, a champion of Wi-Fi innovation, said it perfectly: "The truth is that this 6 GHz spectrum boost will launch the Wi-Fi industry into a new growth trajectory. It will boost Wi-Fi's massive indoor dominance. And surely—with the help of emboldened entrepreneurs everywhere—it will bring low-cost Wi-Fi (and unlicensed) connectivity to places where it has never been."

Ultimately, I expect that 6 GHz unlicensed devices will become a part of consumers' everyday lives. And I predict the rules we adopt today will play a major role in the growth of the Internet of Things, connecting appliances, machines, meters, wearables, smart televisions, and other consumer electronics, as well as industrial sensors for manufacturing. At the same time, our approach will ensure that incumbents in the 6 GHz band are protected from harmful interference. The microwave services that already use this band are critical to the operations of utilities, public safety, and wireless backhaul operations. And we are ensuring that those incumbents are protected by requiring the use of automated frequency coordination systems, which will only allow new standard-power operations in areas that will not cause interference to incumbent services, and by placing conservative power limits on low-power indoor operations.

¹ I admit nothing. But it may be surmised that I have an opinion about Carole.

FCC 20-51

Our decision today will also help us meet the mandate set forth by Congress in RAY BAUM'S Act to make more spectrum available for unlicensed use. It is part of our aggressive and balanced spectrum strategy: push more licensed and unlicensed spectrum into the commercial marketplace, including a mix of low-band, mid-band, and high-band spectrum. And freeing up this spectrum for unlicensed use will also help advance our nation's leadership in 5G technologies. In fact, Cisco projects that 59% of mobile data traffic will be offloaded to Wi-Fi by 2022. And cellular operators will have a chance to augment their 5G mobile broadband services by using the 6 GHz band; 3GPP Release 16 will include a 5G New Radio specification for unlicensed, called 5G NR-U. In sum, the gain here to unlicensed users will also be a gain for their licensed counterparts.

In addition to the Report and Order, today's Further Notice of Proposed Rulemaking explores possibilities for very low power devices in the 6 GHz band. Very low power devices could enable a new and innovative generation of personal area network technologies with low latency, high capacity, and all-day battery life. These very low power devices could include accessibility technology for Americans with disabilities, virtual reality gaming, augmented reality glasses, in-vehicle systems, and other emerging technologies which we can only now dream of. We look forward to compiling a robust record and acting quickly to make 6 GHz available for these very low power uses.

Our decision today benefited greatly from the extensive comments in the record and feedback from a variety of stakeholders. In particular, I'd like to thank broadcasters, wireless Internet service providers, cable operators, content distributors, public safety entities, utilities, and all the various industries that engaged in these issues in good faith and provided constructive feedback on our proposals. In order for the future of the 6 GHz band to be successful, we will need to see continued cooperation and constructive engagement from all these stakeholders.

I'd also like to thank all our hardworking FCC staff. This is one of the most complicated proceedings from an engineering perspective that the Commission has encountered in many years. And we couldn't have reached this point without Bahman Badipour, Jamie Coleman, Monisha Ghosh, Navid Golshahi, Michael Ha, Ira Keltz, Paul Murray, Nick Oros, Barbara Pavon, Jamison Prime, Ron Repasi, Max Staloff, Hugh VanTuyl, and Aole Wilkinsel from the Office of Engineering and Technology; from the Wireless Telecommunications Bureau, Chris Andes, Ken Baker, Steven Buenzow, Kamran Etemad, John Lambert, Sean Spivey, and Janet Young; from the Office of General Counsel, Deborah Broderson, Mike Carlson, David Horowitz, Tom Johnson, Keith McCrickard, and Bill Richardson; from the Office of Economics and Analytics, Catherine Matraves, and Patrick Sun; from the International Bureau, Jose Albuquerque and Bob Nelson; from the Enforcement Bureau, Matthew Gibson, and Kathy Harvey; from Public Safety and Homeland Security Bureau, Brian Marenco and Michael Wilhelm; and from the Media Bureau, Sean Yun.

FCC 20-51

STATEMENT OF COMMISSIONER MICHAEL O'RIELLY

Re: Unlicensed Use of the 6 GHz Band, Expanding Flexible Use in Mid-Band Spectrum Between 3.7 GHz and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183.

Today is a fantastic day for unlicensed services and the millions of Americans who use them. Opening 6 GHz for unlicensed use has been a huge priority for me, culminating decades of my work on the broader issue. After personally championing 6 GHz for unlicensed use – and pushing for more unlicensed spectrum generally – for years, I am exceptionally pleased that we are finally taking appropriate and defensible steps to free up this needed spectrum resource. Except for one other smaller, but equally important, spectrum slice (5.9 GHz), there is no greater opportunity for expanding unlicensed services, especially Wi-Fi, given its close proximity to the 5 GHz band that most of us rely on every day for our home Wi-Fi systems. Along with 2.4 GHz, these two bands have carried the bulk of Wi-Fi and other unlicensed traffic for approximately two decades. Now, we add the *full* 1200 megahertz of 6 GHz spectrum for low-power indoor (LPI) devices that will be able to increase speed and capacity, relieve congestion, decrease latency, and bring about the next generation of unlicensed innovation, including Wi-Fi 6, in the near term. We also take the critical approach of authorizing standard-power unlicensed services, with higher-power limits than LPI, using an automated frequency coordination (AFC) system, which the Commission helped pioneer and with which it is very familiar.

While some argue that the unlicensed community doesn't need the full 1200 megahertz of spectrum, I strongly disagree. Instead of doling out unlicensed spectrum in slivers or piecemeal through some dividend mechanism, we have the chance to provide a huge, much needed infusion of wireless currency to American innovators and entrepreneurs, who will undoubtedly amaze us with their ingenuity. Moreover, to obtain unlicensed 5G-like capabilities, 160 megahertz channels, or eventually 320 megahertz under Wi-Fi 7, are absolutely necessary. Ultimately, this allocation will provide seven new and needed channels going forward, which can also be combined with the 5 GHz frequencies already in use. And this allocation for unlicensed services will accelerate, rather than compete with, the American effort to deploy nationwide 5G advanced wireless services. In sum, 5G will happen faster and more widely with our action here.

Today's action is also very timely, as the COVID-19 pandemic has demonstrated the importance of our Wi-Fi systems in keeping those in isolation connected to the outside world. This technology is right now permitting Americans everywhere to communicate with their loved ones, continue to attend school, work remotely, keep businesses up and running, order groceries and necessities, support their favorite local restaurants, and allow life to continue with as much normalcy as possible during this extremely difficult time.

Not to mention, the benefits extend well beyond our current circumstances. It is expected that unlicensed use will continue to experience tremendous growth in the coming years, which could lead to devastating congestion in our existing networks, if not for this additional spectrum. For instance, it is estimated that, in the U.S. alone, almost 76 percent of all mobile data traffic will be offloaded to Wi-Fi by 2022, that the amount of offloaded traffic will increase more than seven-fold between 2017 and 2022, that the total number of public Wi-Fi hotspots will increase by 300 percent during this same time period, and that almost 50 percent of total IP traffic will be Wi-Fi within the next two years.¹ This allocation will also facilitate other exceedingly important developments: providing affordable spectrum to expand broadband

¹ CISCO, VNI MOBILE FORECAST HIGHLIGHTS TOOL, UNITED STATES, MOBILE/WI-FI TRAFFIC PROFILES, https://www.cisco.com/c/m/en_us/solutions/service-provider/forecast-highlights-mobile.html# ("In the United States, 18.2 exabytes of mobile data traffic will be offloaded to Wi-Fi by 2022 compared to 2.5 exabytes in 2017.).

FCC 20-51

networks to the unserved and most remote parts of this nation, expanding the Internet of things (IoT), and increasing the availability of industrial applications. Further, it is estimated that allowing unlicensed use in 6 GHz will result in a total economic value of over \$83 billion in GDP contribution, although every economic study of this type likely far underestimates the real value of such services and effects.²

All of these enormous benefits can only be realized by authorizing both standard-powered operations and LPI devices, which unlike the higher-power systems do not need an AFC. While there has been much debate about whether LPI use can cause interference to fixed networks, electronic news gathering, and other incumbent uses, the studies in the record and the analysis of the talented professionals in the Office of Engineering and Technology are quite clear: unlicensed use – with the technical rules set in this item – *can be introduced without causing harmful interference*.

In fact, today's item takes a very conservative approach and relegates some technical issues to the further notice section. I am very supportive of increasing the power spectral density of LPI devices from 5 to 8 dBm/MHz and introducing very low power (VLP) devices in the band with the appropriate technical parameters. While I was very hopeful that we would adopt these measures in today's order, I understand that our engineers would like to develop a more robust record on these issues. I firmly believe that increasing LPI power and VLP can be done while protecting incumbent users, and I assert that there are few greater priorities for the Commission than completing the further order this year.

I also appreciate that my suggested edits were accepted by my colleagues. These include setting the allowable client device power by rule instead of basing it on the actual transmittal power of an access point at any point in time, seeking comment in the further notice on the portable use of standard-power devices, and making the VLP section neutral so it does not steer commenters to certain conclusions. I know Commissioner Rosenworcel had similar concerns, and I thank her for her ongoing partnership on unlicensed issues. Further, I am pleased that, at my request, the item provides more structure and direction to the new multi-stakeholder group, including encouraging them to have processes if an incumbent reports harmful interference; clarifies that certain fixed client devices can operate at power limits similar to access points; and seeks comment on the possible use of higher-power limits for fixed point-to-point applications and directional antennas for standard-power access points; among others.

Now that this item is to be adopted, and the bulk of the work on the C-band proceedings is over, it is time to refocus our attention on 5.9 GHz band for unlicensed, the 3.1 to 3.55 GHz band for exclusive licensed use, and other bands that will be needed for commercial wireless use in the future. Broadly, our action here should allow the Commission to triple our efforts to identify and reallocate bands for new *licensed* services, and I will continue to push this Commission to do the hard work to find the next 5G bands. Let's roll up our sleeves and refill that pipeline.

² WIFIFORWARD, ASSESSING THE ECONOMIC VALUE OF UNLICENSED USE IN THE 5.9 GHz & 6 GHz BANDS, at 5 (April 2020), http://wififorward.org/wp-content/uploads/2020/04/5.9-6.0-FINAL-for-distribution.pdf.

FCC 20-51

STATEMENT OF COMMISSIONER BRENDAN CARR

Re: Unlicensed Use of the 6 GHz Band, Expanding Flexible Use in Mid-Band Spectrum Between 3.7 GHz and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183.

The stories you will soon read about this vote will speak volumes about its significance. You will read about the FCC supercharging Wi-Fi. And you will read about the big boost we're giving to applications so many Americans rely on today—from our connected TVs to the devices we use to stream content or complete those online video calls we're now all too familiar with.

All of those takes will be right. And yet when we look back at this decision years from now, I have a feeling that none of those applications will be the ones we talk about when we discuss the innovations powered by these 1,200 MHz of spectrum.

Part of this stems from a very human limitation on our thinking. We tend to underestimate the pace and nature of technological change. We often assume that the next big thing will just be a faster version of what we have today. Our brains can understand faster Wi-Fi but struggle with the more visionary applications that are right around the corner.

This is not a new phenomenon. Henry Ford reportedly said that if he had asked people what they wanted, they would have said "faster horses." Indeed, we called the first cars "horseless carriages." And to belabor the analogy, what we're voting on today is not higher quality hay for the horses; it is high-octane stuff. That is why studies show that our decision will add nearly \$200 billion to the economy when added with other unlicensed bands.

So I suspect this order will not be remembered because it enabled faster Netflix downloads. We don't know what the future holds, but maybe the present pandemic gives us some clues about what's around the corner.

Millions of kids, including mine, are out of school today and stuck at home. Teachers and parents are working hard to keep them learning. Some are turning to video calls to enhance in-home learning, but even that does not capture the feedback between student and teacher that exists in the classroom. Educators we have spoken with say it's particularly difficult to teach hands-on subjects, like science.

Today's decision can help change that by unleashing a new wave of virtual reality applications. Imagine the immersive learning experience students could enjoy in a virtual 3D environment. In fact, teams at Facebook that are spread across the globe regularly use Oculus headsets to hold weekly meetings. Interacting with coworkers in a virtual meeting room captures some of the spark of exchanging views in person. Facebook's Oculus currently has a VR solution used to teach medical students, and just months ago, Facebook launched a VR pilot project at a Seattle-area high school.

Or take grocery shopping. Even in normal times, I do not enjoy heading to the store. And with the pandemic many Americans are now standing in lines that snake around for blocks while maintaining 6 feet of physical separation. Instead of all that, imagine putting on VR glasses while sitting on your couch at home, walking virtually down the aisle at your local grocery store and quickly looking at, picking up, and choosing items; instant check out, immediate delivery, no contact.

This type of transformative VR can solve pain points in our daily lives, and getting to that near future requires a next-gen connection. Even with the world's strongest 5G networks, engineers tell us that VR devices will be powered by the unlicensed spectrum bands we free up today. Enabling those new connections will help drive the entire 5G ecosystem forward. So I am pleased to support today's order.

I also want to thank the Chairman and my colleagues for seeking further comment on greenlighting very low power devices in these bands. Those might be the key links that unlock

immersive VR devices, so I am glad we are seeking comment on letting those operate at power levels that will work in the real world.

Finally, I want to thank the Office of Engineering and Technology, the Wireless Telecommunications Bureau, and so many others at the Commission for their work on this historic item. It has my support.

FCC 20-51

STATEMENT OF COMMISSIONER JESSICA ROSENWORCEL

Re: Unlicensed Use of the 6 GHz Band, Expanding Flexible Use in Mid-Band Spectrum Between 3.7 GHz and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183.

Not long after the invention of the personal computer, experts predicted that jobs would eventually be liberated from the office, and home would be the future of work. It didn't quite happen that way. But sometimes a powerful force can strike and change everything.

Consider ourselves struck. The coronavirus has ushered in remote work at unprecedented scale. Not everyone, to be sure. Doctors and nurses are still working at hospitals, first responders are out in our communities, and so many other essential workers are helping keep our pantries stocked and packages delivered. We salute them. Their efforts keep us healthy, keep us safe, and keep us connected.

But millions more of us are doing our part by staying at home. I know. I'm one of them. I also know there is a technology my household is relying on like never before. That's Wi-Fi. Because in this crisis, work, school, healthcare, and so much more have migrated online. Keeping connected is essential. If we're lucky we are using Wi-Fi to call, stream, and create at home as part of our broadband service. But remember that others are driving with devices to get online. In this pandemic, Parking-Lot Wi-Fi has become a thing as people get in their cars to go find a signal in communities where internet access at home is scarce. That needs attention because it is a stark reminder that when it comes to digital equity, we have work to do.

It also proves just how extensively we are relying on Wi-Fi right now. Then consider that even before we reached this juncture the unlicensed airwaves that Wi-Fi depends on have been growing crowded. Already the 2.4 and 5 GHz bands are used by billions of devices in the internet of things and that number is only poised to grow. Then consider that when we head to our 5G future we expect as much as 70 percent of traffic to be offloaded to unlicensed airwaves. And take note that with fiber, cable, and commercial wireless all moving to gigabit speeds, existing Wi-Fi risks being the bottleneck for faster speeds at home. Without making more and more wide channels available, our online experiences are going to feel a lot like getting off a superhighway onto a gravel road.

We need to act. Because we need more Wi-Fi. We need more unlicensed spectrum to carry all of the wireless activity that is coming our way. So when the Federal Communications Commission decided to explore the expansion of Wi-Fi in the 6 GHz band, I called for the agency to make available 1200 megahertz of new spectrum to support next-generation Wi-Fi, with 160 megahertz-wide channels that can offer gigabit speeds.

Today, we do just that. As a result, this effort has my support. I also appreciate that my colleagues have agreed to changes at my request, including clarifying power levels for client devices and seeking comment on opportunities for portable devices and the right power levels for very low power devices. In addition, I want to thank Commissioner O'Rielly for his early work to champion these policies and his willingness to do so with my office. Finally, I want to recognize that with today's decision the agency makes progress on the need to identify additional bands for unlicensed use under the RAY BAUM'S Act.

So with this decision on unlicensed spectrum we do well by the law, we add more permissionless airwaves to the wireless economy, and we expand the democratizing force of having more Wi-Fi in more places. Amen. Those are good things to do in this crisis and for the days ahead.

FCC 20-51

STATEMENT OF COMMISSIONER GEOFFREY STARKS

Re: Unlicensed Use of the 6 GHz Band, Expanding Flexible Use in Mid-Band Spectrum Between 3.7 GHz and 24 GHz, ET Docket No. 18-295 and GN Docket No. 17-183.

The COVID-19 pandemic may be the most challenging event of our generation. While health care workers and first responders help those suffering from the virus, grocery store and essential retail workers, bus drivers, transportation and delivery personnel all continue to perform their hard work so that we can get the goods and services we need.

For those listening to this meeting online, "social distancing" may mean working from home, distance learning for the kids, and videoconferencing to stay in touch with colleagues and loved ones. But for millions of Americans without broadband connections, the response to COVID-19 has meant isolation. It has meant weeks, if not months, without instruction for their kids. And it has meant hard decisions about whether to "tough out" troubling health issues or risk traveling to a doctor's office or an emergency room.

The 6 GHz Report and Order, like the other items we discuss today, reflects an important aspect of the FCC's role in bridging the digital divide. For many people without broadband at home, getting online means relying on shared or public Wi-Fi connections in their neighborhood, the library, or even the local fast-food place. I particularly remember my visit to the Larkin Street Youth Services center in San Francisco, where I heard from homeless teens about how they relied on the facility's Wi-Fi service to stay connected.

Today's decision to make 1200 megahertz in the 6 GHz band available for unlicensed use holds special promise for these Americans. Even for those who can't afford the new equipment that will take advantage of the new spectrum and the latest iteration of Wi-Fi, speeds for their devices should increase as existing Wi-Fi traffic moves to the new spectrum. Low-income consumers purchasing discounted broadband plans will realize the full benefits of their subscriptions, as the Wi-Fi channels within their homes become less congested and data flows more freely. The new spectrum is also expected to spur new efforts by many broadband providers, retailers, restaurants, and others that offer free public Wi-Fi access at hotspots across the nation.

The benefits of this decision don't stop there. The 6 GHz spectrum is expected to complement 5G wireless service and unleash a wave of innovation for the Internet of Things. It will allow doctors to conduct complex examinations and procedures remotely, enable the training of students and workers using virtual and augmented reality, and spur the next generation of streaming content and gaming.

Finally, I look forward to a rapid resolution of the issues presented in the Further Notice of Proposed Rulemaking. In particular, I hope that we can quickly determine whether and how to increase the power levels for low-power indoor operations. Higher power levels will ensure people can connect to Wi-Fi throughout their homes without additional equipment that might be too costly or complicated for many Americans.

My special thanks to the Commission's staff for their hard work resolving the complicated engineering issues presented here.

Exhibit 2

Before the Federal Communications Commission Washington, D.C. 20554

In the Matter of)	
Unligensed Use of the 6 GHz Rend)	ET Docket No. 18 205
Unicensed Use of the o GHZ Band)	E1 DOCKET NO. 18-295
Expanding Flexible Use in Mid-Band Spectrum	Ĵ	GN Docket No. 17-183
Between 3.7 and 24 GHz)	

ORDER DENYING PETITIONS FOR STAY

Adopted: August 13, 2020

Released: August 13, 2020

By the Acting Chief, Office of Engineering and Technology:

I. INTRODUCTION

1. On April 24, 2020, the Commission released a Report and Order and Further Notice of Proposed Rulemaking (*Order*), which adopted rules opening up the 6 GHz band for unlicensed use while protecting incumbent users from harmful interference.¹ The *Order* carefully considered a record assembled over a two-and-a-half-year period, starting with the Commission's August 2017 *Notice of Inquiry*,² and that included input from broadcasters, wireless Internet service providers, cable operators, content distributors, public safety entities, utilities, and other stakeholders. Relying on arguments that the Commission fully considered and ruled upon in the *Order*, both the Edison Electric Institute (EEI)³ and the Association of Public-Safety Communications Officials-International, Inc. (APCO)⁴ now petition the Commission to stay the application of the rules adopted in the *Order*. We deny both petitions.

II. BACKGROUND

2. While the *Order* lays out the full background of this proceeding, a short history is helpful: As the Commission has repeatedly recognized, demand for wireless broadband, including for unlicensed operations, has exploded in recent years, and is projected to continue growing.⁵ That is why, in the 2017 *Mid-Band NOI*, the Commission began an evaluation of whether spectrum between 3.7 and 24 GHz could be made available for wireless broadband services, including unlicensed use in the 6 GHz band (5.925-7.125 GHz).⁶ The 6 GHz band is particularly attractive for unlicensed operations, the Commission noted, because it is near spectrum designated for U-NII use and could, among other things,

¹ Unlicensed Use of the 6 GHz Band, Report and Order and Further Notice of Proposed Rulemaking, 35 FCC Rcd 3852 (2020) (Order).

² Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, Notice of Inquiry, 32 FCC Rcd 6373 (2017).

³ Petition for Stay Pending Judicial Review, Edison Electric Institute, ET Docket No. 18-295, at 1 (filed June 19, 2020) (*EEI Petition*).

⁴ Petition for Stay of APCO International, ET Docket No. 18-295 (filed May 28, 2020) (APCO Petition).

⁵ Cisco Systems, Cisco Visual Networking Index: Global Mobile Data Traffic Forecast Update, 2017-2022 at 17, 31 (Feb. 2019) <u>https://s3.amazonaws.com/media.mediapost.com/uploads/CiscoForecast.pdf</u>; Ericsson, Ericsson Mobility Report at 17 (June 2019) https://www.ericsson.com/en/mobility-report/reports/june2019.

⁶ Expanding Flexible Use in Mid-Band Spectrum Between 3.7 and 24 GHz, Notice of Inquiry, 32 FCC Rcd 6373 (2017) (*Mid-Band NOI*).

allow those devices to operate with wider channel bandwidths and higher data dates with increased flexibility.⁷ But, as the Commission recognized, any unlicensed use in the band would need to protect the wide range of incumbent users operating in various subsets of the band—including fixed service, fixed satellite service (FSS), and fixed and mobile broadcast auxiliary services.⁸

3. For the next two-and-a-half years, the Commission explored ways to accommodate shared use in the 6 GHz band. This task was made even more urgent in 2018, when Congress mandated, in the RAY BAUM'S Act, that the Commission make more spectrum available for unlicensed use.⁹ In response to the *Mid-Band NOI*, parties filed numerous *ex parte* presentations—many with detailed technical evaluations—evidencing a good-faith effort to work toward finding areas of potential agreement on accommodating shared use.¹⁰ In its October 2018 *Notice of Proposed Rulemaking (Notice)*, the Commission again sought comment on how best to provide new opportunities for unlicensed use in the 6 GHz band while ensuring the incumbent licensed operations were protected.¹¹ To best accommodate the variety of incumbent licensed devices—"standard-power" access points and "low-power" access points—to operate in four different sub-bands.¹² The Commission received comments from over 150 parties in response to this proposal, including from proponents of unlicensed use and incumbents raising concerns about interference—such as EEI and APCO.¹³

4 In a lengthy order grappling with the arguments, proposals, and technical studies in the record, the Commission adopted rules to authorize two types of unlicensed operations in the 6 GHz band: standard-power operations and low-power indoor operations.¹⁴ For standard-power operations, the Commission provided that, in two portions of the 6 GHz band, standard-power access points will operate under the control of an automated frequency coordination (AFC) system.¹⁵ Prior to transmitting, a standard-power access point will send its location to the AFC system, which in turn will limit the standard-power access point to the frequencies available and maximum power permitted at that time and location.¹⁶ The Commission concluded that use of this AFC system will prevent standard-power access points from operating where they could cause harmful interference to licensed point-to-point microwave links that operate in these two portions of the 6 GHz band.¹⁷ But for *low-power indoor operations*, the Commission found the use of an AFC unnecessary. The Order adopted rules limiting low-power indoor access points to operate only at indoor locations across the entire 6 GHz band.¹⁸ The Commission concluded, based on its evaluation of studies and other evidence in the record, that the lower operating power required of these devices along with the attenuation provided by building structures will prevent harmful interference from occurring to incumbent licensees even without being under the control of an

⁸ Id. at 6384-85, paras. 32-36.

9 RAY BAUM'S Act of 2018, Pub. L. 115-141, § 614, 132 Stat. 1080, 1109 (2018).

¹⁰ Unlicensed Use of the 6 GHz Band, Notice of Proposed Rulemaking, 33 FCC Rcd 10496, 10499-501, paras. 16-17 (2018) (Notice).

¹¹ Notice, 33 FCC Rcd 10496.

¹² Notice, 33 FCC Rcd at 10504-05, para. 20-21.

¹³ Order, 35 FCC Rcd at 3860, para. 16.

¹⁴ Order, 35 FCC Rcd at 3860, paras. 17-18.

¹⁵ Order, 35 FCC Rcd at 3862, 3953-56, para. 22, Appx. A § 15.407(k). Standard power access points will be permitted in the 5.925-6.425 GHz and 6.525-7.125 GHz portions of the 6 GHz band. See id. at 3862, para. 22.

¹⁶ Order, 35 FCC Rcd at 3862, 3953, 3954, para. 22, Appx. A § 15.407(k)(1), (7).

¹⁷ Order, 35 FCC Rcd at 3858, para. 12.

¹⁸ Order, 35 FCC Rcd at 3860, 3888-90, paras. 18, 98-103, Appx. A § 15.407(d)(3).

⁷ Mid-Band NOI, 32 FCC Rcd at 6382, para. 26.

AFC system.¹⁹ It also required low power indoor access points to incorporate a contention-based protocol which will also help them avoid transmitting on frequencies when other signals are present.²⁰ In addition, the Commission permitted unlicensed client devices to operate either under the control of a standard-power or low-power indoor access point.²¹

5. The Commission released the *Order* on April 24, 2020. The Federal Register published a summary of the *Order* on May 26, 2020, and the *Order* became effective on July 27, 2020.²² Eight parties filed for judicial review of the *Order* in the United States Court of Appeals for the D.C. Circuit.²³ Five parties filed petitions for reconsideration of the *Order*.²⁴

6. Finally, two parties—EEI and APCO—petitioned to stay the *Order*. EEI, a trade association representing investor-owned electric utilities, seeks only to stay the effectiveness of the rules that apply to low-power indoor devices.²⁵ According to EEI, utilities use 6 GHz point-to-point microwave links for teleprotection, a relay system integrated into the power transmission and distribution grids.²⁶ EEI claims that, with respect to low power indoor operations, the *Order*: (1) conflicts with the Communications Act and the Commission's established rules by not requiring use of an AFC system given that EEI believes that the record shows harmful interference will occur; (2) impermissibly modified its members' licenses under Section 316 of the Communications Act; and (3) was arbitrary and capricious

²¹ Order, 35 FCC Rcd at 3860, 3926, paras. 18, 199, Appx. A § 15.407(d)(5).

²² Federal Communications Commission, Unlicensed Use of the 6 GHz Band, Final Rule, 85 Fed. Reg. 31390, 31390 (May 26, 2020).

²³ The parties filed six petitions for review. Petition for Review, *CenturyLink, Inc. v. FCC*, No. 20-1284 (D.C. Cir. July 27, 2020); Petition for Review, *Utilities Technology Council v. FCC*, No. 20-1281 (D.C. Cir. July 27, 2020); Petition for Review, *National Association of Broadcasters v. FCC*, No. 20-1274 (D.C. Cir. July 24, 2020); Petition for Review, *Association of Public-Safety Communications Officials International, Inc. v. FCC*, No. 20-1272 (D.C. Cir. July 24, 2020); Petition for Review, *Edison Electric Institute v. FCC*, No. 20-1216 (D.C. Cir. June 17, 2020); Petition for Review, *AT&T Services, Inc. v. FCC*, No. 20-1190 (D.C. Cir. June 5, 2020).

²⁴ Petition for Reconsideration, The Association of Public-Safety Communications-International, ET Docket 18-295 (filed May 28, 2020); Fixed Wireless Communications Coalition Petition for Reconsideration, ET Docket 18-295 (filed June 25, 2020); Verizon Petition for Reconsideration, ET Docket 18-295 (filed June 25, 2020); Petition for Partial Reconsideration, CTIA, ET Docket 18-295 (filed June 25, 2020); Petition for Reconsideration, ET Docket 18-295 (filed June 25, 2020); Petition for Reconsideration, Encina Communications Corp., ET Docket 18-295 (filed June 29, 2020). The Encina reconsideration petition was dismissed as being untimely filed. *Unlicensed Use of the 6 GHz Band*, Memorandum Opinion and Order, ET Docket No. 18-295, DA 20-730, at 1, para. 2 (OET July 13, 2020). As noted above, APCO subsequently withdrew its Petition for Reconsideration.

²⁶ *EEI Petition* at 3.

¹⁹ Order, 35 FCC Rcd at 3889, 3889-90, paras. 100, 103.

²⁰ Order, 35 FCC Rcd at 3889, paras. 101-02. Although contention-based protocols have typically been used to avoid interference between similar devices operating in proximity, the sensing mechanism they incorporate will sense any signal (i.e., energy detect) and avoid frequencies with signals above a prescribed level regardless of the type of system. *Order*, 35 FCC Rcd 3889, paras. 101-02.

²⁵ *EEI Petition* at 1-2 & n.4.

by permitting low-power indoor devices that will interfere with incumbents' licensed uses.²⁷ We received three oppositions to EEI's stay petition,²⁸ one letter supporting the petition,²⁹ and two replies.³⁰

7. APCO, a non-profit association of persons who manage and operate public-safety communications systems, seeks to stay the rules for both standard-power and low-power indoor operations.³¹ Public safety agencies use 6 GHz band point-to-point microwave links for links to/from 911 centers and connections between public safety radio base stations and control facilities.³² APCO argues that the *Order*: (1) failed to adequately address public safety's concerns that the rules will not prevent harmful interference; (2) neglected to establish location-accuracy requirements for standard-power access points that would enable AFC systems to define exclusion zones; (3) should have extended the AFC requirement to low-power indoor devices because the *Order* did not include sufficient measures to keep the devices indoors; and (4) failed to address how sources of interference will be identified and eliminated.³³ We received four oppositions to APCO's petition,³⁴ three filings supporting the stay

²⁹ Letter from Brett Kilbourne, Vice President Policy and General Counsel, Utilities Technology Council, Brian O'Hara, Senior Director Regulatory Issues—Telecom & Broadband, National Rural Electric Cooperative Association, and Corry Marshall, Senior Government Relations Director, American Public Power Association, to Marlene H. Dortch, Secretary, FCC (June 26, 2020) (on file in ET Docket No. 18-295 and GN Docket No. 17-183).

We note that section 1.45(d) of the Commission's rules authorizes only oppositions to be filed in response to stay petitions and that the filing by these parties of a letter in support of EEI's stay petition conflicts with the plain language and purpose of this section. *See* 47 CFR § 1.45(d); *Participation by Comsat Corporation in a New Inmarsat Satellite System Designed to Provide Service to Handheld Communications Devices*, Order, 10 FCC Rcd 894, 894, paras. 4-7 (IB 1994); *see also Amendment of Parts 0 and 1, Rules and Regulations*, Order, 12 F.C.C.2d 859, 859, para. 3 (1968). These parties, however, neither filed a request for waiver of section 1.45(d), nor provided any reasons to justify their filing of this letter. Accordingly, we dismiss this filing. Even if we were to consider the letter on the merits, however, we find that it does not contain any arguments that would justify a stay.

³⁰ Reply Comments of Encina Communications Corporation Re Public Knowledge, et al. Support for Opposition to Edison Electric Institute's Petition for Stay, ET Docket No. 18-295, GN Docket No. 17-183 (filed July 9, 2020); Support for Opposition to EEI's Petition for Stay of Public Knowledge et al., ET Docket No. 18-295, GN Docket No. 17-183 (filed July 2, 2020).

Section 1.45(d) of the Commission's rules provides that "[r]eplies to oppositions should not be filed and will not be considered." 47 CFR § 1.45(d). Neither Encina nor Public Knowledge et al. showed why the Commission should waive this rule to allow the filing of their replies. Thus, we dismiss the replies and, pursuant to section 1.45(d), will not consider the facts or arguments raised therein. *See, e.g., WTVG, Inc. and WUPW Broadcasting, LLC*, Order, 25 FCC Rcd 12263, 12263, para. 1 n.5 (MB 2010). Even if we were to consider Encina's reply on the merits, however, we find that it does not contain any arguments that would justify a stay.

³¹ APCO Petition at 1.

³² Order, 35 FCC Rcd at 3893, para. 115 (citing National Public Safety Telecommunications Council Comments at 5).

³³ APCO Petition at 2-6.

³⁴ Opposition of TechFreedom to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 17, 2020); Opposition of Apple Inc. et al. to the Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 4, 2020); Opposition of NCTA—The Internet & Television Association to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 4, 2020); Opposition of NCTA—The Internet & Television (continued....)

²⁷ *EEI Petition* at 7-16.

²⁸ Opposition of Apple Inc. et al. to the Petition for Stay Pending Judicial Review of Edison Electric Institute, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 26, 2020); Opposition of NCTA—The Internet & Television Association to Petition for Stay Pending Judicial Review of Edison Electric Institute, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 26, 2020); Wi-Fi Alliance Opposition to Petition for Stay, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 26, 2020).

petition,³⁵ and one reply.³⁶ We note that APCO's petition to stay asks the Commission to stay the effectiveness of the rules pending the Commission's consideration of its Petition for Reconsideration.³⁷ While APCO arguably mooted its petition for stay by withdrawing its Petition for Reconsideration,³⁸ we nevertheless consider APCO's arguments here, given that APCO has not withdrawn its stay petition and is among the parties seeking judicial review of the *Order* in the D.C. Circuit.

III. DISCUSSION

8. When evaluating a stay request, the Commission considers: (1) whether the requesting party has made a strong showing that it is likely to succeed on the merits; (2) whether the requesting party will be irreparably injured without a stay; (3) whether a stay will substantially injure other interested parties; and (4) whether the public interest supports a stay.³⁹ "A stay is an 'intrusion into the ordinary processes of administration and judicial review."⁴⁰ "The party requesting a stay bears the burden of showing that the circumstances justify an exercise of that discretion."⁴¹ We find that both APCO and EEI have failed to demonstrate that the extraordinary equitable relief of a stay is warranted.

A. Petitioners Have Failed to Show a Likelihood of Success on the Merits

9. EEI and APCO fail to demonstrate that they are likely to succeed on the merits. The Commission addressed and discussed in detail several of the petitioners' concerns in the *Order*. We also

(Continued from previous page)

4, 2020); Wi-Fi Alliance Opposition to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 4, 2020).

Section 1.45(d) provides that "[o]ppositions to a request for stay of any order . . . shall be filed within 7 days after the request is filed." 47 CFR § 1.45(d). APCO filed its stay petition on May 28, 2020, which means that oppositions were due on June 4, 2020. TechFreedom filed its Opposition almost two weeks later and failed to show why the Commission should waive its filing deadline. Thus, we dismiss TechFreedom's late-filed Opposition. *See Price Cap Regulation of Local Exchange Carriers Rate-of-Return Sharing and Lower Formula Adjustment*, Order, 10 FCC Rcd 11979, 11981, para. 4 (1995).

³⁵ Comments of Motorola Solutions, Inc. in Support of Petition for Stay, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 23, 2020); Letter from Ralph A. Haller, Chairman, National Public Safety Telecommunications Council, to Marlene H. Dortch, Secretary, FCC (June 12, 2020) (on file in ET Docket No. 18-295 and GN Docket No. 17-183); FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed June 4, 2020). We note that these parties also lacked the authority to file pleadings in support of APCO's stay petition. *see* 47 CFR § 1.45(d); *Comsat Order*, 10 FCC Rcd at 894, paras. 4-7, failed to request a waiver of section 1.45(d) to file these comments, and failed to provide any reasons to justify the filing. Accordingly, we dismiss these unauthorized filings. Even if we were to consider them, we also find that they do not contain any arguments that would support a stay.

³⁶ Reply Comments of Encina Communications Corporation Re Apple Inc. et al. ("RLAN Group") Opposition to the Petition for Stay by APCO International, ET Docket No. 18-295, GN Docket No. 17-183 (filed July 9, 2020). For the reasons stated above, we dismiss this reply and, pursuant to section 1.45(d), will not consider the facts or arguments raised therein. Even if we were to consider this reply on the merits, we find that it does not contain any arguments that would justify a stay.

³⁷ *APCO Petition* at 1 (citing APCO International Petition for Reconsideration, ET Docket No. 18-295 (filed May 28, 2020)).

³⁸ APCO International Withdrawal, ET Docket No. 18-295, at 1 (filed July 24, 2020).

³⁹ Washington Metro. Transit Comm'n v. Holiday Tours, Inc., 559 F.2d 841, 843 (D.C. Cir. 1977); Va. Petroleum Jobbers Ass'n v. FPC, 259 F.2d 921, 925 (D.C. Cir. 1958) (per curiam).

⁴⁰ Nken v. Holder, 556 U.S. 418, 427 (2009) (citation omitted).

⁴¹ *Id.* at 433-34.

note that courts accord the Commission's technical judgments great deference.⁴² Taken together, we find that neither petitioner has met its burden of demonstrating that it is likely to succeed on the merits.

10. Potential for harmful interference from low-power indoor unlicensed devices. Both EEI and APCO raise the prospect of harmful interference, largely ignoring the Order's discussion of this point and instead making arguments based on technical studies in the record that the Commission has already considered and rejected. Given that the Commission reached its conclusion regarding the potential for harmful interference occurring based on a reasoned examination of a detailed record, including its assessment of the studies on which both EEI and APCO rely in their petitions for stay, we conclude neither petitioner establishes a likelihood of success on revisiting the Commission's analysis.⁴³

EEI's arguments rely on its premise that the record demonstrates that some locations will 11 receive harmful interference from low-power indoor devices that will impair licensed uses.⁴⁴ According to EEI, the Commission rejected extensive real-world simulation evidence that showed a high probability of harm and instead relied on a single probability assessment submitted by proponents of unlicensed indoor devices.⁴⁵ But again, in the Order, the Commission considered an extensive record containing numerous technical studies submitted over almost three years to conclude that low-power indoor unlicensed device operations will not have a significant potential for causing harmful interference to users authorized to operate in the band.⁴⁶ In reaching this conclusion, the Commission explained in detail the reasons why it found certain technical studies more persuasive than others.⁴⁷ The Commission did not, as EEI claims, ignore technical studies by utilities and others asserting that low-power indoor operations would cause harmful interference.⁴⁸ To the contrary, the Commission accepted some of the information in those studies and incorporated it into the new 6 GHz rules.⁴⁹ The Commission also analyzed studies submitted by Southern Company, Exelon Corporation, and Critical Infrastructure Industry users (including EEI) and provided detailed reasons for rejecting their conclusions.⁵⁰ EEI provides no actual or additional justification as to why it questions the Commission's decision on this issue other than pointing out that a study upon which the Commission relied was submitted by proponents of low-power unlicensed

⁴⁴ EEI Petition at 9.

⁴⁵ *EEI Petition* at 9-10, 15.

⁴⁶ Order, 35 FCC Rcd at 3905, 3907, paras. 141, 145. The Commission also adopted technical and operational rules, such as the prohibition on outdoor operations, to further protect fixed microwave incumbents from any potential harmful interference. *See, e.g., Order*, 35 FCC Rcd at 3888-90, paras. 99-103.

⁴⁷ Order, 35 FCC Rcd at 3893-915, paras. 116-68.

⁴⁸ See EEI Petition at 15-16.

⁴² *NTCH, Inc. v. FCC*, 950 F.3d 871, 879-80 (D.C. Cir. 2020) ("We will accept the Commission's technical judgments when supported with even a modicum of reasoned analysis." (internal quotation marks omitted)); *see also id.* (stating that the Commission receives "the greatest deference" when it "acts to foster innovative methods of exploiting the spectrum").

⁴³ Thus, because the Commission determined that the limitations in its rules ensured against any significant risk of harmful interference to incumbent users, and continued to make unlicensed users subject to Part 15 requirements enforcing harmful interference protections against such users, EEI is unlikely to succeed on its claim that the *Order* worked a fundamental change to incumbents' licenses in violation of section 316 of the Communications Act. *See EEI Petition* at 13.

⁴⁹ Order, 35 FCC Rcd at 3892, para. 110. For example, based on its review of all the technical studies, the Commission adopted a power limit for indoor low-power operations that was much lower than the proposed rule and lower than the amount requested by unlicensed proponents. *Id.* (adopting a 5 dBm/MHz power spectral density limit instead of the 17 dBm/MHz limit proposed in the NPRM and the 8 dBm/MHz limit requested by unlicensed proponents).

⁵⁰ Order, 35 FCC Rcd at 3902-04, paras. 134-38 & n.343.

use of the band and objecting to the Commission's finding that the other studies that EEI favors were not as persuasive.⁵¹

12. APCO also raises as a potential issue the likelihood of harmful interference but provides no support for its claim that "interference is a statistical certainty given the sheer number of unlicensed devices."⁵² APCO does not even address whether this alleged interference will rise to the level of actually causing harm. APCO contends that expanding unlicensed use of the 6 GHz band will result in interference to incumbent users is "a fact recognized by the Commission."⁵³ This contention is without basis. In support, APCO points to language encouraging a multi-stakeholder group "to address any issues it deems appropriate regarding interference detection and mitigation in the event that an incumbent licensee believes it may be experiencing harmful interference."⁵⁴ The Commission's suggestion that the multi-stakeholder group could address a process for addressing harmful interference issues was included as an additional precautionary measure. Contrary to APCO's contention, nothing in that suggestion to the parties is inconsistent with the Commission's predictive judgment regarding the likelihood of harmful interference.

13. Necessity of an AFC for low-power indoor devices under the Communications Act and the Commission's rules. EEI argues that because the adopted rules permit low-power indoor unlicensed devices to operate without being under the control of an AFC, there is no practical remedy when the devices cause harmful interference.⁵⁵ According to EEI, this flouts the Commission's obligation under Section 301 of the Communications Act to prevent harmful interference to licensed operations, as well as the requirement in the Commission's Part 15 rules that unlicensed devices cease operation if they cause harmful interference.⁵⁶ Neither the Communications Act nor the Part 15 rules require the Commission to mandate the use of an AFC for low-power indoor operations in the 6 GHz band. The Commission has long interpreted Section 301 to permit unlicensed operations as long as the devices do not transmit enough energy to have a "significant potential of causing harmful interference."⁵⁷ As the Order points out, after a thorough analysis of an extensive record containing numerous technical studies, the Commission concluded that the requirements established in the rules eliminate any significant risk of harmful interference caused by low-power indoor access points, without the need for an AFC.⁵⁸

⁵² APCO Petition at 3-4; *see EEI Petition* at 4. The Commission addressed this argument in the *Order*, finding that "under realistic deployment scenarios (which of course will not occur immediately but over the course of several years), large numbers of 6 GHz-capable devices do not alter our conclusions regarding the risk of interference to 6 GHz links." *Order*, 35 FCC Rcd at 3905, para. 141 n.373.

⁵³ APCO Petition at 6.

⁵⁴ *APCO Petition* at 6 n.19. Because it points to language in which the Commission is discussing the harmful interference standard, we interpret APCO's use of the term "interference" to mean "harmful interference" in this instance. *See Am. Radio Relay League v. FCC*, 524 F.3d 227, 235 (D.C. Cir. 2008) ("Commission precedent does not require the elimination of all interference at all times[].").

⁵⁵ EEI Petition at 7-11.

 56 *Id.* at 11. EEI also suggests that the Commission violated section 302 of the Communications Act, which provides that the Commission may adopt regulations "governing the interference potential of devices which in their operation are capable of . . . caus[ing] harmful interference to radio communications." *Id.* at 8. However, we need not address this issue because EEI fails to make any specific argument regarding this purported violation of section 302.

⁵⁷ Am. Radio Relay League v. FCC, 524 F.3d 227, 234 (D.C. Cir. 2008) (citing Revision of Part 15 of the Commission's Rules Regarding Ultra-Wideband Transmission Systems, Second Report and Order and Second Memorandum and Order, 19 FCC Rcd 24558, 24589, paras. 68-69 & n.179 (2004)).

58 Order, 35 FCC Rcd at 3905, 3907, paras. 141, 146.

⁵¹ *EEI Petition* at 9-10.
Commission is not departing from its established Part 15 precedent: The requirements that unlicensed devices not cause harmful interference and cease operation upon notification from a Commission representative that harmful interference is occurring will apply to unlicensed devices in the 6 GHz band.⁶⁰ Both AT&T and CTIA made arguments on the record similar to EEI on this issue,⁶¹ which the Commission rejected.⁶² In fact, neither EEI, AT&T, nor CTIA have pointed to precedent where the Commission or the courts have found that an AFC system or similar mechanism is required by the Communications Act or the Commission's rules when unlicensed devices share a band with licensed operations.

14. *Identification and elimination of interference*. APCO also complains that the *Order* failed to address how sources of interference will be identified and eliminated.⁶³ According to APCO, the Commission committed a clear error by not adopting a mechanism—similar to the spectrum access system for the Citizens Broadband Radio Service—that has the ability to quickly respond to interference complaints.⁶⁴ EEI argues that permitting indoor unlicensed devices without any device identification or interference-mitigation mechanisms makes utilities' wireless systems unreliable.⁶⁵

15. The *Order* addressed similar concerns that were expressed by AT&T and CTIA regarding interference identification and mitigation for low-power indoor operations.⁶⁶ As an initial matter, the Commission concluded that low-power indoor access points will not present a significant risk of causing harmful interference, which obviates the need for an automated system to identify and eliminate interference.⁶⁷ As the *Order* explained, there is no spectrum management system in other bands used by unlicensed devices where Wi-Fi devices have been deployed in abundance for over 20 years,⁶⁸ i.e., the 2.4 GHz and 5 GHz bands, and the Commission has been able to effectively identify and eliminate harmful interference in those rare instances when it has occurred.⁶⁹ Furthermore, as the *Order* notes, in the unlikely event harmful interference were to occur, the Commission already established a regulatory

(Continued from previous page) - ⁵⁹ *Id.* at 3907, para. 146.

⁶⁰ 47 CFR § 15.5(b), (c).

⁶¹ Letter from Michael P. Goggin, AT&T Services, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 2-6 (filed March 26, 2020); Letter from Scott K. Bergmann, Senior Vice President, CTIA, to Marlene H. Dortch, Secretary, FCC, ET. Docket No. 18-295, at 3-7 (filed Apr. 14, 2020).

⁶² Order, 35 FCC Rcd at 3907-08, paras. 146-47.

⁶³ APCO Petition at 5-6.

⁶⁴ See id.

⁶⁵ *EEI Petition* at 10-11, 15-16.

⁶⁶ Order, 35 FCC Rcd at 3908, 3909, paras. 147, 149; (citing Letter from Michael P. Goggin, AT&T Services, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 4-6 (filed March 26, 2020) (citing 47 CFR§ 15.5(b)-(c)); Letter from Scott K. Bergmann, Senior Vice President, CTIA, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, at 3-7 (filed Apr. 14, 2020) (a low probability of harmful interference without an effective mechanism to promptly track and root out such interference is not acceptable)).

⁶⁷ Order, 35 FCC Rcd at 3892, 3905-06, paras. 112, 141-43.

⁶⁸ We note that the instances where the Commission did implement spectrum management systems presented unique circumstances that could not otherwise be addressed. In the white spaces case where devices rely on a database similar to the 6 GHz AFC, the database is used to protect television receivers that could be located indoors. Hence building attenuation and spatial separation between the transmitters and receivers could not be relied upon to prevent harmful interference. In CBRS, the SAS protects spectrum users that are otherwise unknown to the Commission (such as U.S. Navy vessels) from outdoor transmitters that operate at much higher power than the 6 GHz low-power indoor device.

⁶⁹ Order, 35 FCC Rcd at 3908, para. 147. We also note that in these other bands, specific devices are not limited to indoor-only operation.

framework in the Part 15 rules to remedy harmful interference and empowered the Enforcement Bureau to investigate complaints and take appropriate enforcement actions.⁷⁰

16. As for APCO's concern that there is no explicit requirement for the AFC systems to demonstrate the ability to respond to interference complaints, the Commission concluded that the rules adopted will protect microwave receivers from the potential of harmful interference from unlicensed standard-power operations.⁷¹ Indeed, the express purpose of the AFC system is to act as a gatekeeper to ensure that standard-power access points do not operate in locations and at power levels where they would have a potential for causing harmful interference.⁷² Consequently, the Commission did not adopt an explicit requirement for AFC systems to respond to interference complaints.⁷³ Furthermore, the *Order* requires that AFC systems establish protocols to comply with Commission enforcement requests, including the ability to discontinue access point operations in designated geographic areas, if necessary.⁷⁴ Thus, as provided in the *Order*, in the unlikely event that harmful interference were to occur from standard-power operations, the AFC systems will be able to quickly address it. Considering that the *Order* already addressed the concerns raised by petitioners, including mechanisms to protect against harmful interference, we conclude that the petitioners have not met their burden of establishing a likelihood of success on this issue.

17. *Keeping low-power indoor devices indoors*. APCO points out that the adopted rules permit low-power indoor access points to operate without coordination by an AFC system based on the assumption they will remain indoors but claims that there are insufficient measures to restrict the devices to indoor operations.⁷⁵ The *Order* adopted several requirements to help ensure that the low-power indoor access points remain indoors, such as prohibiting them from being weather resistant, requiring integrated antennas, prohibiting operation on battery power, and imposing marketing and labeling requirements.⁷⁶ The Commission found that these requirements make outdoor operations impractical and unsuitable and disagreed with commenters who claimed that any requirements would be ineffective.⁷⁷ We also note that the Commission has previously restricted certain unlicensed devices to indoor operation without this resulting in reports of harmful interference.⁷⁸ APCO offers no new arguments in its stay petition

⁷² Order, 35 FCC Rcd at 3862, 3953, 3954, para. 22, Appx. A § 15.407(k)(1), (7).

⁷³ See Order, 35 FCC Rcd at 3883-84, paras. 83-84 (not providing an explicit requirement that AFC systems respond to interference complaints and encouraging formation of a multi-stakeholder group to develop procedures to resolve interference complaints).

⁷⁴ Order, 35 FCC Rcd at 3883, para. 83.

⁷⁵ APCO Petition at 5.

⁷⁶ Order, 35 FCC Rcd at 3891, para. 107.

77 Id. at 3891, para. 108.

⁷⁸ Amendment of the Commission's Rules to Provide for Operation of Unlicensed NII Devices in the 5 GHz Frequency Range, Report and Order, 12 FCC Rcd 1576, 1615, para. 95 (1997) (limiting U-NII devices in 5.15-5.25 (continued....)

⁷⁰ Order, 35 FCC Rcd at 3909, para. 149; *see, e.g.*, 47 CFR §§ 15.5(b) (stating that "[o]peration of an intentional, unintentional, or incidental radiator is subject to the conditions that no harmful interference is caused"), 15.5(c) (stating that "[t]he operator of a radio frequency device shall be required to cease operating the device upon notification by a Commission representative that the device is causing harmful interference" and that "[o]peration shall not resume until the condition causing the harmful interference has been corrected"). NPSTC claims that a review of enforcement cases in the 5 GHz band shows that interference from unlicensed devices occurs and can take months to resolve. Letter from Ralph A. Haller, NPSTC, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-95, at 3 (filed June 12, 2020). As noted above, we need not consider NPSTC's argument because it lacked the authority to file this letter in support of EEI's stay petition. Even if we were to consider this argument, we find it unpersuasive because NPSTC provides no citation to these cases or details of the particular occurrences, which prevents us from considering their relevance to APCO's stay petition.

⁷¹ Order, 35 FCC Rcd at 3862, para. 23.

regarding the purported ineffectiveness of these measures, and consequently, has not demonstrated that it is likely to succeed on the merits on appeal.⁷⁹

18. Location requirement for AFC systems. APCO points out that the Order does not establish a location accuracy requirement for the standard-power access points and instead requires their coordinates be reported to the AFC system with a 95% confidence level.⁸⁰ APCO argues that this will make the AFC-calculated exclusion zones ineffective, asserting that 5% of the devices could be installed in the "worst possible location."⁸¹ APCO's argument shows a misunderstanding of the purpose of this rule and how it is designed to protect incumbent users. This rule enables the AFC system to use this uncertainty information in determining the minimum required separation distance to protect fixed microwave receivers; i.e., the AFC will calculate a larger separation distance to protect fixed service operations commensurate with distance accuracy corresponding to the 95% confidence level.⁸² The Commission adopted this rule based on this rationale and on its experience with the white-space rules, which have similar geo-location requirements and have reliably protected against harmful interference.⁸³ APCO has not demonstrated that it is likely to succeed on the merits of this argument on appeal.

19. *Field testing.* EEI contends that the Commission "arbitrarily failed to conduct even a single field test" to evaluate the impact of unlicensed low-power indoor devices on incumbent operations.⁸⁴ While the Commission has occasionally conducted field measurements prior to adopting new rules,⁸⁵ as a matter of course it almost never conducts such field tests.⁸⁶ As in other such proceedings, the purpose of issuing a notice of proposed rulemaking in this docket was to seek comment from interested parties on the question at issue here. Interested parties were free to submit analyses to the record, including field tests if such stakeholders conducted such tests and deemed them appropriate for the record. Moreover, many spectrum-related rulemaking proceedings involve opportunities for future spectrum use and do not prejudge the actual users and equipment that will operate in the band. Field tests in these cases are therefore better left to industry stakeholders that can tailor testing towards their intended business plans and produce related results rather than the Commission presuming specific types or modes of operation. The Commission routinely evaluates such tests, analysis, and simulation results in the course of its rulemaking proceedings and, as stated, has done just that with the extensive technical record submitted during this proceeding.

⁸⁰ APCO Petition at 4.

⁸¹ Id.

⁸² Order, 35 FCC Rcd at 3868, para. 41.

⁸³ Id.

⁸⁴ EEI Petition at 15.

⁸⁵ See, e.g., Amendment of Part 15 Regarding New Requirements and Measurement Guidelines for Access Broadband over Power Line Systems, Memorandum Opinion and Order, 21 FCC Rcd 9308, 9324-25, para. 47 (2006) (Commission relied on its own internally conducted studies).

⁸⁶ For example, the Commission adopted rules for the Upper Microwave Flexible Use Services without conducting any field test. *Use of Spectrum Bands Above 24 GHz for Mobile Radio Services*, Report and Order and Further Notice of Proposed Rulemaking, 31 FCC Rcd 8014 (2016).

⁽Continued from previous page) ·

GHz to indoor use); *Revision of Part 15 of the Commission's Rules Regarding Ultra-Wideband Transmission Systems*, First Report and Order, 47 FCC Rcd 7453, 7479, paras. 65-66 (2002) (establishing a category of ultra-wideband unlicensed devices that will fail to operate if they are removed from the indoor environment).

⁷⁹ See, e.g., *Expanding Flexible Use of the 3.7 to 4.2 GHz Band*, Order Denying Stay Petition, 35 FCC Rcd 5807, 5814, para. 16 (WTB 2020) (declining to address at length arguments already considered and rejected in the underlying order and concluding that those arguments do not show a likelihood of success on the merits).

20. *Consideration of public safety*. APCO argues that the *Order* failed to consider how the rules will impact public safety and did not adequately address public safety's concerns that the rules will not prevent harmful interference.⁸⁷ In particular, APCO faults the *Order* for not reflecting appropriate consideration of public safety's reliance on its microwave links in the 6 GHz band for mission critical communications, not addressing the concerns APCO raised in its comments, not acknowledging an APCO *ex parte* filing, ignoring public safety issues, and not addressing the impact on public safety in the cost/benefit analysis.⁸⁸

21. The Commission adequately considered and addressed public safety concerns in adopting the Order. The lengthy discussion in the Order that addressed protection of microwave links applied in full measure to public safety systems and accorded all fixed microwave licensees the higher level of protection applicable to safety services.⁸⁹ Public safety agencies are only one set of incumbents among several different entities that use the 6 GHz band for point-to-point microwave links. The microwave links used by public safety agencies must follow the same technical rules as those implemented by any other 6 GHz fixed service licensee and their links have the same technical characteristics as those used for other purposes, such as backhaul for commercial wireless providers, coordination of railroad train movements, control of natural gas pipelines, management of electric grids, and long-distance telephone service. Furthermore, public safety agencies and other incumbent industries have the same reliability requirements for their point-to-point microwave links. Users of these various applications all requested similar reliability requirements on the record; FWCC claimed that fixed microwave links are typically designed to achieve 99.999% or 99.9999% reliability.⁹⁰ APCO stated that public safety microwave links are designed to have downtime of no more than 30 seconds a year,⁹¹ which is equivalent to the 99.9999% reliability that FWCC stated is necessary for many users of general fixed microwave links. A significant portion of the Order discusses how these point-to-point microwave links will be protected from harmful interference, both from standard-power access points under the control of an AFC system and low-power indoor access points.⁹² The Commission's conclusions that the AFC mechanism will protect microwave operations from the potential for harmful interference from standard-power access points and that lowpower indoor access points will not have a significant risk of causing harmful interference to microwave links apply with equal force to public safety operations in the 6 GHz band.⁹³ As for the cost-benefit analysis, the Commission determined that "the technical and operational rules are designed to minimize the potential for interference to incumbent licensed services."94 Given the lack of expected harmful interference, there was no reason to include a cost estimate for public safety agencies in this discussion. Accordingly, the Order did not include any cost estimates regarding harmful interference to microwave links.

⁸⁷ *APCO Petition* at 3. APCO claims that "[t]he Order does not reflect appropriate consideration for public safety's reliance on the 6 GHz band for mission critical communications and the potential for interference to result in irreparable harm to the public's and first responders' safety." *Id.* We interpret APCO's use of the term "interference" to mean "harmful interference" because that is the protection that unlicensed devices must provide to licensed operations. *See* 47 CFR § 15.5(c).

⁸⁸ *APCO Petition* at 3-4; *see also* FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 3-4 (filed June 4, 2020). As noted above, FWCC lacked the authority to file a pleading in support of APCO's stay petition. *See* 47 CFR § 1.45(d); *Comsat Order*, 10 FCC Rcd at 894, paras. 4-7.

⁸⁹ See 47 CFR § 15.3(m).

⁹⁰ Order, 35 FCC Rcd at 3893, para. 114.

⁹¹ Order, 35 FCC Rcd at 3893, para. 115.

⁹² Order, 35 FCC Rcd at 3862-84, 3892-909, paras. 23-86, 112-50.

⁹³ Order, 35 FCC Rcd at 3862, 3907, paras. 23, 146.

⁹⁴ Order, 35 FCC Rcd at 3938, para. 230.

22. The *Order* also makes clear that the Commission specifically took into consideration public safety's use of the 6 GHz band. Far from failing to acknowledge or address public safety concerns, as APCO alleges,⁹⁵ the Commission adopted several of APCO's recommended protections against harmful interference.⁹⁶ APCO's comments are cited 20 times in the *Order* regarding different issues raised in the discussion. While APCO's late *ex parte* filing was not mentioned in the *Order*, the issues discussed in the *ex parte* were addressed in the *Order* because they had been raised in either APCO's comments or by other commenters.⁹⁷ Given the recognition and thorough discussion of APCO's comments and the issues raised by APCO and commenters raising identical or similar concerns, APCO has not demonstrated a likelihood of success on its claim that the Commission did not consider the concerns of public safety in the *Order*.

23. Application of 42 U.S.C. § 5195c(c)(1). EEI argues that the Order arbitrarily contradicts the policy stated in 42 U.S.C. § 5195c(c)(1) that "any physical or virtual disruption of the operation of the critical infrastructures of the United States be rare, brief, geographically limited in effect, manageable, and minimally detrimental to the economy, human and government services, and national security."98 Neither EEI nor any other party raised the applicability of Section 5195c(c)(1) to the Commission's 6 GHz unlicensed rules in the record of this proceeding, either prior to the Commission's issuance of the Order or in a petition for reconsideration.⁹⁹ As a result, a reviewing court is unlikely to consider this argument.¹⁰⁰ Moreover, EEI cites no authority that indicates that this policy statement, enacted as the Critical Infrastructures Protection Act of 2001 and codified in a subchapter of Title 42 administered by FEMA,¹⁰¹ was intended other than as specified by its terms—to support (1) modeling, simulation and analysis of critical infrastructure; (2) acquisition of data; (3) education and training for policymakers, and (4) recommendations to policymakers and federal agencies "upon request."¹⁰² We do not read the text, context, or purpose of this policy statement as reflecting any intent to modify the Commission's longstanding and exclusive spectrum management responsibilities under Title III of the Communications Act. In any event, the Commission complied with this general statement of policy by concluding, after reviewing an extensive record containing numerous technical studies, that 6 GHz band low-power indoor

98 EEI Petition at 14-15 (quoting 42 U.S.C. § 5195c(c)(1)).

⁹⁹ Given our disposition, we need not decide here whether EEI was procedurally barred from raising that argument in a petition for reconsideration. See 47 CFR § 1.429(b).

¹⁰⁰ *GLH Commc'ns, Inc. v. FCC*, 930 F.3d 449, 455 (D.C. Cir. 2019) (court would not address merits of argument that petitioner had not raised before the Commission); *see* 47 U.S.C. § 405(a).

101 42 U.S.C. § 5195b.

¹⁰² 42 U.S.C. § 5195c(c)(1).

⁹⁵ APCO Petition at 3.

⁹⁶ These protections include (1) the requirement that standard-power access points register with the AFC, *Order*, 35 FCC Rcd at 3882, para. 81 (citing APCO Comments at 6; NPSTC Comments at 11); (2) the requirement that AFCs have the ability to deny spectrum access to a particular registered standard-power access point, *id.* at 3883, para. 83 (citing APCO Comments at 10); (3) the requirement that a device's geo-location capability determine its location uncertainty and report it to the AFC system, *id.* at 3868, para. 41 (citing APCO Comments at 14); (4) the requirement that standard-power access points contact an AFC system at least once per day to obtain the latest list of available frequencies at its location, *id.* at 3870, para. 46 (citing APCO Comments at 7); and (5) the decision not to permit higher-power operations in rural areas, *id.* at 3922, para. 188 (citing APCO International Comments at 17-18).

⁹⁷ See Order, 35 FCC Rcd 3883-84, 3890-91, 3906-09, 3918-19, paras. 83-84, 106-108, 144, 146-149, 176-178.

unlicensed devices will not have a significant potential for causing harmful interference to any fixed microwave incumbents, including critical infrastructure incumbents.¹⁰³

Additional technical studies. FWCC submitted a filing in support of APCO's stay 24. petition that includes initial test results that FWCC claims demonstrate that even low levels of interference will affect point-to-point microwave links.¹⁰⁴ We need not consider FWCC's new evidence because FWCC lacked the authority to file this pleading in support of APCO's stay petition.¹⁰⁵ Even if we were to consider this pleading, we find FWCC's procedural argument for submitting the new evidence, which relies on an analogy to the rule governing petitions for reconsideration, to be unpersuasive. Recognizing that the Commission does not typically consider evidence not previously presented on the record, FWCC notes that the Commission should consider the new test results for two reasons: (1) FWCC could not have previously tested 6 GHz low-power indoor devices because those devices have not been made available by manufacturers; and (2) the consideration of the new evidence is required in the public interest.¹⁰⁶ We are not persuaded by these arguments. FWCC's new tests were in fact conducted using unlicensed devices operating in the nearby 5 GHz band,¹⁰⁷ which have been available for years. Thus, such tests could have been readily conducted and submitted to the record prior to the Commission making its decision.¹⁰⁸ Furthermore, the new evidence is not "required in the public interest" because FWCC had every opportunity to conduct these tests earlier.¹⁰⁹

25. Even if we were to consider FWCC's tests on the merits, they would not warrant consideration because they contain a number of significant flaws. The tests effectively assumes all antennas are isotropic (i.e. radiating energy equally in all directions), ignoring the fact that point-to-point microwave links use highly directional antennas, commonly with gains in excess of 40 dB.¹¹⁰ In addition, the signal levels assumed in the test are not realistic. For example, the 33 dB attenuation level where errors are first detected corresponds to an unlicensed transmitter located approximately 7 inches from the microwave receiver;¹¹¹ a situation that would not occur in a real-world deployment.¹¹² Given these

¹⁰⁴ FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 9 (filed June 4, 2020).

¹⁰⁵ 47 CFR § 1.45(d).

¹⁰⁶ FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 9 n.20 (filed June 4, 2020) (citing 47 CFR § 1.429(b)(2)-(3)).

¹⁰⁷ See id. at 9, Attach. A at 2 (stating that the bench testing used devices manufactured for use in the 5.8 GHz band).

¹⁰⁸ See 47 CFR § 1.429(b)(2); see also, e.g., Schoenbohm v. FCC, 204 F.3d 243, 250 (D.C. Cir. 2000) (agency's denial of petition for reconsideration was unreviewable because petitioner "could have, and under FCC rules should have, submitted this evidence prior to that decision," which had been "previously available"); *Improving Public Safety Communications in the 800 MHz Band et al.*, Order, 21 FCC Rcd 678, 683-84, para. 15 (WTB 2006) ("It is well established that a party may not sit back in a proceeding and then proffer new evidence only after an adverse ruling is rendered."); *Improving Public Safety Communications in the 800 MHz Band et al.*, Order, 21 FCC Rcd 678, 683-84, para. 15 (WTB 2006) ("It is see that a party may not sit back in a proceeding and then proffer new evidence only after an adverse ruling is rendered."); *Improving Public Safety Communications in the 800 MHz Band et al.*, Order, 20 FCC Rcd 1560, 1562, para. 5 & n.21 (WTB 2005).

¹⁰⁹ See 47 CFR § 1.429(b).

¹¹⁰ FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 13 (filed June 4, 2020).

¹¹¹ FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 19 (filed June 4, 2020).

¹¹² Similarly, Encina Communications (Encina) submitted two replies—one in support of EEI's stay petition and another in support of APCO's stay petition—that contain technical exhibits purporting to show real-world situations (continued....)

¹⁰³ See, e.g., Order, 35 FCC Rcd at 3892, 3905, 3907, paras. 112, 141, 145; see also id. at 3888-90, paras. 99-103 (adopting three restrictions—limiting operations to indoor use, mandating the use of a contention-based protocol, and requiring the use of low power—to prevent interference to incumbents).

significant flaws in the apparent design of the testing, we do not find it reliable evidence that would show a likelihood of prevailing on the merits given the extensive discussion on potential interference in the 6 *GHz Order*.

B. Petitioners Have Not Shown That Their Members Will Suffer Irreparable Harm

26. Even if the petitioners could demonstrate a likelihood of success on the merits, they would not be entitled to a stay as they fail to establish that their members will suffer irreparable harm. To establish irreparable harm, the claimed injury must be: (1) "actual and not theoretical"; (2) more than mere "economic loss"; and (3) "imminent" and "likely" to occur.¹¹³ Neither petitioner has met this showing.

27. The alleged harms are speculative. Both petitioners anchor their claim of irreparable harm in the contention that harmful interference will occur to microwave links.¹¹⁴ EEI bases this claim on certain studies submitted on the record,¹¹⁵ while APCO claims this fact has been recognized by the Commission and is a statistical certainty given the sheer number of expected unlicensed devices.¹¹⁶ For AFC-controlled standard-power access points, the Commission concluded that the adopted rules will protect microwave receivers from the potential of harmful interference.¹¹⁷ For low-power indoor access points, the Commission concluded these devices will not have a significant potential for causing harmful interference to the users authorized to operate in the band.¹¹⁸ These conclusions are based on a thorough examination of the entire record. While there were studies included in the record that purport to show that harmful interference will occur, the Commission concluded that these studies have shortcomings or are flawed and unreliable so as not to be persuasive.¹¹⁹

28. In describing the potential harm, APCO points to the effort public safety agencies will need to expend to attempt to identify the source of interference.¹²⁰ Similarly, EEI opines that utilities

where interference is likely to occur from unlicensed indoor low-power devices. Reply Comments of Encina Communications Corporation Re Public Knowledge, et al. Support for Opposition to Edison Electric Institute's Petition for Stay, ET Docket No. 18-295, at 2, Exs. 1-3 (filed July 9, 2020); Reply Comments of Encina Communications Corporation Re Apple Inc. et al. ("RLAN Group") Opposition to the Petition for Stay by APCO International, ET Docket No. 18-295, at 2-3, Exs. 1-3 (filed July 9, 2020). As noted above, we dismiss the replies and, pursuant to section 1.45(d), will not consider the facts or arguments raised therein. See, e.g., WTVG, Inc. and WUPW Broadcasting, LLC, Order, 25 FCC Rcd 12263, 12263, para. 1 n.5 (MB 2010). Even if we were to consider Encina's replies on the merits, nothing in the technical exhibits would justify a stay. In particular, we note that Encina's technical exhibits present examples from three cities where it claims that unlicensed devices in real-world locations would have clear line-of-sight to microwave receivers which would result in harmful interference, which are similar to the examples that AT&T and CTIA presented of actual microwave links that they claimed would receive harmful interference from unlicensed access points located in nearby buildings. See Letter from Michael P. Goggin, AT&T Services, to Marlene H. Dortch, Secretary, FCC, ET Docket No. 18-295, Ex. A at 12-29 (filed Nov. 12, 2019); Presentation: 6 GHz Interference Analysis, CTIA, at 7-16 (filed Jan 24, 2020). The Order presented a detailed discussion of why the Commission was not convinced by the AT&T/CTIA examples that harmful interference will occur. Order, 35 FCC Rcd at 3897-901, paras. 123-31.

¹¹³ Wisc. Gas v. FERC, 758 F.2d 669, 674 (D.C. Cir. 1985); see also Nken v. Holder, 556 U.S. 418, 434-35 (2009) ("[S]imply showing some '*possibility* of irreparable injury' fails to satisfy the second factor" of the test for granting a stay) (emphasis added).

- ¹¹⁶ APCO Petition at 6-7.
- ¹¹⁷ Order, 35 FCC Rcd at 3862, para. 23.
- ¹¹⁸ Order, 35 FCC Rcd at 3907, para. 145.
- ¹¹⁹ Order, 35 FCC Rcd at 3897-905, paras. 123-40.

⁽Continued from previous page) -

¹¹⁴ EEI Petition at 17; APCO Petition at 6-7.

¹¹⁵ EEI Petition at 17.

have no means to reach out to a single user.¹²¹ Assuming *arguendo* that harmful interference were to occur, tracking down the source of the interference would be the responsibility of the Commission's Enforcement Bureau which, as the *Order* noted, has the ability to investigate reports of such interference and take appropriate enforcement action as necessary.¹²² Therefore the claimed drain on resources is in fact also a speculative harm.

29. In finding that the claims of harm are speculative, we are not implying that the uses for which EEI and APCO's members employ their point-to-point microwave links are insignificant. To the contrary, we take seriously the importance of public safety communications and the need to safeguard the functioning of the electric grid. However, in light of the Commission's extensive analyses and its conclusion that there is a lack of significant potential for harmful interference, we find that the petitioners' claims that harmful interference "could" or "might" occur to fixed microwave links are speculative and do not rise to the "actual and not theoretical" level required to show irreparable harm.¹²³

30. *The alleged harms are not imminent*. In describing the irreparable harm that APCO claims will occur, it states that the sheer number of unlicensed devices makes interference a statistical certainty.¹²⁴ According to APCO, an influx of unlicensed devices will be introduced into the band.¹²⁵ EEI points to estimates of hundreds of millions, if not billions, of unlicensed low-power devices.¹²⁶ According to EEI, millions of devices deploying in unpredictable places will risk overwhelming its members' networks.¹²⁷

31. We note that the Commission's contrary conclusion relied in part on a CableLabs Monte Carlo simulation reflecting a speculative density of 1,000 Wi-Fi access locations per square mile (to represent a worst-case situation), using data taken from 500,000 such access points.¹²⁸ In other words, given the land mass of the United States, that study already took into account the potential for billions of devices to be deployed in the 6 GHz band. Moreover, while unlicensed devices may in fact eventually populate the band in large numbers, it is unrealistic to expect that they will reach anywhere close to these numbers during the short-term pendency of the petitions for review, which is the relevant question for purposes of evaluating the stay requests filed by EEI and APCO. Before low-power indoor devices can reach the public, they will first have to be certified to comply with the Commission's rules,¹²⁹ a process that could not have begun until after the rules became effective on July 27, 2020. In this context, not only do manufacturers need to design new equipment or modify existing equipment, such equipment must also be tested pursuant to Commission measurement procedure guidance; guidance that is still in the process of being developed.¹³⁰ It is reasonable to expect that low-power indoor devices will be available to the

¹²¹ *EEI Petition* at 18.

¹²² Order, 35 FCC Rcd at 3909, para. 149.

¹²³ See APCO Petition at 6 (noting that "[d]isruption to these systems could have dire consequences," that "[a]ssistance to the public could be delayed," and that first responders "might lack the ability to transmit emergency calls for assistance and other information essential for protecting life and property").

¹²⁴ APCO Petition at 6-7.

¹²⁵ APCO Petition at 2.

¹²⁶ EEI Petition at 17-18.

¹²⁷ EEI Petition at 18.

¹²⁸ Order, 35 FCC Rcd at 3894, para. 117.

129 See 47 CFR § 2.803.

public before the 2020 holiday season,¹³¹ but, as Apple, Broadcom et al. point out, "there is simply no historical precedent for the immediate sale of millions of devices to consumers in a few months immediately following the effectiveness of the Commission's rules."¹³² The rate at which 6 GHz unlicensed devices are adopted by the public is also important. Even if the petitioners' claim that interference will occur had some basis, it would likely be very rare in the near term—if it occurred at all—because, under petitioners' own assumptions, the only way that any harmful interference could be expected to occur would be if there were many millions or billions of the unlicensed devices in operation. As this cannot be expected to be the case in the near term, if ever, this potential harm cannot be said to be imminent.

32. For AFC-controlled standard-power devices, the potential harm is even further remote. As an initial matter, standard-power devices will have to complete the same certification process as low-power indoor devices. However, before standard-power access points can be deployed, the Commission's Office of Engineering and Technology also will have to designate one or more AFC system operators using a multi-stage review process.¹³³ This process includes issuing a public notice inviting proposals from prospective operators, time for system development, a public comment period, and testing by the public.¹³⁴ Given the complexity of this process, and based on the Commission's prior experience with similar systems,¹³⁵ there is not likely to be a functioning AFC system during the pendency of judicial review.

C. A Stay Would Harm Other Parties

33. Both petitioners have failed to show that other parties will not be harmed if the Commission grants their stay petition.

34. Both EEI and APCO assert that granting the stay would maintain the status quo and APCO adds that the *Order* was not intended to end an existing harm.¹³⁶ EEI claims that granting a stay would not cause harm because even if the *Order*'s legality is upheld, certain business plans may be delayed but none will be destroyed.¹³⁷ APCO states that it is not aware of any reports that parties are

¹³¹ EEI Petition at 16; FWCC Filing in Support of Petition for Stay of APCO International, ET Docket No. 18-295, at 8 (filed June 4, 2020); Opposition to Petition for Stay, Wi-Fi Alliance, ET Docket No. 18-295, at 15 (filed June 26, 2020).

¹³² Opposition of Apple, Broadcom et al. to the Petition for Stay Pending Judicial Review of Edison Electric Institute, ET Docket No. 18-295, at 17 (filed June 26, 2020).

¹³³ Order, 35 FCC Rcd at 3870-71, para. 49.

¹³⁴ *Id*.

¹³⁵ For example, the system access administrator (SAS) model being deployed in the 3.5 GHz band took approximately four years to implement. *Compare Wireless Telecommunications Bureau and Office of Engineering and Technology Approve Five Access System Administrators to Begin Initial Commercial Deployments in the 3.5 GHz Band*, GN Docket No. 15-319, Public Notice, 34 FCC Rcd 8106 (2019), with Amendment of the Commission's *Rules with Regard to Commercial Operations in the 3550-3650 MHz Band*, GN Docket No. 12-354, Report and Order and Second Further Notice of Proposed Rulemaking, 30 FCC Rcd 3959 (2015). The television white spaces database required approximately three years to implement. *Compare Unlicensed Operation in the TV Broadcast Bands*, ET Docket No. 04-186, Second Report and Order and Memorandum Opinion and Order, 23 FCC Rcd 16807 (2008), *with Office of Engineering and Technology Announces the Approval of Spectrum Bridge, Inc.'s TV Bands Database System for Operation*, ET Docket No. 04-186, Public Notice, 26 FCC Rcd 16924 (2011).

¹³⁶ APCO Petition at 8; EEI Petition at 19.

¹³⁷ EEI Petition at 19.

⁽Continued from previous page) -

¹³⁰ The Commission provides measurement guidance for various devices through its knowledge database (KDB) system (<u>https://apps.fcc.gov/oetcf/kdb/index.cfm</u>). When developing guidance for new devices, such as the 6 GHz band, the Commission typically develops draft guidance and then seeks public comment on that guidance.

suffering harm because of unlicensed devices lacking bandwidth despite the current nationwide emergency causing a shift in Wi-Fi usage patterns.¹³⁸ According to APCO, no party challenged the identical concerns that APCO raised prior to adoption of the *Order*, and no party indicated that it would face harm if the Commission had delayed the *Order* to address APCO's concerns.¹³⁹

35. Other parties disagree. Stakeholders such as Apple and Broadcom contend that before these devices can be brought to market, manufacturers must obtain rule interpretations and the Commission's Office of Engineering and Technology must develop test procedures.¹⁴⁰ This process will be disrupted if a stay is granted and companies will be discouraged from making investments in developing 6 GHz products. Consequently, a stay will delay companies from receiving the benefit of the investment they have made in developing 6 GHz products and delay the development of additional 6 GHz unlicensed products.

36. Furthermore, a stay would harm consumers. As the Commission stated, by making the 6 GHz band available for unlicensed use it was "satisfying the American public's need for additional network capacity."¹⁴¹ Delaying the availability of the 6 GHz band is not harmless to either potential manufacturers of 6 GHz equipment or consumers. We cannot conclude that merely maintaining the status quo prevents these harms from occurring.

37. The ongoing COVID-19 pandemic further illustrates the increased demand for spectrum suitable for unlicensed use. With millions of Americans at home for the foreseeable future, the high bandwidth connections made possible by the *Order* are essential for remote work, distance learning, and telehealth, and help people remain connected and productive. In response to the unprecedented demand for broadband at this time, the Commission has made spectrum adjacent to the U-NII-3 band available to wireless Internet service providers.¹⁴² As this band is located close to the lower end of the 6 GHz band and wireless Internet service providers often make use of spectrum to provide broadband connectivity to their customers on an unlicensed basis, it illustrates that there is demand for additional spectrum for unlicensed use in this frequency range.

38. We do not find convincing APCO's contention that no party indicated it would face harm if the Commission delayed enactment of the 6 GHz unlicensed rules to address the concerns APCO expressed prior to adoption of the *Order*. APCO expressed these concerns in an *ex parte* filing made on April 10, 2020,¹⁴³ which was 7 days before the start of the Sunshine period for the *Order*, during which the *ex parte* rules prohibit most presentations.¹⁴⁴ Given that this *ex parte* filing was made so close to the start of the Sunshine period and so long after the comment and reply comment filing deadlines, we draw

¹³⁹ Id.

¹⁴² News Release, *FCC Grants Wireless ISPs Temporary Access to Spectrum in the 5.9 GHz Band to Meet Increase in Rural Broadband Demand During Pandemic*, FCC (Mar. 27, 2000), https://docs.fcc.gov/public/attachments/DOC-364138A1.pdf.

¹⁴⁴ See 47 CFR § 1.1203(b).

¹³⁸ APCO Petition at 8.

¹⁴⁰ Opposition of Apple, Broadcom et al. to the Petition for Stay Pending Judicial Review of Edison Electric Institute, ET Docket No. 18-295, at 18 (filed June 26, 2020).

¹⁴¹ Order, 35 FCC Rcd at 3854, para. 4.

¹⁴³ Letter of Jeffrey S. Cohen and Mark S. Reddish, APCO International, to Marlene Dortch, Secretary, FCC, ET Docket 18-295 (filed Apr. 10, 2020).

no significant meaning from the lack of response before parties made this precise point in their oppositions to these recent stay requests.¹⁴⁵

D. Granting a Stay Would Not Be in the Public Interest

39. Finally, neither petitioner has met its burden of showing that the public interest warrants a stay. APCO argues that given the Commission's statutory mandate to promote public safety, protecting public safety communications is in the public interest.¹⁴⁶ According to APCO, protecting public safety communications is not possible unless the rules are suspended so that they can be revised to prevent and mitigate interference.¹⁴⁷ EEI claims that there is a real possibility all microwave links nationwide will be immediately compromised once unlicensed 6 GHz devices are deployed.¹⁴⁸ EEI states that if utilities cannot rely on their communications infrastructure, lives and property will be at risk and taking this risk pending judicial review is not in the public interest.¹⁴⁹

40. A stay of the *Order* is not necessary to protect the fixed microwave operations of public safety agencies and utilities. In making spectrum available for unlicensed operations in the 6 GHz band, the Commission made clear that its rules for 6 GHz unlicensed operations have been designed to ensure that licensed incumbent operations are protected from harmful interference to deliver high value, mission-critical services—including public safety and utilities—on which Americans rely.¹⁵⁰ The Commission made its determinations based on consideration of an extensive record that supported its conclusion that 6 GHz unlicensed devices, under the technical and operational parameters adopted, would serve the public interest by enabling innovative and valuable new uses while not presenting a significant potential for causing harmful interference to licensed public safety and utility users (and other fixed microwave licensees) that operate in the band. As such, we conclude that petitioners have not met their burden of showing that public safety communications will not be protected or that lives and property will be put at risk if the new 6 GHz band unlicensed rules are not stayed.

41. Furthermore, the public interest would be best served by denying the stay petitions and allowing the implementation of the *Order*. In the *Order*, the Commission determined that the new 6 GHz rules would advance its statutory directive to "encourage the larger and more effective use of radio in the public interest."¹⁵¹ The new 6 GHz rules also are consistent with the recently announced congressional goal of "promot[ing] spectrum policy that makes available on an unlicensed basis radio frequency bands to address consumer demand for unlicensed wireless broadband operations."¹⁵²

¹⁴⁷ Id.

¹⁴⁸ EEI Petition at 19.

¹⁴⁹ EEI Petition at 19-20.

¹⁵² Id. § 1507(a)(3).

¹⁴⁵ Opposition of Apple Inc. et al. to the Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183, at 7-9 (filed June 4, 2020); Wi-Fi Alliance Opposition to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183, at 11-13 (filed June 4, 2020); Opposition of NCTA—The Internet & Television Association to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183, at 11-13 (filed June 4, 2020); Opposition of NCTA—The Internet & Television Association to Petition for Stay of APCO International, ET Docket No. 18-295, GN Docket No. 17-183, 11-13 (filed June 4, 2020).

¹⁴⁶ APCO Petition at 8.

¹⁵⁰ See, e.g., Order, 35 FCC Rcd at 3853, para. 1, 3855, para. 7, 3856, para. 11, 3860, para. 19, 3862, para. 23, 3888, para. 98.

¹⁵¹ See Order, 35 FCC Rcd at 3947, para. 264 (citing 47 U.S.C. § 303(g)). Section 1507 also provides that the Commission "ensure that [its] efforts . . . related to spectrum allocation and assignment made available on an unlicensed basis radio frequency bands to address demand for unlicensed wireless broadband operations if doing so is, after taking into account the future needs of homeland security, national security, and other spectrum users—(1) reasonable; and (2) in the public interest." *Id.* § 1507(a)(3).

A stay would postpone the stated benefits of the new 6 GHz rules. In particular, as 42. discussed in the Order, the new 6 GHz rules will help meet the growing consumer demand for wireless broadband and yield important economic benefits.¹⁵³ By making an additional 1,200 megahertz of spectrum available for unlicensed use, the Commission stated that the new rules will "ease any existing and anticipated congestion," allow "businesses and consumers [to] take advantage of new data-intensive applications," and "advance the ... goal of making broadband connectivity available to all Americans, especially those in rural and underserved areas."¹⁵⁴ Furthermore, 6 GHz unlicensed devices will make an immediate impact during the COVID-19 pandemic which has seen rising demand for consumer connectivity for work, school, and entertainment applications. The Commission noted that it expects that 6 GHz unlicensed devices will become a part of most peoples' everyday lives and will play a role in providing broadband access to multitudes of consumers and in the growth of the Internet of Things; connecting appliances, machines, meters, wearables, and other consumer electronics as well as industrial sensors for manufacturing.¹⁵⁵ The Commission also stated that the new 6 GHz rules "will have a significant economic benefit"---one estimate asserting that they "will produce over \$150 billion in economic value"-"by relieving potential congestion, allowing more users to access these new bands, and potentially making new use cases possible."156

43. Thus, given the expected benefits that will result from deployment by both consumers and businesses of 6 GHz unlicensed devices, and the unlikely, speculative nature of the petitioners' claims about the alleged dangers, we conclude that petitioners have not established that it would be in the public interest to delay deployment of new unlicensed operations.

IV. ORDERING CLAUSES

44. Accordingly, **IT IS ORDERED THAT**, pursuant to the authority contained in sections 4(i), 4(j), 5, 201, 302, and 303 of the Communications Act of 1934, as amended, 47 U.S.C. §§ 154(i)-(j), 155, 201, 302a, and 303 and the authority delegated in sections 0.31 and 0.241 of the Commission's rules, 47 CFR §§ 0.31 and 0.241, this Order Denying Petitions for Stay in ET Docket No. 18-295 and GN Docket No. 17-183 **IS ADOPTED**.

45. It is **FURTHER ORDERED** that the Petition for Stay Pending Judicial Review filed by the Edison Electric Institute, **IS DENIED**.

46. It is **FURTHER ORDERED** that the Petition for Stay filed by the Association of Public-Safety Communications Officials-International, Inc., **IS DENIED**.

47. It is **FURTHER ORDERED** that the pleadings filed by Encina Communications Corporation; FWCC; Brett Kilbourne, Vice President Policy and General Counsel, Utilities Technology Council, Brian O'Hara, Senior Director Regulatory Issues—Telecom & Broadband, National Rural Electric Cooperative Association, and Corry Marshall, Senior Government Relations Director, American Public Power Association; Ralph A. Haller, Chairman, National Public Safety Telecommunications Council; Motorola Solutions Inc.; TechFreedom; and Public Knowledge et al., **ARE DISMISSED** as not in compliance with section 1.45(d) of the Commission's rules, 47 CFR § 1.45(d).

48. It is **FURTHER ORDERED** that, pursuant to section 1.102(b)(1) of the Commission's rules, 47 CFR § 1.102(b)(1), this Order Denying Petitions for Stay **SHALL BE EFFECTIVE** upon its release.

FEDERAL COMMUNICATIONS COMMISSION

¹⁵³ See, e.g., Order, 35 FCC Rcd at 3853-54, 3937-38, paras. 1-4, 229.

¹⁵⁴ Order, 35 FCC Rcd at 3853-54, paras. 1-2; see also id. at 3854, 3937, paras. 4, 229.

¹⁵⁵ Order, 35 FCC Rcd at 3854, para. 3.

¹⁵⁶ Order, 35 FCC Rcd at 3937, para. 229.

Ronald T. Repasi Acting Chief Office of Engineering and Technology

Exhibit 3

(Page 194 of Total)

DECLARATION OF COY P. TROSCLAIR ON BEHALF OF SOUTHERN COMPANY SERVICES, INC. IN SUPPORT OF MOTION TO STAY

I, Coy P. Trosclair, hereby declare under penalty of perjury pursuant to 28 U.S.C. § 1746 as follows:

1. I am the Director of Telecom Services for Southern Company Services, Inc. ("SCS"). SCS is a wholly owned subsidiary service company of Southern Company, a holding company based in Atlanta, Georgia, which operates regulated electric and natural gas utilities serving 9 million customers in nine states (collectively, "Southern"). I have held this position since April 2017 and have been with Southern for more than 21 years. Southern is a member of the Edison Electric Institute ("EEI"), which has filed a petition for review of the FCC Report and Order, dated April 23, 2020 ("the Order"), permitting the unlicensed operation of low power indoor devices in the 6 GHz band in the United States Court of Appeals for the District of Columbia Circuit. I make this declaration in support of a Motion to Stay the Order.

2. Southern uses a variety of communications technologies and services to support the safe and efficient generation, transmission, and distribution of energy services to their retail and wholesale customers. Southern holds about 175 licenses for point-to-point frequency paths in the 6 GHz band. Southern also holds about 1,000 licenses for point-to-point microwave facilities in the Fixed Service bands between 10.7 GHz and 19.7 GHz where shorter frequency paths can be accommodated.

3. However, because of Southern's extensive service area, and the need to communicate with facilities in very rural areas, the 6 GHz band is the only band that can accommodate Southern's bandwidth and performance requirements over very long paths.

4. Southern's fixed microwave facilities support a variety of utility applications, including voice and data communications between and among energy control centers,

transmission and distribution substations, power generating stations, and the other utilities with which Southern must coordinate in real-time for management of the interconnected power grid. Microwave is also used to backhaul voice and data from land mobile radio systems used by field crews to coordinate the safe and efficient construction, maintenance, and restoration of Southern's electric facilities. Southern's wide-area land mobile system, operated by Southern Company's wholly owned subsidiary, Southern Communications Services, Inc. d/b/a Southern Linc, also provides commercial mobile radio service to state and local public safety agencies, school districts, rural local governments, public utilities, emergency responders, industrial users, and other commercial entities and individuals throughout the Southeast.

5. Any disruption to the communications links supporting utility applications can have serious consequences to utility operations. The inability to control grid functions and operations creates dangerous situations and potential damage to grid infrastructure and can result in outages and interruptions in the provision of electric service to the public. Many of these applications require very low latency – as low as 20 milliseconds or better – and very high reliability (availability) at a level of 99.999% or higher.

6. In the Order, the FCC adopted new rules permitting unlicensed operations in the 6 GHz band, including rules that would permit the operation of low power indoor devices without any form of automated frequency control or other measure to mitigate harmful interference to licensed incumbent 6 GHz microwave systems, such as those that support Southern's electric utility operations. However, Southern submitted detailed technical studies and analyses to the FCC showing that even a single co-channel low power indoor unit operating under the technical parameters adopted by the FCC would have a high probability of causing harmful interference to Southern's licensed 6 GHz microwave systems, and several other parties submitted detailed studies that reached similar conclusions. These studies demonstrate that allowing unlicensed low power indoor operations to commence under the rules adopted in the Order will result in harmful interference that will pose an immediate and significant risk to Southern's electric utility operations and result in irreparable harm.

7. Southern has identified certain areas of its operations that would be exposed to detrimental, irreparable harm by interference to its 6 GHz microwave system. Some examples are provided below in this declaration.

8. One area of operation where Southern utilizes 6 GHz microwave links is at generating facilities, where they are used for numerous purposes. One of these applications, for example, is remote or autonomous control of critical plant systems to manage loads and prevent outages or catastrophic damage to both the electrical grid and generating components when a generating facility is brought onto the grid or in the event of a fault either at the plant or elsewhere in the electric system. Another critical applications require uninterrupted connectivity and must not incur even a second of outage time, since they require instantaneous response in both directions. Interference from unlicensed low power indoor operations in the 6 GHz band will disrupt these critical communications and significantly increase the risk of severe damage to the generating facility, the transmission grid, and to switching devices both inside and outside connected substations, which would result in power outages and endanger the safety of employees and of the public.

9. Southern also utilizes 6 GHz microwave links to support substation operations, which require a stable, highly reliable, and low latency connection for critical functions such as protective relaying, which must react within milliseconds in order to manage electric loads,

prevent cascading faults, and prevent the damage or destruction of substation breakers, transmission and distribution lines, and downstream distribution facilities such as transformers. Microwave links are also used to connect the substations of Southern and of neighboring utilities to exchange real-time, critical information about the interconnected electric grid such as voltages, current loads, and phase, as well as real-time status information on breakers, line switches, and load capacities. This is to ensure that the grid does not become unstable or overloaded, which may lead to brownout or blackout conditions and damage to interconnecting tie points, switches, transmission lines and substations. Interference from unlicensed low power indoor operations in the 6 GHz band will disrupt these critical substation communications and significantly increase the risk of severe damage to the substation and to the transmission and distribution grid, which would result in power outages and endanger the safety of employees and of the public.

10. In addition, Southern utilizes 6 GHz microwave links to provide critical communications to its two Nuclear Emergency Response Centers/Joint Information Centers. These centers are critical in case of an abnormal event at a nuclear facility and are required to meet specific criteria set forth by the Nuclear Regulatory Commission. Any degradation in a 6 GHz microwave path serving these centers as a result of unlicensed low power indoor operations will hinder the response in addressing any emerging or ongoing problem, which would endanger the safety of the public.

11. Southern does not have any alternative to the 6 GHz band for many of its critical communications links. Because of Southern's extensive service area and the need to communicate with facilities in very rural areas, the 6 GHz band is best suited to accommodate Southern's bandwidth and performance requirements, and deploying fiber along these routes or

relocating into an adjacent band is not economically or operationally feasible. Other frequency bands, such as 11 GHz or 18 GHz, do not offer the signal quality over the distances needed to achieve minimum, utility industry accepted, reliability standards. Migrating paths from 6 GHz up to other bands will require additional towers to be constructed and additional microwave paths to be installed to fill the gap between existing sites now connected by a 6 GHz path. In addition to the cost - which Southern has estimated to be over \$20 million for its system alone any relocation would be highly disruptive to operations, including but not limited to the impact of multi-day to multi-week outages while systems are being cut over to their new channel assignments, which in turn would disrupt Southern's core electric utility operations. Broadband, low-latency, land-based options such as commercial fiber are not readily available in the very rural areas that Southern's 6 GHz microwave links now serve, and building our own fiber connectivity is cost prohibitive given the investment per mile over the long distances covered by the 6 GHz paths.

12. As described above, allowing unlicensed low power indoor operations to commence under the rules adopted in the Order will expose Southern's electric utility operations to immediate and significant risk that will result in irreparable harm to the public.

I declare under penalty of perjury that the foregoing is true and correct.

Executed on: August 28, 2020

Con Proselair

Exhibit 4

DECLARATION OF KEVIN BORNHOFT ON BEHALF OF CORN BELT POWER COOPERATIVE IN SUPPORT OF MOTION TO STAY

I, Kevin Bornhoft hereby declare under penalty of perjury pursuant to 28 U.S.C. § 1746 as follows:

1. I am the V.P. Engineering & System Operations for Corn Belt Power Cooperative (Corn Belt). Corn Belt is an electric generation and transmission cooperative organized and existing under the laws of the State of Iowa. Corn Belt's principal offices are located at 1300 13th Street North, Humboldt, Iowa 50548. Corn Belt provides on a not-for-profit basis the wholesale power requirements of its 9 rural electric cooperative members and one municipal electric cooperative association (the North Iowa Municipal Electric Cooperative Association). Corn Belt owns or controls approximately 337 MW of generating capacity through joint ownership arrangements and electric generating plants in Iowa. I have been in this position for the last 13 years and have been with Corn Belt for all 39 years of my career. Corn Belt is a member of the National Rural Electric Cooperative Association ("NRECA"), which has filed a petition for review of the FCC Report and Order, dated April 23, 2020 ("the Order"), permitting the unlicensed operation of low power indoor devices in the 6 GHz band in the United States Court of Appeals for the District of Columbia Circuit. I make this declaration in support of a Motion to Stay the Order.

2. Corn Belt relies heavily on the 6 GHz band for operation & control of nearly 1,800 miles of transmission lines and 166 substations. Our microwave system provides the backhaul for our mobile radio system including nearly 300 mobiles radios supporting Corn Belt and our member cooperatives. Our load control equipment also depends on the microwave system to send signals to 38,000 cooperative consumer owners.

3. Corn Belt has invested in the 6 GHz band specifically because of the reliable and exclusive nature of prior-coordinated Part 101 point-to-point licenses. The 6 GHz band is the backbone upon which critical services rely. Any impact to these systems has the potential to negatively affect the Corn Belt's ability to provide energy products and services to approximately 38,000 cooperative consumer owners, 25,000 municipal consumers and business customers

4. Corn Belt relies heavily on the 6 GHz band for point-to-point backhaul communications to support its critical infrastructure operations. Corn Belt hold 36 licenses in the Part 101 6 GHz band. These licenses authorize links that backhaul communications for Supervisory Control and Data Acquisition ("SCADA"), telemetry, and teleprotection, which ensure safe, effective, and efficient operation of the power grid. These systems monitor and isolate power grid issues and are an integral part of maintaining reliability of electric utility critical infrastructure on a 24/7/365 basis.

5. Any disruption to the communications links supporting utility applications can have serious consequences to utility operations. The inability to control grid functions and operations creates dangerous situations and potential damage to grid infrastructure and can result in outages and interruptions in the provision of electric service to the public. Many of these applications require very low latency – as low as 20 milliseconds or better – and very high reliability (availability) at a level of 99.999% or higher.

6. Corn Belt is particularly concerned with the Commission's decision to permit certain unlicensed devices to operate in the 6 GHz band without Automated Frequency Control ("AFC"). However, the Edison Electric Institute ("EEI") submitted detailed technical studies and analyses to the FCC showing that even a single co-channel low power indoor unit operating under the technical parameters adopted by the FCC would have a high probability of causing harmful

interference to Corn Belt's licensed 6 GHz microwave systems, and several other parties submitted detailed studies that reached similar conclusions. These studies demonstrate that allowing unlicensed low power indoor operations to commence under the rules adopted in the Order will result in harmful interference that will pose an immediate and significant risk to Corn Belt's electric utility operations and result in irreparable harm.

7. It is clear that for there to be any practicable sharing between licensed and unlicensed systems in the 6 GHz band, there must be an AFC system by which unlicensed systems identify and avoid licensed 6 GHz links. The AFC must be thoroughly vetted by market testing under real-world conditions and such testing must be conducted by a multi-stakeholder group with representatives from all incumbent licensed stakeholders in the band. This is the absolute minimum required to ensure the protection of licensed 6 GHz systems.

8. The Commission suggests that building attenuation will be instrumental in minimizing the potential for harmful interference from indoor low-power access points to licensees' receivers, but even a cursory review of the mechanisms the Commission proposes to put in place to ensure indoor operation reveals them to be woefully inadequate to prevent interference.

9. For example, the Commission purports to ensure indoor operation by prohibiting weather resistant low power access point devices. However, many vendors are already selling aftermarket weather-proofing enclosures. The Commission further prohibits low power unlicensed devices from operating on battery power, but the availability of AC power supply outdoors renders this rule completely ineffective in preventing outdoor use. Corn Belt strongly fears the Commission is overestimating its ability to ensure indoor operation of non-AFC enabled devices, and thus underestimating the potential impact to critical licensed systems.

10. Enforcement without an AFC is also impossible. In adopting an AFC requirement for outdoor unlicensed systems, the Commission acknowledged that centralized AFC will ensure the capability exists to identify sources of interference and expeditiously rectify such instances. With those considerations in mind, the authorization of potentially millions of unlicensed devices in the 6 GHz band, without any tether to centrally identify and mitigate interference, risks harmful interference to Corn Belt's critical communications systems. Without AFC, there will be no way to mitigate or abate this harm once unlicensed devices are released in the market.

I declare under penalty of perjury that the foregoing is true and correct.

Executed on: September 3, 2020

<u>Kevin Bornhoff</u> Kevin Bornhoft

Exhibit 5

DECLARATION OF MICHAEL V. KUBERSKI ON BEHALF OF EXELON CORPORATION IN SUPPORT OF MOTION TO STAY

I, Michael V. Kuberski, hereby declare under penalty of perjury pursuant to 28 U.S.C. § 1746 as follows:

1. I am the Director of Utility Communications of Exelon Corporation ("Exelon"), a company generating, transmitting, and delivering energy nationwide. I have held this position since March of 2016 and have been with Exelon for more than 33 years. Exelon is a member of the Edison Electric Institute ("EEI"), which has filed a petition for review of the FCC Report and Order, dated April 23, 2020 ("the Order"), permitting the unlicensed operation of low power indoor devices in the 6 GHz band in the United States Court of Appeals for the District of Columbia Circuit. I make this declaration in support of a Motion to Stay the Order.

2. Exelon is a leader in all phases of bringing energy to American consumers. Its operations include power generation, competitive energy sales, transmission and delivery. Exelon has operations and business activities in 48 states and the District of Columbia. Exelon's six transmission and distribution utilities — Atlantic City Electric Company, Baltimore Gas and Electric Company, Commonwealth Edison Co., Delmarva Power & Light Company, PECO Energy Company and the Potomac Electric Power Company (the "Exelon Companies") — deliver electricity and natural gas to approximately 10 million customers in Delaware, the District, of Columbia, Illinois, Maryland, New Jersey and Pennsylvania.

3. Exelon is one of the largest competitive U.S. power generators, with more than 31,000 megawatts of nuclear, gas, wind, solar and hydroelectric generating capacity comprising one of the nation's cleanest and lowest-cost power generation fleets. The company's Constellation

business unit provides energy products and services to approximately 1.8 million residential, public sector and business customers, including more than two-thirds of the Fortune 100.

4. Exelon relies heavily on the 6 GHz band for point-to-point backhaul communications to support its critical infrastructure operations. The Exelon Companies hold more than 200 licenses in the Part 101 6 GHz band. These licenses authorize links that backhaul communications for Supervisory Control and Data Acquisition ("SCADA"), telemetry, and teleprotection, which ensure safe, effective, and efficient operation of the power grid. These systems monitor and isolate power grid issues and are an integral part of maintaining reliability of electric utility critical infrastructure on a 24/7/365 basis.

5. The Exelon Companies have invested in the 6 GHz band specifically because of the reliable and exclusive nature of prior-coordinated Part 101 point-to-point licenses. The 6 GHz band is the backbone upon which critical services rely. Any impact to these systems has the potential to negatively affect the Exelon Companies' ability to provide reliable electric service to the public.

6. Interference to utility-operated 6 GHz band microwave systems risks the functionality of carefully engineered field protection and control devices that ultimately ensure the delivery of energy to consumers.

7. Exelon is particularly concerned with the Commission's decision to permit certain unlicensed devices to operate in the 6 GHz band without Automated Frequency Control ("AFC"). In that regard, Exelon commissioned a study by the engineering firm Lockard & White of the potential impact from unlicensed 6 GHz band Radio Local Area Network ("RLAN") devices to 6 GHz microwave links ("L&W Study"). Exelon submitted that study into the FCC 6 GHz docket on April 16, 2020.

2

8. The L&W Study concluded that Exelon's 6 GHz band fixed microwave links "had a high probability of being significantly impacted" by a small number of RLAN devices. The L&W Study found this to be true even if the unlicensed RLAN devices were low power indoor or very low power units. The L&W Study determined that an AFC designed to avoid RLAN units transmitting over channels that are in use by licensed transmitters is required to avoid these issues.

9. It is clear that for there to be any practicable sharing between licensed and unlicensed systems in the 6 GHz band, there must be an AFC system by which unlicensed systems identify and avoid licensed 6 GHz links. The AFC must be thoroughly vetted by market testing under real-world conditions and such testing must be conducted by a multi-stakeholder group with representatives from all incumbent licensed stakeholders in the band. This is the absolute minimum required to ensure the protection of licensed 6 GHz systems.

10. By allowing indoor unlicensed devices to operate without any AFC at all, there will be an unacceptable level of risk for licensed 6 GHz systems. Although the Commission suggests that building attenuation will be instrumental in minimizing the potential for harmful interference from indoor low-power access points to licensees' receivers, even a cursory review of the mechanisms the Commission proposes to put in place to ensure indoor operation reveals them to be woefully inadequate.

11. For example, the Commission purports to ensure indoor operation by prohibiting weather resistant low power access point devices. However, aftermarket weather-proof enclosures currently are available from dozens of vendors. The Commission further prohibits low power unlicensed devices from operating on battery power, which would appear to have no practical impact given the outdoor availability of AC power supply. Exelon strongly fears the Commission

3

is overestimating its ability to ensure indoor operation of non-AFC enabled devices, and thus underestimating the potential impact to critical licensed systems.

12. Not only does the lack of AFC unacceptably risk interference to licensed systems, it will also render enforcement unfeasible. In adopting an AFC requirement for outdoor unlicensed systems, the Commission acknowledges that centralized AFC will ensure the capability exists to identify sources of interference and expeditiously rectify such instances. With those considerations in mind, the authorization of potentially millions of unlicensed devices in the 6 GHz band, without any tether to centrally identify and mitigate interference, risks harmful interference to Exelon's critical communications systems. Without AFC, there will be no "putting the genie back in the bottle" once unlicensed devices are released in the market.

I declare under penalty of perjury pursuant to 28 U.S.C. § 1746 that the foregoing is true and correct to the best of my knowledge and belief.

Executed on: September 3, 2020

Mechael Kuberski